Division of Health Service Regulation

	STATEMENT OF DEFICIENCIES (X1) PROVIDER/SUPPLIER/CLIA AND PLAN OF CORRECTION IDENTIFICATION NUMBER:		(X2) MULTIPLE CONSTRUCTION		(X3) DATE SURVEY COMPLETED	
ANDIEAN	or contribution	IDENTIFICATION NOWIDEN.	A. BUILDING: _			
		FCL051056	B. WING		12/0	2/2020
NAME OF P	ROVIDER OR SUPPLIER	STREET ADD	RESS, CITY, STA	TE, ZIP CODE		
THE VILL	AS BENSON I	606 EAST M BENSON, N	MORRIS AVEN IC 27504	UE		
(X4) ID PREFIX TAG	(EACH DEFICIENC)	ATEMENT OF DEFICIENCIES Y MUST BE PRECEDED BY FULL LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD CROSS-REFERENCED TO THE APPROPR DEFICIENCY)	BE	(X5) COMPLETE DATE
C 000	Initial Comments		C 000			
	complaint investigation	sure Section conducted a on and a COVID-19 focused rey on December 1, 2020 to				
C 022	10A NCAC 13G .0302 Construction	2 (b) Design And	C 022			
	10A NCAC 13G .0302	2 Design And Construction				
	(b) Each home shall be planned, constructed, equipped and maintained to provide the services offered in the home.					
	This Rule is not met TYPE B VIOLATION	·				
	reviews, the facility farevacuation capabilities the evacuation capabilities current license for 2 cm #3) who had cognitive physical impairments					
	The findings are:					
		s current license effective e facility was licensed for 6				
	Review of the daily corresided in the facility	ensus revealed 5 residents on 12/01/20.				

Division of Health Service Regulation
LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE (X6) DATE

Division of Health Service Regulation

STATEMENT	OF DEFICIENCIES OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:		CONSTRUCTION	(X3) DATE SURVEY COMPLETED	
					С	
		FCL051056	B. WING		12/02/2020	
NAME OF PI	ROVIDER OR SUPPLIER	STREET AD	DRESS, CITY, STA	TE, ZIP CODE		
THE VILL	AS BENSON I		MORRIS AVEN	UE		
		BENSON,	NC 27504			
(X4) ID PREFIX TAG	(EACH DEFICIENC)	ATEMENT OF DEFICIENCIES Y MUST BE PRECEDED BY FULL SC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD CROSS-REFERENCED TO THE APPROPR DEFICIENCY)	BE COMPLI	ETE
C 022	Continued From page	<del>2</del> 1	C 022			
		nedication aide (MA) on evealed she was the only				
	-There was no sprink	00pm-3:00pm revealed: ler system in the facility.				
	exit doors.	nd level with no steps at the				
	Review of Resident #1's current FL-2 dated     12/12/19 revealed:     -Diagnoses included dementia, hypertension and					
	schizophreniaThe resident was inte	ermittently disoriented				
	-The resident was am	ibulatory.				
	Plan dated 08/15/20 r	1's Assessment and Care revealed: ented, and her memory was				
	-The resident required	d limited assistance with ulation, bathing, dressing, rring.				
	(PCP's) note dated 1	as at baseline with no acute				
	Review of Resident # 10/28/20 revealed the					
		1's PCP's note dated resident's dementia was at e changes and was alert and				

Division of Health Service Regulation

STATE FORM 5899 5KZ711 If continuation sheet 2 of 38

Division of	of Health Service Regu	lation				
	OF DEFICIENCIES OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:		CONSTRUCTION	(X3) DATE SU COMPLE	
		FCL051056	B. WING		C 12/02	2/2020
NAME OF D		CTDEET AD	DDECC CITY CTA	TE 7/D 000E	,	
NAME OF PI	ROVIDER OR SUPPLIER		DRESS, CITY, STA			
THE VILL	AS BENSON I		MORRIS AVEN	UE		
(X4) ID PREFIX TAG	(EACH DEFICIENC)	ATEMENT OF DEFICIENCIES Y MUST BE PRECEDED BY FULL SC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD CROSS-REFERENCED TO THE APPROPE DEFICIENCY)	BE	(X5) COMPLETE DATE
C 022	Continued From page	2	C 022			
0.022	Review of Resident # visit note dated 09/30 -The resident was see medication managem -The resident's diagnoschizophreniaDuring the resident's watching television ar -The resident was unsubjective symptoms impairmentThe resident's orient -The resident's orient -The resident's insigh reasoning and concered -The resident's gener was limited, and her rimpairedIn the plan section of entry to monitor for far Interview with the Resident #1 had son total care from staffResident #1 needed facility during fire drills fire alarm when active	1's mental health provider /20 revealed: en for a follow up psychiatric tent. coses included dementia and interview the resident was and talking to herself. able to reliably identify because of cognitive ention was to person. t, judgement, abstract intration were impaired. al intellectual functioning memory was severely f the visit note, there was an ills and other "safety risks".	0022			
	drills and following the -Resident #1 needed	e other residents. verbal prompting from staff				
	to exit during a fire dr on assistance from st	ill and did not require hands aff.				
	on 12/01/20 between revealed:					
	facility at the facility's	ng in the hallway of the side exit door and initiated a				
	fire drill by activating the Resident #2 was sea	the audible fire alarm. Ited in the common living				

Division of Health Service Regulation

STATE FORM 6899 If continuation sheet 3 of 38 5KZ711

Division of Health Service Regulation

DIVISION	n Health Service Negu	lation				
STATEMENT	OF DEFICIENCIES	(X1) PROVIDER/SUPPLIER/CLIA	(X2) MULTIPLE	CONSTRUCTION	(X3) DATE S	URVEY
AND PLAN C	OF CORRECTION	IDENTIFICATION NUMBER:	A. BUILDING:		COMPLI	ETED
			_		_	
			5		C	
		FCL051056	B. WING		12/0	2/2020
NAME OF PE	ROVIDER OR SUPPLIER	STREET ADD	RESS, CITY, STA	TE ZIP CODE		
TO TIME OF TH	TO VIDER ON OUT FEET		, ,	,		
THE VILL	AS BENSON I		MORRIS AVEN	IUE		
		BENSON,	NC 27504			
(X4) ID	SUMMARY STA	ATEMENT OF DEFICIENCIES	ID	PROVIDER'S PLAN OF CORRECTION	1	(X5)
PREFIX	•	Y MUST BE PRECEDED BY FULL	PREFIX	(EACH CORRECTIVE ACTION SHOULD		COMPLETE
TAG	REGULATORY OR L	SC IDENTIFYING INFORMATION)	TAG	CROSS-REFERENCED TO THE APPROPR DEFICIENCY)	JAIE	DATE
				DEI IOIENOT)		
C 022	Continued From page	. 3	C 022			
	Continuou i rom page	. •				
	room with three other	residents.				
	-The three residents i	mmediately proceeded to			ľ	
	exit the living room ar	nd entered the hallway while				
		prompt Resident #1 to			ľ	
	follow them.	F				
		om a seated position and			ľ	
		ee residents out of the			ľ	
	facility through the sid					
		#1 exited the facility behind				
	the other three reside					
		ed in the parking lot on the				
	facility grounds.					
	-The fire drill ended a	t 4:36pm when all five				
	residents were evacu	ated in the parking lot.				
	Telephone interview v	vith Resident #1's mental				
	health provider on 12	/02/20 at 2:01pm revealed:				
	-She had taken over I	Resident #1's mental health				
	care for another provi	der not long ago.				
	-Resident #1 was orie					
		ade with Resident #1, it was				
	difficult to get informa					
	_	mumbled and did not speak				
	clearly.	mumbled and did not speak				
	•	intellectual disabilities, the				
		•				
		prompting from the facility				
	staff to exit the facility	in the event of an				
	emergency.					
	-It was hard to determ					
	assistance Resident #	#1 would need meaning, if				
	the resident would red	quire both physical and				
	verbal prompting in a	n emergency because she				
		to get the resident to follow				
	any commands when					
	-She thought Resider					
	_	uching her and saying come				
		as an emergency to exit the				
	facility such as a fire.					

Division of Health Service Regulation

Telephone interview with Resident #1's PCP on

STATE FORM 5899 5KZ711 If continuation sheet 4 of 38

Division of Health Service Regulation

STATEMENT OF DEFICIENCIES (X1) PROVIDER/SUPPLIER/CLIA AND PLAN OF CORRECTION IDENTIFICATION NUMBER:		, ,	(X2) MULTIPLE CONSTRUCTION  A. BUILDING:		(X3) DATE SURVEY COMPLETED	
						;
		FCL051056	B. WING		12/0	2/2020
NAME OF PI	ROVIDER OR SUPPLIER	STREET ADD	RESS, CITY, STA	TE, ZIP CODE		
THE VILL	AS BENSON I		MORRIS AVEN	UE		
(VA) ID	SLIMMARY ST	ATEMENT OF DEFICIENCIES		PROVIDER'S PLAN OF CORRECTION	N.	(VE)
(X4) ID PREFIX TAG	(EACH DEFICIENC)	Y MUST BE PRECEDED BY FULL SC IDENTIFYING INFORMATION)	ID PREFIX TAG	(EACH CORRECTIVE ACTION SHOULD CROSS-REFERENCED TO THE APPROPF DEFICIENCY)	BE	(X5) COMPLETE DATE
C 022	Continued From page	÷ 4	C 022			
C 022	12/02/20 at 3:16pm re-Resident #1 was orie was not oriented to ple-Resident #1 would be facility in an emergen verbal staff assistance resident's intellectual. He had safety conce was only one staff we emergency occurred require hands on and exit the facility.  Confidential interview for the past year or me physical and verbal perimed fire drills because of the staff was aware that license required all represent and evacuate assistance or verbal perimed and evacuate assistance or verbal perimed for the past year or me physical and evacuate assistance or verbal perimed and evacuate assistance or verbal perimed for the was seeking oth #1 due to her dement pandemic of COVID-difficult.  Based on observation interviews, Resident #1 Attempted telephone	evealed: ented to person only and ace, date or time. e capable of exiting the cy when both physical and e was provided due to the disabilities. rns for the residents if there rking at the facility and an because Resident #1 would verbal direction in order to  with two residents revealed ore, Resident #1 required rompting from staff during all he resident's dementia.  ministrator on 12/02/20 at  the facility's ambulatory sidents to be able to e without physical brompting. levels of dementia, 's dementia had progressed to the facility. er placement for Resident ia however, due to the leg placement had been  as, record reviews and #1 was not interviewable.  interview with Resident #1's	C 022			
	Attempted telephone guardian was unsucc 8:20am					

Division of Health Service Regulation

Refer to the review of facility's "Fire Drill Quarterly

STATE FORM 5899 5KZ711 If continuation sheet 5 of 38

Division of Health Service Regulation

STATEMENT	OF DEFICIENCIES OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	` '	CONSTRUCTION	(X3) DATE SURVEY COMPLETED
			A. BOILDING.		
		FCL051056	B. WING		C 12/02/2020
NAME OF PI	ROVIDER OR SUPPLIER	STREET AD	DRESS, CITY, STA	TE, ZIP CODE	
THE VILL	AS BENSON I	606 EAST	MORRIS AVEN	UE	
THE VILE	AO BENOON I	BENSON,	NC 27504		
(X4) ID PREFIX TAG	(EACH DEFICIENC	ATEMENT OF DEFICIENCIES Y MUST BE PRECEDED BY FULL .SC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD CROSS-REFERENCED TO THE APPROPE DEFICIENCY)	BE COMPLETE
C 022	Continued From page	5	C 022		
	Record".				
	11/06/20 revealed: -There was an entry is section to "See DC S-In the admission diagonal the hospital discharge included altered mentions and the subarachnoid hemorrous consciousness, close floor and nasal bone. In the past medical holiagnoses included, stailure, anxiety, congegastric ulcers, post trastroke and supravent. The resident was into	gnoses/discharge section of e summary, diagnoses tal status, fall, and hage with loss of d fracture of the left orbital fracture.  iistory, the resident's seizures, acute kidney estive heart failure, multiple aumatic stress disorder, ricular tachycardia.			
	Plan dated 12/02/20 i				
	adequate.	ented, and her memory was			
	-The resident required eating, toileting, ambigrooming.	d limited assistance with ulation, bathing, dressing, ited ability to ambulate.			
	(RCC) on 12/01/20 at -Resident #3 had live October 2020. -Resident #3 needed assistance from staff required staff reminde and perform toileting -Resident #3 could no	d at the facility since "a lot" of hands on to dress herself and ers to complete oral care			
	resident had "got a w	hole lot better" with falls. netimes able to follow			

Division of Health Service Regulation

STATE FORM 6899 5KZ711 If continuation sheet 6 of 38

Division of Health Service Regulation

DIVISION	of Health Service Regu	lation			
STATEMENT	OF DEFICIENCIES	(X1) PROVIDER/SUPPLIER/CLIA	(X2) MULTIPLE	CONSTRUCTION	(X3) DATE SURVEY
AND PLAN (	OF CORRECTION	IDENTIFICATION NUMBER:	A. BUILDING:		COMPLETED
			_		
					С
		FCL051056	B. WING		12/02/2020
NAME OF PI	ROVIDER OR SUPPLIER	STREET AD	DRESS, CITY, STA	TE, ZIP CODE	
THE VILL	AS BENSON I	606 EAST	MORRIS AVEN	UE	
I TIE VILL	43 DENSON I	BENSON,	NC 27504		
()(1) ID	SLIMMADV ST	ATEMENT OF DEFICIENCIES	I.D.	PROVIDER'S PLAN OF CORRECTION	J (VE)
(X4) ID PREFIX		Y MUST BE PRECEDED BY FULL	ID PREFIX	(EACH CORRECTIVE ACTION SHOULD	( - /
TAG	•	LSC IDENTIFYING INFORMATION)	TAG	CROSS-REFERENCED TO THE APPROPE	
				DEFICIENCY)	
C 022	Continued From page	e 6	C 022		
	-1:				
		n and sometimes she was			
		ental health diagnosis.			
	-Resident #3 was not	able to make safe			
	self-decisions due to	her mental health diagnosis.			
	-Resident #3 required	d staff supervision to ensure			
	she had her walker w	ithin reach and in place			
		would forget her walker,			
	proceeding to walk wi	_			
		en she was at risk for			
	falling.	ich she was at risk loi			
	_	. d l D: d #0			
	-She had not observe				
	T	s because no fire drills had			
		e the resident was admitted			
	to the facility.				
	Observations of Resid	dent #3 intermittently on			
	12/01/20 from 9:00an	n - 5:00pm revealed			
		oulating in the hallway with			
	the use of a rollator.				
	the doo of a foliator.				
	Observations of a fire	drill conducted by the RCC			
	on 12/01/20 between	4:32pm and 4:30pm			
	revealed:				
		ing in the hallway of the			
	facility at the facility's	side exit door and initiated a			
	fire drill by activating	the audible fire alarm.			
	-Resident #3 was in h	ner room with the door			
	closed.				
	-Resident #3 remaine	ed in her room.			
		"Fire! Come on" from the			
	hallway.				
		room until the Administrator			
		sking if she had heard the			
	fire alarm.				
	-After being verbally p				
	Administrator, Reside	ent #3 exited the facility.			
	-The fire drill ended a	t 4:36pm when all five			
		ated in the parking lot.			
		٠ ق٠	1		

Division of Health Service Regulation

Interview with Resident #3 on 12/02/20 at 9:49am

STATE FORM 5899 5KZ711 If continuation sheet 7 of 38

Division of	<u>of Health Service Regu</u>	lation				
	OF DEFICIENCIES OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:		CONSTRUCTION	(X3) DATE SURVEY COMPLETED	Υ
		FCL051056	B. WING		C 12/02/202	20
NAME OF PR	ROVIDER OR SUPPLIER	STREET AL	DDRESS, CITY, STA	TE, ZIP CODE		
THE VILL	AS BENSON I	606 EAS	MORRIS AVEN	UE		
THE VILLA	AS BENSON I	BENSON	, NC 27504			
(X4) ID PREFIX TAG	(EACH DEFICIENC)	ATEMENT OF DEFICIENCIES Y MUST BE PRECEDED BY FULL .SC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTIOI (EACH CORRECTIVE ACTION SHOULD CROSS-REFERENCED TO THE APPROPF DEFICIENCY)	BE CO	(X5) MPLETE DATE
C 022	Continued From page	e 7	C 022			
	revealed: -She heard the alarm fire drillShe thought mainten the front entrance docThe fire drill was Rest the fire alarmShe recognized the season and the season	but did not know it was a sance had been working on or. Sident #3's first time hearing sound of the fire drill. Seted in a fire drill before on in the hospital when the ministrator on 12/02/20 at the facility's ambulatory sidents to be able to be without physical prompting. The spond to the fire drill exit doors needed repair equently yesterday sident #3 re-evaluated to able to independently gency and without requiring with Resident #3's primary on 12/02/20 at 3:16pm and oriented to person, seed physical assistance in the facility due to ralking and using a walker.				
	Refer to the review of Record".	facility's "Fire Drill Quarterly				

Division of Health Service Regulation

Review of facility's "Fire Drill Quarterly Record"

STATE FORM 6899 5KZ711 If continuation sheet 8 of 38

Division of	of Health Service Regu	lation				
	OF DEFICIENCIES	(X1) PROVIDER/SUPPLIER/CLIA	(X2) MULTIPLE	CONSTRUCTION	(X3) DATE SU	JRVEY
AND PLAN (	OF CORRECTION	IDENTIFICATION NUMBER:	A. BUILDING: _		COMPLE	TED
			_			
			D WING		C	
		FCL051056	B. WING		12/02	2/2020
NAME OF P	ROVIDER OR SUPPLIER	STREET A	DDRESS, CITY, STA	TE ZIP CODE		
			T MORRIS AVEN			
THE VILL	AS BENSON I		I, NC 27504	UE .		
(X4) ID	SUMMARY ST	ATEMENT OF DEFICIENCIES	ID	PROVIDER'S PLAN OF CORRECTIO	N	(X5)
PRÉFIX		Y MUST BE PRECEDED BY FULL	PREFIX	(EACH CORRECTIVE ACTION SHOULD		COMPLETE
TAG	REGULATORY OR I	LSC IDENTIFYING INFORMATION)	TAG	CROSS-REFERENCED TO THE APPROPI DEFICIENCY)	RIATE	DATE
				22.10.2.10.7		
C 022	Continued From page	e 8	C 022			
	revealed:					
	-There was documen					
	01/10/20 at 9:30am o	n 1st shift, with 3 residents				
	and one staff participa	ating in the drill. All residents				
	were evacuated safel	y from the front door.				
	-There was documen	tation of a fire drill on				
	01/15/20 at 4:00pm o	n 2nd shift, with 3 residents				
	and one staff participa	ating in the drill. There were				
	no issues with evacua	ation, all evacuated safely.				
	-There was documen	tation of a fire drill on				
	01/18/20 at 6:00am, v	with 3 residents and one				
		ne drill. There was an entry				
	"safely done".	•				
	-There was documen	tation of a fire drill on				
	04/10/20 at 5:00pm o	n 2nd shift, with 3 residents				
	-	ating in the drill. There was				
	an entry "all safely ev					
	-There was documen					
		on 1st shift, with 3 residents				
		ating in the drill. There was				
	an entry that everyon	-				
	-There was documen					
		n 2nd shift, with 3 residents				
	and one staff participa					
	-There was documen					
		(no time was documented),				
		one staff participating in the				
		itry "all evacuation done				
	safely".	an ovacuumon done				
	-There was documen	tation of a fire drill on				
		on 2nd shift, with 3 residents				
	· ·					
		ating in the drill. There was				
	an entry "no issues w					
	-There was documen					
		on 2nd shift, with 5 residents				
		ating in the drill. There was				
	an entry "all evacuate	ed without any problems".				

Division of Health Service Regulation

-There was documentation of a fire drill on 10/06/20 at 5:30am, on 3rd shift, with 5 residents

and one staff participating in the drill.

STATE FORM 6899 5KZ711 If continuation sheet 9 of 38

Division of Health Service Regulation

	OF DEFICIENCIES	(X1) PROVIDER/SUPPLIER/CLIA	(X2) MULTIPLE	CONSTRUCTION	(X3) DATE SURVEY COMPLETED	
AND PLAN (	OF CORRECTION	IDENTIFICATION NUMBER:	A. BUILDING: _		COMPLE	TED
		FCL051056	B. WING		C 12/02	2/2020
NAME OF PI	ROVIDER OR SUPPLIER	STREET ADD	RESS, CITY, STA	TE, ZIP CODE		
THE 1/11 I	A DENOON I	606 EAST I	MORRIS AVEN	UE		
THE VILL	AS BENSON I	BENSON, N	NC 27504			
(X4) ID PREFIX TAG	(EACH DEFICIENC)	ATEMENT OF DEFICIENCIES Y MUST BE PRECEDED BY FULL SC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD CROSS-REFERENCED TO THE APPROPE DEFICIENCY)	BE	(X5) COMPLETE DATE
C 022	Continued From page	9	C 022			
	-There was no total time documented for all residents to evacuate the facility on any of the fire drills reviewed.					
	equipped and maintal living in the facility wh deficits to evacuate in emergency such as a	nsure the building was ined to allow 2 of 5 residents to had physical and cognitive adependently in case of an a fire. The facility's failure to health, safety and welfare constitutes a Type B				
	A Plan of Protection was submitted by the facility in accordance with G.S. 131D-34 on 12/01/20 with an addendum on 12/02/20.					
	CORRECTION DATE VIOLATION SHALL N 2021	FOR THE TYPE B IOT EXCEED JANUARY 16,				
C 147	10A NCAC 13G .0406 Qualifications	6(a)(7) Other Staff	C 147			
		_				
	facility failed to ensure A and Staff B), had a background check co	ews and interviews, the e 2 of 3 sampled staff, (Staff nationwide criminal				
	The findings are:					

Division of Health Service Regulation

STATE FORM 5899 5KZ711 If continuation sheet 10 of 38

Division of Health Service Regulation

DIVISION	n nealth Service Regu	lation			
	OF DEFICIENCIES	(X1) PROVIDER/SUPPLIER/CLIA	(X2) MULTIPLE	CONSTRUCTION	(X3) DATE SURVEY
AND PLAN C	OF CORRECTION	IDENTIFICATION NUMBER:	A. BUILDING:		COMPLETED
		501.054050	B. WING		C
		FCL051056	B. WING		12/02/2020
NAME OF P	ROVIDER OR SUPPLIER	STREET AL	DRESS, CITY, STA	TE, ZIP CODE	
		606 EAS	MORRIS AVEN	IUE	
THE VILL	AS BENSON I		NC 27504		
040.15	CLIMMADV CT			DROVIDERIS DI ANI CE CORRECTIO	N age
(X4) ID PREFIX		ATEMENT OF DEFICIENCIES Y MUST BE PRECEDED BY FULL	ID PREFIX	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD	( - /
TAG		SC IDENTIFYING INFORMATION)	TAG	CROSS-REFERENCED TO THE APPROPR	
				DEFICIENCY)	
C 147	Continued From page	10	C 147		
0 147	Continued From page	<del>.</del> 10	0 147		
	1. Review of Staff A,	medication aide (MA),			
	personnel record reve	ealed:			
	-Staff A was hired on	08/15/20.			
	-There was no docum	nentation of a signed			
	consent for a criminal	background check for Staff			
	A.				
	-There was document	tation of a state-wide			
	criminal background	check completed for Staff A			
	on 06/23/20.	·			
	-There was not docur	nentation of a national			
	criminal background r	report.			
	Review of Staff A's pa	assport revealed she had			
	been a US resident si	ince 02/01/2020.			
	Interview with Staff A	on 12/02/20 at 3:47pm			
	revealed:				
	-She had been emplo	yed since July 2020.			
	-She had completed a	a criminal background			
	check.				
	-She did not know wh	nich type of criminal			
	background check wa	as completed.			
	-She had been residir	ng in North Carolina since			
	June 2020.				
	Refer to interview with				
	12/02/20pm at 4:20pr	n.			
	6 B				
		medication aide (MA),			
	personnel record reve				
	-Staff B was hired on				
	-There was documen				
	_	check completed for Staff B			
	on 10/11/19.				
		nentation of a national			
	criminal background r	eport.			
	Review of Staff B's pa	assport revealed she had			

Division of Health Service Regulation

been a US resident since 03/31/2016.

STATE FORM 6899 5KZ711 If continuation sheet 11 of 38

Division of Health Service Regulation

STATEMENT	OF DEFICIENCIES OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	'	CONSTRUCTION	(X3) DATE SURVEY COMPLETED
			A. BOILDING.		0
		FCL051056	B. WING		C <b>12/02/2020</b>
NAME OF PI	ROVIDER OR SUPPLIER	STREET AD	ORESS, CITY, STA	TE, ZIP CODE	
THE VILL	AS BENSON I		MORRIS AVEN	UE	
		·	NC 27504		T
(X4) ID PREFIX TAG	(EACH DEFICIENC)	ATEMENT OF DEFICIENCIES Y MUST BE PRECEDED BY FULL SC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD CROSS-REFERENCED TO THE APPROPR DEFICIENCY)	BE COMPLETE
C 147	Continued From page	÷ 11	C 147		
C 191	3:58pm revealed: -She started living in to one year agoShe completed and so criminal background of first began her employShe knew a criminal completed but she was check was done.  Refer to interview with 12/02/20pm at 4:20pm. Interview with the Adr 4:20pm revealed: -She was responsible background checks for the she was responsible recordsShe thought any form check could be used.	ministrator on 12/02/20 at for completing criminal or all employees. for maintaining personnel or of a criminal background	C 191		
	Staff				
	Staff	1 Management and Other			
		nall be employed as needed I the supervision and care of			
	This Rule is not met a TYPE A2 VIOLATION				
		ns, interviews, and record iled to have sufficient staff all times to meet the			

Division of Health Service Regulation

STATE FORM 5899 5KZ711 If continuation sheet 12 of 38

Division of Health Service Regulation

STATEMENT	OF DEFICIENCIES OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	· ′	(X2) MULTIPLE CONSTRUCTION  A. BUILDING:	
			A. BOILDING		
		FCL051056 B. WING			C 12/02/2020
NAME OF PI	ROVIDER OR SUPPLIER	STREET AD	DRESS, CITY, STA	TE, ZIP CODE	
THE VILL	AS BENSON I		MORRIS AVEN	UE	
			NC 27504		
(X4) ID PREFIX TAG	(EACH DEFICIENC	ATEMENT OF DEFICIENCIES Y MUST BE PRECEDED BY FULL SC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTIO (EACH CORRECTIVE ACTION SHOULD CROSS-REFERENCED TO THE APPROP DEFICIENCY)	BE COMPLETE
C 191	Continued From page	e 12	C 191		
	supervision needs for 2 of 5 sampled residents (#1, #3) and failed to ensure staff were accessible to the residents by leaving the facility unattended.				
	The findings are:				
		s current license effective e facility was licensed for 6			
	Review of the daily census revealed 5 residents resided in the facility on 12/01/20.				
	-	vided to the residents nour supervision by capable,			
	staff did not make rou	r 11:00pm, she had never			
	12/01/20 at 9:08am re				
	-She was the only sta -She worked a 24-hor schedule.	iff currently on duty. ur 7 day on and 7 day off			
	-She rotated the 24 h another MA on her da	our work schedule with ays off.			
	(MA) on 12/02/20 at a -She slept at night fro 5:30am in the live-in c -She was the only staduring the night.	m 11:00pm -11:30pm to quarters of the facility.  Iff present in the facility onnected to the staff office or staff to sleep overnight.			

Division of Health Service Regulation

STATE FORM 6899 5KZ711 If continuation sheet 13 of 38

Division of Health Service Regulation

	of Health Service Regu FOF DEFICIENCIES	(X1) PROVIDER/SUPPLIER/CLIA	(X2) MULTIPLE	CONSTRUCTION	(X3) DATE S	URVEY
	OF CORRECTION	IDENTIFICATION NUMBER:			COMPLI	
			1	_		;
		FCL051056	B. WING		1	2/2020
NAME OF P	ROVIDER OR SUPPLIER	STREET AD	DRESS, CITY, STA	TE, ZIP CODE		
THE VIII I	AC DENCON I	606 EAST	MORRIS AVEN	UE		
THE VILL	AS BENSON I	BENSON,	NC 27504			
(X4) ID PREFIX TAG	(EACH DEFICIENC)	ATEMENT OF DEFICIENCIES Y MUST BE PRECEDED BY FULL SC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTIOI (EACH CORRECTIVE ACTION SHOULD CROSS-REFERENCED TO THE APPROPI DEFICIENCY)	BE	(X5) COMPLETE DATE
C 191	Continued From page	e 13	C 191			
	dementia who resided All the residents livin activate the call light was needed during he-She checked on residuring her sleeping he-When a residents' ca activated, the illumina was deactivated by puthe call light system in Interview with the Res (RCC) on 12/01/20 at The MAs that worked There was always or The live-in MAs rotat duty and off duty the The live in MAs work Mondays at 8:00am that 8:00am.  The live-in MAs could were responsible to consident every 2-3 ho ensure where the resussistance was needed Staff could also mon movements in the hall observations of the carduarters.  The facility had an anactivated when a resident was located at each The call system's mat the door leading intiquarters.  When the call systems	d in the facility. g at the facility could system if staff assistance er sleeping hours. dents two times each night ours when she worked. all light system was ated light and audible alarm ulling the string connected to in the residents' rooms.  sident Care Coordinator is 9:57am revealed: d at the facility were live-ins. he live-in MA on duty. ded and worked one week on following week schedule. ded one week starting on hrough the following Monday  d sleep during the night but complete rounds on every urs during the night to idents were and if any staff ed. itor the residents' llways at night by making amera located in the live-in udible call system that was dent pulled a "light string" ach residents' bedside. ain unit hub was in the office to the live-ins' sleeping  n was activated by a alarm was activated and an				

Division of Health Service Regulation

wandered.

-There were no residents living at the facility that

STATE FORM 5899 5KZ711 If continuation sheet 14 of 38

Division of Health Service Regulation

		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION		(X3) DATE SURVEY COMPLETED	
AND FLAN	OF CORRECTION	IDENTIFICATION NOMBER.	A. BUILDING: _		COMPLE	ILED
		FCL051056	B. WING	B. WING		: 2/2020
NAME OF P	ROVIDER OR SUPPLIER		DDRESS, CITY, STAT	TE. ZIP CODE	1 1270	
			T MORRIS AVEN	,		
THE VILLA	AS BENSON I	BENSON	I, NC 27504			
(X4) ID PREFIX TAG	(EACH DEFICIENC	ATEMENT OF DEFICIENCIES Y MUST BE PRECEDED BY FULL .SC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD CROSS-REFERENCED TO THE APPROPR DEFICIENCY)	BE	(X5) COMPLETE DATE
C 191	Continued From page	e 14	C 191			
	-There was only one resident living at the facility with a diagnosis of dementia.  Confidential interview with a resident revealed staff did not make rounds to check on the residents at night after 11:00pm, she had never seen any staff checking on her.  Interview with the Administrator on 12/02/20 at 5:25pm revealed: -She thought a resident had to be diagnosed with "severe dementia" in order to have an awake overnight staffStaff did sleep at night.  1. Review of Resident #1's current FL-2 dated 12/12/19 revealed: -Diagnoses included dementia, hypertension and schizophreniaThe resident was intermittently disoriented -The resident was ambulatory.					
	Plan dated 08/15/20 in The resident was oring adequate.  -The resident requires	ented, and her memory was d limited assistance with ulation, bathing, dressing,				
	(RCC) on 12/01/20 at	sident Care Coordinator : 9:57am revealed Resident ia and required total care				
	12/02/20 12:43pm rev -Resident #1 did not v					

Division of Health Service Regulation

occasionally at night.

STATE FORM 5899 5KZ711 If continuation sheet 15 of 38

Division of Health Service Regulation

DIVISION	or riealiti Service Negu	liation				
	OF DEFICIENCIES	(X1) PROVIDER/SUPPLIER/CLIA	(X2) MULTIPLE	CONSTRUCTION	(X3) DATE S	
AND PLAN	OF CORRECTION	IDENTIFICATION NUMBER:	A. BUILDING:		COMPL	ETED
						`
		FCL051056	B. WING		1	
		FCL031036			1 12/0	02/2020
NAME OF P	ROVIDER OR SUPPLIER	STREET A	DDRESS, CITY, STA	ATE, ZIP CODE		
		606 EAS	T MORRIS AVEN	IUE		
THE VILL	AS BENSON I	BENSON	I, NC 27504			
0/10/15	STIMMADA ST	ATEMENT OF DEFICIENCIES		PROVIDER'S PLAN OF CORRECTION		0(5)
(X4) ID PREFIX		Y MUST BE PRECEDED BY FULL	ID PREFIX	(EACH CORRECTIVE ACTION SHOULD		(X5) COMPLETE
TAG	REGULATORY OR I	LSC IDENTIFYING INFORMATION)	TAG	CROSS-REFERENCED TO THE APPROPR	RIATE	DATE
				DEFICIENCY)		
C 191	1 Continued From page 15		C 191			
0 101	Continued From page	= 10	0 101			
	-Resident #1 was abl	e to activate her call light				
	during the night if she	e needed assistance from				
	staff.					
	_	with a resident revealed				
		t #1 could not activate her				
	call light at night if she	e needed assistance				
	because of the reside	ent's confusion.				
	•	with Resident #1's primary				
	care provider (PCP)	on 12/02/20 at 3:16pm				
	revealed:					
		ented to person only and				
	was not oriented to pl					
		24 hour supervision from				
		es for assistance, monitoring				
	and safety due to her	diagnosis of dementia.				
		ns, interviews and record				
	review, Resident #1 v	vas not interviewable.				
		e interview with a PCP for				
	the facility on 12/02/2	0 at 3:16pm.				
		it #3's current FL-2 dated				
	11/06/20 revealed:					
		n the admitting diagnoses				
	section to "See DC S					
		altered mental status, fall,				
		morrhage with loss of				
	· ·	d fracture of the left orbital				
	floor and nasal bone					
	-In the past medical h					
	-	eizures and post traumatic				
	stress disorder.					
	-The resident was into	ermittently disoriented.				
		3's Assessment and Care				
	Plan dated 12/02/20 i					
	-The resident was ori	ented and her memory was				

Division of Health Service Regulation

STATE FORM 5899 5KZ711 If continuation sheet 16 of 38

Division of	<u>of Health Service Regu</u>	lation			
STATEMENT	OF DEFICIENCIES	(X1) PROVIDER/SUPPLIER/CLIA	(X2) MULTIPLE	CONSTRUCTION	(X3) DATE SURVEY
AND PLAN (	OF CORRECTION	IDENTIFICATION NUMBER:	A. BUILDING:		COMPLETED
			- I		
			D WING		C
		FCL051056	B. WING		12/02/2020
NAME OF P	ROVIDER OR SUPPLIER	STREET A	DRESS, CITY, STA	TE ZIP CODE	
TO WILL OF TH	NOVIDEN ON GOLF EIEN				
THE VILL	AS BENSON I		MORRIS AVEN	IUE	
		BENSON	, NC 27504		
(X4) ID	SUMMARY ST	ATEMENT OF DEFICIENCIES	ID	PROVIDER'S PLAN OF CORRECTION	N (X5)
PREFIX		Y MUST BE PRECEDED BY FULL	PREFIX	(EACH CORRECTIVE ACTION SHOULD	
TAG	REGULATORY OR I	SC IDENTIFYING INFORMATION)	TAG	CROSS-REFERENCED TO THE APPROPF DEFICIENCY)	RIATE DATE
				DETICIENCY)	
C 191	Continued From page	e 16	C 191		
	adequate.				
	-The resident required	d limited assistance eating,			
	toileting, ambulation,	bathing, dressing, grooming.			
	-The resident had lim	ited ability to ambulate.			
		•			
	Interview with the Re	sident Care Coordinator			
	(RCC) on 12/01/20 at				
	-Resident #3 needed				
	assistance from staff				
		ers to complete oral care			
	and perform toileting				
		ot walk without falling when			
		admitted to the facility,			
		had "got a whole lot better"			
	with falls.				
	The state of the s	I staff to remind her of the			
	time of day.				
	** *	netimes able to follow			
		and sometimes she was			
		ental health diagnosis.			
	-Resident #3 was not				
		her mental health diagnosis.			
		I staff supervision to ensure			
		ithin reach and in place			
	because the resident	would forget her walker,			
	proceeding to walk w	ithout the walker and			
	become shaky and th	en she was at risk for			
	falling.				
	Refer to the telephon	e interview with a primary			
		or the facilty on 12/02/20 at			
	3:16pm.	•			
	- · - F				
	3. Interview with a res	sident on 12/01/20 at			
	11:11am revealed:				
		dents alone in the facility			
		-			
	T	inutes to an hour at a time.			
		staff office door before			
	leaving the building.				
	-Residents did not ha	ve access to use the			

Division of Health Service Regulation

STATE FORM 6899 5KZ711 If continuation sheet 17 of 38

DIVISION	<u>of Health Service Regu</u>	lation				
	OF DEFICIENCIES OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	, ,	CONSTRUCTION	(X3) DATE S COMPLI	
			7. BOILDING.			<b>.</b>
		FCL051056	B. WING		1	, 2/2020
NAME OF P	ROVIDER OR SUPPLIER	STREET AL	DDRESS, CITY, STA	TE, ZIP CODE		
THE VILL	AS BENSON I	606 EAST	MORRIS AVEN	UE		
	AO BENOON I	BENSON	, NC 27504			
(X4) ID PREFIX TAG	(EACH DEFICIENC)	ATEMENT OF DEFICIENCIES Y MUST BE PRECEDED BY FULL LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD CROSS-REFERENCED TO THE APPROPE DEFICIENCY)	BE	(X5) COMPLETE DATE
C 191	Continued From page 17		C 191			
	telephone when the of staff was not in the bull-when staff left the burnade her feel concert there to address emerstaff would not tell the leaving the building.  She noticed staff were she would go to the of to use the phone.  She did not know when she did not tell the Resident of the leaving the building.  Interview with a second staff had left the building of the day of the day of the staff came of the leaving the leavin	office was locked and the uilding. uilding unattended that med because no one was ergencies. The residents when they were are not in the building when office to ask for assistance or the staff had gone. Resident Care Coordinator strator.  Ind resident on 12/01/20 at a lding for about 30 minutes by was not specified). Indicate the building to the when staff was not in the staff was not in the last and been a resident who prospital. Indicate the building unattended at least week.				

Division of Health Service Regulation

12/02/20 12:43pm revealed:

-She was not aware of any staff leaving the

STATE FORM 6899 5KZ711 If continuation sheet 18 of 38

Division of Health Service Regulation

STATEMENT OF DEFICIENCIES (X1) PROVIDER/SUPPLIER/CLIA AND PLAN OF CORRECTION IDENTIFICATION NUMBER:		` ′	(X2) MULTIPLE CONSTRUCTION		(X3) DATE SURVEY COMPLETED	
741012741	or connection	IBERTII 167 THOM NOMBER.	A. BUILDING: _		001111	
		FCL051056	B. WING		l l	C <b>(02/2020</b>
NAME OF P	ROVIDER OR SUPPLIER	STREET A	DDRESS, CITY, STA	TE, ZIP CODE		
THE VILL	AS BENSON I	606 EAS	T MORRIS AVEN	UE		
TITE VIEL	AS BENSON I	BENSON	I, NC 27504			
(X4) ID PREFIX TAG	(EACH DEFICIENC	ATEMENT OF DEFICIENCIES Y MUST BE PRECEDED BY FULL .SC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF (EACH CORRECTIVE ACT CROSS-REFERENCED TO 1 DEFICIENC	TION SHOULD BE THE APPROPRIATE	(X5) COMPLETE DATE
C 191	1 Continued From page 18		C 191			
	residentsShe was instructed b	leaving the facility another				
	revealed: -She was not aware of leaving the facility unatering the facility unatering residents in the facility	C on 12/02/20 at 3:49pm of any incidences of staff attended at any time. acted to never leave the y and should always wait for inside the facility prior to				
	Interview with the Administrator on 12/02/20 at 5:30pm revealed: -She was not aware of any incidences when the residents at the facility were left unattended without staffShe expected staff to never leave the facility until another staff was present in the building.					
	Refer to the telephone interview with a primary care provider (PCP) for the facility on 12/02/20 at 3:16pm.					
	(PCP) for the facility of revealed: -He was the PCP for the facilityHe was not aware stothen eightWhen he gave an orgadmitted to the facility care and not for staffThe residents at the -He had concerns if the	with a primary care provider on 12/02/20 at 3:16pm  4 of the residents residing at aff were not awake during der for a resident to be 4, he was ordering 24-hour to sleep at night. facility needed 24-hour care. here was an emergency, the hable to move and evacuate				

Division of Health Service Regulation

STATE FORM 5899 5KZ711 If continuation sheet 19 of 38

Division of Health Service Regulation

FCL05				COMPLETED
		B. WING		l
NAME OF DROVIDED OR SURPLUED		B. WING		12/02/2020
NAME OF PROVIDER OR SUPPLIER	STREET ADD	RESS, CITY, STA	TE, ZIP CODE	
THE WILL AS BENGON	606 EAST	MORRIS AVEN	UE	
THE VILLAS BENSON I	BENSON, M	NC 27504		
(X4) ID SUMMARY STATEMENT OF DE PREFIX (EACH DEFICIENCY MUST BE PRECIDENTIFYING REGULATORY OR LSC IDENTIFYING	CEDED BY FULL	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD CROSS-REFERENCED TO THE APPROPE DEFICIENCY)	BE COMPLETE
C 191 Continued From page 19		C 191		
adequately, and if there was an er situation it could result in a resider without staff.  -Leaving the residents unattended any time should not have occurred. The facility was responsible to en not leave the residents without the a staff present at all times.  -The facility staff should "never" le until another staff arrived at the facility 24 hours a day, 7 days to maintain and ensure the safety residents.  Refer to Tag C 0022, 10A NCAC 1 Design And Construction  The facility failed to have awake s awake at all times to meet the sup of a resident with a dementia diag residents' who were unable to eva facility independently in case of ar without prompting from staff (#1, # ensure 5 of 5 residents were not le facility's failure placed the resident risk of serious neglect and constitution.  A Plan of Protection (POP) was sufacility in accordance with G.S. 13 12/02/20.  CORRECTION DATE FOR THE T VIOLATION SHALL NOT EXCEED	In the facility at d at any time. Sure staff did attendance of ave the facility cility. The ayes present in a week in order of all the as a to a			

Division of Health Service Regulation

STATE FORM 5899 5KZ711 If continuation sheet 20 of 38

PRINTED: 12/23/2020

	OF DEFICIENCIES OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE C A. BUILDING:	ONSTRUCTION		PLETED
		FCL051056	B. WING		I	C / <b>02/2020</b>
IAME OF P	ROVIDER OR SUPPLIER	STREET A	DDRESS, CITY, STATE	, ZIP CODE		
HE VILLA	AS BENSON I		T MORRIS AVENU I, NC 27504	E		
(X4) ID PREFIX TAG	(EACH DEFICIENC	TATEMENT OF DEFICIENCIES CY MUST BE PRECEDED BY FULL LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF COR (EACH CORRECTIVE ACTION CROSS-REFERENCED TO THE A DEFICIENCY)	SHOULD BE	(X5) COMPLE DATE
C 601	Continued From pag	e 20	C 601			
C 601	10A NCAC 13G .170 and Control Program	01 (a) (b) Infection Prevention	C 601			
	Control Program  (a) In accordance with Subchapter and G.S shall establish and implement a compres and control program federal Centers for Disease Control and on infection prevention (b) The facility shall of facility's IPCP, relate and guidance or	hensive infection prevention (IPCP) consistent with the  Prevention (CDC) guidelines on and control. ensure implementation of the ed policies and procedures,  the CDC, the local health he North Carolina				
	This Rule is not met TYPE B VIOLATION					
	interviews, the facility recommendations ar the Centers for Disea	ns, record reviews, and y failed to ensure nd guidance established by ase Control (CDC), the North t of Health and Human				

Division of Health Service Regulation

The findings are:

Services (NC DHHS) and the local county health department (LHD) were implemented and maintained to provide protection of residents during the global pandemic of COVID-19 related to screening of visitors, staff, and residents, and posting of signage notifying visitors of restrictions.

Review of the Center for Disease Control (CDC)

STATE FORM 5899 5KZ711 If continuation sheet 21 of 38

Division of Health Service Regulation

STATEMENT OF DEFICIENCIES (X1) PROVIDER/SUPPLIER/CLIA AND PLAN OF CORRECTION IDENTIFICATION NUMBER:		,	(X2) MULTIPLE CONSTRUCTION A. BUILDING:		(X3) DATE SURVEY COMPLETED	
		FCL051056	B. WING		C <b>12/02/2020</b>	
	ROVIDER OR SUPPLIER	STREET ADDI	RESS, CITY, STA MORRIS AVEN		12/02/2020	
1112 1122	to BENOON I	BENSON, N	IC 27504			
(X4) ID PREFIX TAG	(EACH DEFICIENC)	ATEMENT OF DEFICIENCIES Y MUST BE PRECEDED BY FULL SC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD CROSS-REFERENCED TO THE APPROPE DEFICIENCY)	BE COMPLETE	
C 601	Continued From page	21	C 601			
	guidelines for the precoronavirus disease in facilities last updated -All health care personable their their temperatures for other symptoms of Coabsence of those symrodively monitor all reand at least daily for facility than 100.0 Fahrenhei consistent with COVII -Screen visitors for feathan 100.0 F symptom COVID-19, or known COVID-19. Restrict an or known exposure from	vention and spread of the n Long Term Care (LTC) 11/20/20 revealed: nnel should be screened at shift by actively checking rever and screening for DVID-19; and document the notoms. esidents upon admission rever (Temperature greater t (F) and symptoms D-19. ever (Temperature greater ms consistent with exposure to someone with nyone with fever, symptoms, om entering the facility.				
	Review of the North Carolina Department of Health and Human Services (NCDHHS) for prevention and spread of the coronavirus in LTC facilities revealed:  -Residents and staff should be screened daily for signs and symptoms of COVID-19.  -All essential visitors should be screened for signs and symptoms of COVID-19 before					

Division of Health Service Regulation

-The facility had restricted visitors except for

STATE FORM 5899 5KZ711 If continuation sheet 22 of 38

Division of	of Health Service Regu	ılation				
	Γ OF DEFICIENCIES	(X1) PROVIDER/SUPPLIER/CLIA	(X2) MULTIPLE	CONSTRUCTION	(X3) DATE S	
AND PLAN C	OF CORRECTION	IDENTIFICATION NUMBER:	A. BUILDING: _		COMPLI	ETED
					_	`
		FCL051056	B. WING		12/0	
		FCE031036			12/0	)2/2020
NAME OF P	ROVIDER OR SUPPLIER	STREET AL	DDRESS, CITY, STAT	ΓE, ZIP CODE		
TUE VILL	A C DENICON I	606 EAST	T MORRIS AVEN	UE		
IME VILLA	AS BENSON I	BENSON	, NC 27504			
(X4) ID		ATEMENT OF DEFICIENCIES	ID	PROVIDER'S PLAN OF CORRECTION		(X5)
PREFIX TAG	,	Y MUST BE PRECEDED BY FULL LSC IDENTIFYING INFORMATION)	PREFIX TAG	(EACH CORRECTIVE ACTION SHOULD CROSS-REFERENCED TO THE APPROPE		COMPLETE DATE
IAG	1,2002	200 IDENTIFY THIS IN S	IAG	DEFICIENCY)	Will	
2.004			1 2 224			
C 601	Continued From page	∍ 22	C 601			
	end-of-life situations	or pursuant to the guidance				
	of public health officia	als.				
	-In those cases, visito	ors would continue to need				
	to be screened prior t	to entry and restricted to				
		n or another designated				
	area within the comm					
		g health screenings on				
	anyone coming into the					
		es included implementing				
	daily health screening					
		ealth screenings of staff as				
	they reported to work	<u> </u>				
		creenings of anyone coming				
	into the community.					
	Interview with the Re	sident Care Coordinator				
	(RCC) on 12/01/20 at					
	, ,	rovided updates related to				
	COVID-19 and infecti	•				
		ovided updates to staff				
	-	s when she was out of work.				
		as currently not permitted at				
	the facility.	, ,				
	Interview with the Adr	ministrator on 12/01/20 at				
	11:40am and 4:10pm					
		raining for staff was provided				
		n a COVID-19 outbreak was				
		ent sister facility on campus.				
	-Staff training topics in					
	cleaning/disinfecting,					
	equipment, monitoring	g and screening for				
	COVID-19.	: ditii-l (BAA)				
		in medication aides (MA)				
	and the RCC who had	•				
	COVID-19 around 11					
	-	to notify her or the RCC if				
ļ	stan or residents had	a temperature obtained				

Division of Health Service Regulation

greater than 100.

-All staff and residents at the facility were tested

STATE FORM 6899 5KZ711 If continuation sheet 23 of 38

Division of Health Service Regulation

STATEMENT OF DEFICIENCIES (X1) PROVIDER/SUPPLIER/CLIA AND PLAN OF CORRECTION IDENTIFICATION NUMBER:		' '	(X2) MULTIPLE CONSTRUCTION  A. BUILDING:		(X3) DATE SURVEY COMPLETED	
		FCL051056	B. WING		45	C 2/02/2020
					12	102/2020
NAME OF P	ROVIDER OR SUPPLIER		DDRESS, CITY, STATE			
THE VILL	AS BENSON I		T MORRIS AVENUI N, NC 27504			
0/0.15	STIMMADA ST	ATEMENT OF DEFICIENCIES	·	PROVIDER'S PLAN OF C	CORRECTION	0(5)
(X4) ID PREFIX TAG	(EACH DEFICIENC	Y MUST BE PRECEDED BY FULL LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	(EACH CORRECTIVE ACTION CROSS-REFERENCED TO THE DEFICIENCY	ON SHOULD BE HE APPROPRIATE	(X5) COMPLETE DATE
C 601	Continued From page	23	C 601			
	tested negative for CO -All staff and resident COVID-19 yesterday, -The COVID-19 test r	s were re-tested for				
	received yet.  Review of the facility's staff and resident Screening Log forms revealed: -There was no designated space to check for COVID-19 screening questions or predefined screening questions on some of the formsStaff and resident temperature screenings were documented on an unlabeled form with instructions to please report respiratory symptoms including fever, cough, with shortness of breath or 2 of these symptoms: Fever (temperature greater than 100 or feeling feverish), sore throat muscle pain, headache, chills, new loss of taste or smell.					
	Hour/Social Distancin columns for the submame, screener name predefined questions	related to fever, respiratory side the country and contact				
	(RCC) on 12/01/20 at -There were no COVI at the facilityShe tested positive for and returned to work -There was another s COVID-19, but that st care at the facility and	Resident Care Coordinator 19:57am revealed: 10-19 positive staff working 10-19 on 11/17/20 10-19 on 11/17/20 10-19 yesterday, (11/30/20). 10-19 taff that tested positive for taff did not provide resident did worked at an adjacent tame campus of the facility.				

Division of Health Service Regulation

STATE FORM 5899 5KZ711 If continuation sheet 24 of 38

Division of Health Service Regulation

	OF DEFICIENCIES OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	` ′	CONSTRUCTION	(X3) DATE S	
			A. BOILDING.			
		FCL051056	B. WING		12/0	: 2/2020
NAME OF P	ROVIDER OR SUPPLIER	STREET ADD	RESS, CITY, STA	TE, ZIP CODE		
THE VILL	AS BENSON I	606 EAST   BENSON, I	MORRIS AVEN NC 27504	UE		
(X4) ID PREFIX TAG	(EACH DEFICIENC)	ATEMENT OF DEFICIENCIES Y MUST BE PRECEDED BY FULL SC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD CROSS-REFERENCED TO THE APPROPE DEFICIENCY)	BE	(X5) COMPLETE DATE
C 601	Continued From page	24	C 601			
	Interview with the Adr 11:40am revealed: -The live in medicatio (12/01/20) tested pos 11/17/20The live-in MA on du cough symptoms one did not have an elevary and the live-in MA on du week of 11/17/20She had calculated by MA developing symptoms in MA would return 11/30/20Live-in MAs were reconself-screening daily for questionnaire, obtains were responsible to dot temperatures were consecuted by the screening of COVID-19 for staff from the consecute of COVID-19 for staff from the covident of COVID-19 for sta	ministrator on 12/01/20 at  n aide (MA) on duty today, itive for COVID-19 on  ty today developed mild week prior to 11/17/20 but ted temperature. ty at the facility worked the  pack 10 days of the live-in toms to determine when the the toward which was  quired to perform or COVID-19 by checking a ting their temperature and tocument the screening and tompleted.  In glogs for staff revealed: the temperature for other symptoms of the month of May 2020. The temperature for other symptoms of the month of May 2020. The temperature for other symptoms of the month of July 2020. The temperature for other symptoms of the month of July 2020. The temperature for other symptoms of the month of July 2020. The temperature for other symptoms of the month of July 2020. The temperature to the symptoms of the month of temperature to the symptoms of the month of July 2020. The temperature to the symptoms of the month of July 2020. The temperature to the symptoms of the month of July 2020. The temperature to the symptoms of the month of July 2020. The temperature to the symptoms of the month of July 2020. The temperature to the symptoms of the month of July 2020. The temperature to the symptoms of the month of July 2020. The temperature to the symptoms of the month of July 2020. The temperature to the symptoms of the month of July 2020. The temperature to the symptoms of the month of July 2020. The temperature to the symptoms of the month of July 2020. The temperature to the symptoms of the month of July 2020. The temperature to the symptoms of the month of July 2020. The temperature to the symptoms of the month of July 2020. The temperature to the symptoms of the symptoms of the month of July 2020. The temperature of the symptoms of the month of July 2020. The temperature of the symptoms of the				
		nentation of temperature or other symptoms of				

Division of Health Service Regulation

STATE FORM 5899 5KZ711 If continuation sheet 25 of 38

Division of Health Service Regulation

AND PLAN OF CORRECTION	(1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	1 ' '	CONSTRUCTION	(X3) DATE SURVEY COMPLETED
		A. BOILDING	<del></del>	
	FCL051056	B. WING		C <b>12/02/2020</b>
NAME OF PROVIDER OR SUPPLIER	STREET AD	DRESS, CITY, STA	TE, ZIP CODE	
THE VILLAS BENSON I		MORRIS AVEN	UE	
	BENSON,	NC 27504		
PREFIX (EACH DEFICIENCY M	MENT OF DEFICIENCIES IUST BE PRECEDED BY FULL CIDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD CROSS-REFERENCED TO THE APPROPF DEFICIENCY)	BE COMPLETE
C 601 Continued From page 2	5	C 601		
-There was no documer checks or screening for COVID-19 for staff on 1 -There was no documer checks or screening for COVID-19 for staff on 1 to facility staff testing position around 11/17/20).  Interview with the RCC revealed: -All staff were required to screening before each socially temperature check COVID-19 screeningsStaff self-screened for screening before and the facil Hour/Social Distancing documented on the facil Hour/Social Distancing documented on the facil Hour/Social Distancing documented on the facil Hour/Social Distancing documented for any of the facil Hour/Social Distancing documented for a	other symptoms of 0/26/20 - 10/31/20. Intation of temperature other symptoms of 1/01/20 - 11/16/20 (prior other symptoms of 1/01/20 - 11/16/20 (prior other symptoms of 1/01/20 at 9:57am on 12/01/20 at 9:57am on have a completed shift. One for documenting their is in a "tablet" for daily symptoms of COVID-19.  Interest in a "tablet" for daily symptoms of COVID-19.			

Division of Health Service Regulation

-She kept her screening documents in her office.

STATE FORM 5899 5KZ711 If continuation sheet 26 of 38

Division of Health Service Regulation

STATEMENT OF DEFICIENCIES (X1) PROVIDER/SUPPLIER/CLIA AND PLAN OF CORRECTION IDENTIFICATION NUMBER:		(X2) MULTIPLE CONSTRUCTION  A. BUILDING:		(X3) DATE SURVEY COMPLETED	
			D. WING	3. WING	
		FCL051056	B. WING		12/02/2020
NAME OF PI	ROVIDER OR SUPPLIER	STREET AL	DDRESS, CITY, STA	TE, ZIP CODE	
THE VILLAS BENSON I 606 EAST MORRIS AV				UE	
			, NC 27504		
(X4) ID PREFIX TAG	(EACH DEFICIENC)	ATEMENT OF DEFICIENCIES Y MUST BE PRECEDED BY FULL LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD CROSS-REFERENCED TO THE APPROPF DEFICIENCY)	BE COMPLETE
C 601	Continued From page 26		C 601		
	-There were some da completed the docum screening at the begin always self-screened respiratory symptoms -She would provide h when she located the -She did not complete prior to starting her sh because she came st the facility.  Second interview with 9:35am revealed: -She was responsible residents' screening least asked staff if they screenings dailyShe last reviewed Co October 2020 and no staff were not docume she did not inform the -She did not review the COVID-19 on a daily -She was continuing the screening logs.  Third interview with the 5:30pm revealed: -She had located som documentsShe would provide a documents for review.	leys she might not have lentation for her COVID-19 inning of her shifts, but she and self-monitored for any sprior to reporting to work. Her screening documentation in the angle of the surveyors at the for reviewing the staff and logs for COVID-19. Here were times the live-in letting the daily screenings but and completed the covided there were days when lenting the screening logs for basis. It to look for her daily screening logs for basis. It to look for her daily look for her daily look for her screening logs of the scr			
		documentation provided for logs at the time of exit on			

Division of Health Service Regulation

STATE FORM 5899 5KZ711 If continuation sheet 27 of 38

Division of Health Service Regulation

STATEMENT OF DEFICIENCIES (X1) PROVIDER/SUPPLIER/CLIA AND PLAN OF CORRECTION IDENTIFICATION NUMBER:		(X2) MULTIPLE CONSTRUCTION  A. BUILDING:		(X3) DATE SURVEY COMPLETED		
		FCL051056	B. WING		C	2/2020
NAME OF P	ROVIDER OR SUPPLIER		RESS, CITY, STA	TE. ZIP CODE	1 12/0	2/2020
THE VII I	AS BENSON I		MORRIS AVEN			
	AO BENOOM I	BENSON, I	NC 27504			
(X4) ID PREFIX TAG	(EACH DEFICIENC)	ATEMENT OF DEFICIENCIES Y MUST BE PRECEDED BY FULL SC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTIOI (EACH CORRECTIVE ACTION SHOULD CROSS-REFERENCED TO THE APPROPF DEFICIENCY)	BE	(X5) COMPLETE DATE
C 601	Continued From page	27	C 601			
	Refer to the interview 12/02/20 at 5:25pm.	with the Administrator on				
		e interview with the public cal health department (LHD) n.				
	<ul> <li>b. Observation of the front entrance of the facility on 12/02/20 at 8:55am revealed:</li> <li>-The facility's front entrance door was not closed and not flush with the door frame leaving the</li> </ul>					
	door's latching mecha outside.	anism exposed to the				
	-A live-in medication a entrance door after kn -The live-in MA reque					
		notified the Resident Care				
	8:56am revealed:	in MA on 12/01/20 at the RCC, "You can come				
	in".	ents with COVID-19 residing				
	Observation in the livi immediately after ento at 9:03am - 9:06am ro	ering the facility on 12/01/20				
	COVID-19 pre-screer -The live-in MA respo	orompted if she had any ning procedures to complete. nded yes, "I need to take				
	your temperature"The live-in MA left th infrared thermometer.	e room and returned with an				
	-The live-in MA comp checks.	•				
		orompted a second time by and any COVID-19 screening				

Division of Health Service Regulation

questions and the live-in MA questioned "have

STATE FORM 5899 5KZ711 If continuation sheet 28 of 38

Division of Health Service Regulation

STATEMENT OF DEFICIENCIES (X1) PROVIDER/SUPPLIER/CLIA AND PLAN OF CORRECTION IDENTIFICATION NUMBER:		(X2) MULTIPLE CONSTRUCTION  A. BUILDING:			(X3) DATE SURVEY COMPLETED	
			7. 501251110.			С
		FCL051056	B. WING		12	2/02/2020
NAME OF PR	OVIDER OR SUPPLIER	STREET A	DDRESS, CITY, STATE	, ZIP CODE		
THE VIII A	C DENCON I	606 EAS	T MORRIS AVENU	<b>=</b>		
THE VILLA	S BENSON I	BENSON	I, NC 27504			
(X4) ID PREFIX TAG	(EACH DEFICIENC)	ATEMENT OF DEFICIENCIES Y MUST BE PRECEDED BY FULL .SC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF C (EACH CORRECTIVE ACTIO CROSS-REFERENCED TO TH DEFICIENCY	N SHOULD BE E APPROPRIATE	(X5) COMPLETE DATE
	Continued From page		C 601			
	the room watching tel (In the same room will least 6ft away prior to temperature check ar question).  Interview with the RC revealed: -The live-in MAs were daily screening for visprovidersShe would provide al documented screenin-The live-in MAs were temperature checks a before anyone was al included any family all home healthThere was not a precipitation anyone elindividual had been or respiratory symptoms. The live-in MA did not pre-screening for the live-in MA thought the required to have a prethe facility.  Interview with the live 1:50pm revealed: -She had never had the wall while she was on duty	ent sitting on the left side of evision without a face mask the the surveyors seated at the MA completing and the one screening.  CC on 12/01/20 at 9:57am  The responsible to complete a sitors and or medical.  If visitor or outside providers' ags for COVID-19.  The responsible for completing and screening questions allowed into the facility which and medical providers and defined screening powever, MAs were expected antering the facility if the aut of the state or having any state.  The responsible for completing and screening powever, MAs were expected antering the facility if the aut of the state or having any state.  The responsible for complete surveyors because the expected antering the facility if the aut of the state or having any state.  The responsible for complete surveyors because the expected antering the facility if the aut of the state or having any state.  The responsible to complete surveyors because the expected antering the facility if the aut of the state or having any state.  The responsible to complete surveyors because the expected antering any state.				

Division of Health Service Regulation

STATE FORM 5899 5KZ711 If continuation sheet 29 of 38

Division of Health Service Regulation

STATEMENT OF DEFICIENCIES (X1) PROVIDER/SUPPLIER/CLIA AND PLAN OF CORRECTION IDENTIFICATION NUMBER:		(X2) MULTIPLE CONSTRUCTION A. BUILDING:		(X3) DATE SURVEY COMPLETED	
	FCL051056	B. WING		C <b>12/02/2020</b>	
NAME OF PROVIDER OR SUPPLIER	•	RESS, CITY, STA	TE, ZIP CODE	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
THE VILLAS BENSON I	606 EAST I BENSON, I	MORRIS AVEN	UE		
PREFIX (EACH DEFICIENC	TATEMENT OF DEFICIENCIES BY MUST BE PRECEDED BY FULL LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTIO (EACH CORRECTIVE ACTION SHOULD CROSS-REFERENCED TO THE APPROP DEFICIENCY)	BE COMPLETE	
(12/02/20) from the R-She had never used and it was "an oversi provided until today for the facility Hour/Social Distancial screening logs documbealth care providers.  Interview with the RC revealed: -She did not review to COVID-19 dailyShe was not sure if screened prior to ent residents because stacility the days the waster than facility stated in the residents' mental head workers visited the faresponsible for requealcohol hand-based stemperature reading experienced any residents residents with anyone diagnos.  Telephone interview on 12/02/20 at 3:58ptonside the facility.	titor screening form today, RCC.  The visitor screening forms ght" that the forms were not for her to use.  Is "Visitation Log, One ang" revealed there were no mented for visitors or any at on any date.  In the medical providers were the medical providers was implemented the medical providers on the facility ff.  In the medical providers were the medical providers were made. The medical providers was expected when the match the providers or health care the medical provider of the medical provider	C 601			

Division of Health Service Regulation

STATE FORM 5899 5KZ711 If continuation sheet 30 of 38

Division of Health Service Regulation

DIVISION	n Health Service Negu	iauon				
	OF DEFICIENCIES	(X1) PROVIDER/SUPPLIER/CLIA	(X2) MULTIPLE	(X2) MULTIPLE CONSTRUCTION		URVEY
AND PLAN C	OF CORRECTION	IDENTIFICATION NUMBER: A. BUILD			COMPLE	ETED
			B. WING		C	
		FCL051056	1 5		12/0	2/2020
NAME OF PR	ROVIDER OR SUPPLIER	STREET AD	DRESS, CITY, STA	TE, ZIP CODE		
		606 FAST	MORRIS AVEN	IIIE		
THE VILLA	AS BENSON I		NC 27504	loc_		
		BENSON	NC 2/504			
(X4) ID		ATEMENT OF DEFICIENCIES	ID	PROVIDER'S PLAN OF CORRECTION		(X5)
PREFIX TAG		Y MUST BE PRECEDED BY FULL LSC IDENTIFYING INFORMATION)	PREFIX TAG	(EACH CORRECTIVE ACTION SHOULD CROSS-REFERENCED TO THE APPROPR		COMPLETE DATE
IAO		,	IAG	DEFICIENCY)		
C 601	Continued From page	e 30	C 601			
	months.					
		nd never asked her any				
	_					
	• .	or taken her temperature on				
	•	ring the facility to visit the				
	residents.					
	T. I					
	•	vith a resident's guardian on				
	12/02/20 at 8:22am re					
	•	with the resident outside on				
		y or outside in front of the				
		ocated next to the facility.				
	-Staff at the facility ha	nd never asked her any				
	screening questions of	or taken her temperature				
	when she arrived at the	he facility to visit and deliver				
	the resident's request	ted items.				
	-The guardian and res	sident maintained at least 6				
	ft distance from each	other during visits.				
	-The resident's guard	ian last visited the resident				
	at the facility around					
	,					
	Refer to the interview	with the Administrator on				
	12/02/20 at 5:30pm.					
	Refer to the telephone	e interview with the public				
	•	cal health department (LHD)				
	on 12/02/20 at 8:42ar	. , ,				
	5.1 12,02,20 at 0.42al					
	c. Review of the scree	ening logs for the residents'				
	revealed:	cg logo for the residents				
		nentation of temperature				
		or other symptoms of				
	_	of other symptoms of ots from 04/21/20 - 04/31/20.				
		nentation of temperature				
	checks or screening f					
		nts the month of May 2020.				
		nentation of temperature				
		or other symptoms of				
		nts from 06/09/20 -06/30/20.				
	-There was no docum	pentation of temperature				

Division of Health Service Regulation

checks or screening for other symptoms of

STATE FORM 5899 5KZ711 If continuation sheet 31 of 38

Division of Health Service Regulation

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION  (X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:		(X2) MULTIPLE CO			E SURVEY PLETED	
		FCL051056	B. WING		12	C 2 <b>/02/2020</b>
NAME OF P	ROVIDER OR SUPPLIER	STREET A	DDRESS, CITY, STATE	, ZIP CODE		
THE VILL	AS BENSON I		T MORRIS AVENUI	Ē		
(V4) ID	SLIMMARY ST	TATEMENT OF DEFICIENCIES	I, NC 27504	PROVIDER'S PLAN OF CO	ORRECTION	(VE)
(X4) ID PREFIX TAG	(EACH DEFICIENC	Y MUST BE PRECEDED BY FULL LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	(EACH CORRECTIVE ACTIO CROSS-REFERENCED TO THI DEFICIENCY)	N SHOULD BE E APPROPRIATE	(X5) COMPLETE DATE
C 601	Continued From page	e 31	C 601			
	-There was no docun	nts the month of July 2020. nentation of temperature g for other symptoms of nts on 08/01/20 and				
	Interview with a resid revealed, staff had no symptoms of COVID-					
	Interview with a second resident on 12/01/20 at 9:30am revealed staff had not screened her for symptoms of COVID-19 on a daily basis.					
	(RCC) on 12/02/20 a -She was responsible residents' screening l -She was not aware to MAs were not comple she asked staff if the screenings dailyShe last reviewed C October 2020 and no staff were not docum	e for reviewing the staff and logs for COVID-19. there were times the live-in eting the daily screenings but y had completed the  OVID-19 screenings in oticed there were days when enting the screenings but e Administrator of this. the screening logs for				
	2:47pm revealed the	h the RCC on 12/02/20 at residents' COVID-19 testing 20 were all negative for the				
	Refer to the interview 12/02/20 at 5:30pm.	with the Administrator on				
		ne interview with the public ocal health department (LHD) m.				

Division of Health Service Regulation

STATE FORM 5899 5KZ711 If continuation sheet 32 of 38

Division of Health Service Regulation

STATEMENT OF DEFICIENCIES (X1) PROVIDER/SUPPLIER/CLIA AND PLAN OF CORRECTION IDENTIFICATION NUMBER:		(X2) MULTIPLE CO			E SURVEY PLETED	
			A. BOILDING.			^
		FCL051056	B. WING		12	C 2/ <b>02/2020</b>
NAME OF P	PROVIDER OR SUPPLIER	STREET A	DDRESS, CITY, STATE	, ZIP CODE		
THE VIII I	AC DENOON I	606 EAS	T MORRIS AVENUI	1		
THE VILL	AS BENSON I	BENSON	I, NC 27504			
(X4) ID PREFIX TAG	(EACH DEFICIENC	ATEMENT OF DEFICIENCIES Y MUST BE PRECEDED BY FULL .SC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF (EACH CORRECTIVE ACT CROSS-REFERENCED TO T DEFICIENC	TION SHOULD BE THE APPROPRIATE	(X5) COMPLETE DATE
C 601	Continued From page	32	C 601			
	on 12/02/20 at 8:55ar -The facility's front en and not flush with the door's latching mecha outsideThere was no posted front entrance providi restrictions and/or red the facility due to CO' Interview with the RC revealed: -She was not aware t at the facility's entran previously and she th blown the sign off the -The live-in MA on du	trance door was not closed door frame leaving the anism exposed to the disignage at the facility's ng guidance related to quirements prior to entering VID-19.  Con 12/01/20 at 9:57am  there was no signage posted ce doors, there was a sign ought the wind must have door.  ty would have been that the posted signs on the				
	Refer to the interview 12/02/20 at 5:30pm.	with the Administrator on				
	Refer to the telephone interview with the public health nurse at the local health department (LHD) on 12/02/20 at 8:42am.					
	5:30pm revealed: -She monitored the fa screenings especially (The Administrator did monitored the COVID -She last monitored the first part of November -During her review, sl occasionally a staff has	for the residents' screening d not provide how often she 1-19 screenings). The facility's prescreening the 1-2020.				

Division of Health Service Regulation

STATE FORM 6899 5KZ711 If continuation sheet 33 of 38

Division of	of Health Service Regu	lation				
	OF DEFICIENCIES	(X1) PROVIDER/SUPPLIER/CLIA	(X2) MULTIPLE	CONSTRUCTION	(X3) DATE S	SURVEY
AND PLAN (	OF CORRECTION	DENTIFICATION NUMBER:	A. BUILDING:		COMPL	
			_			_
		501.054050	B. WING		100	
		FCL051056	D. 1111.0		12/0	2/2020
NAME OF P	ROVIDER OR SUPPLIER	STREET AD	DRESS, CITY, STAT	ſE, ZIP CODE		
		606 EAST	MORRIS AVEN	UE		
THE VILLA	AS BENSON I		, NC 27504			
(X4) ID		ATEMENT OF DEFICIENCIES	ID	PROVIDER'S PLAN OF CORRECTION		(X5)
PREFIX	`	Y MUST BE PRECEDED BY FULL LSC IDENTIFYING INFORMATION)	PREFIX	(EACH CORRECTIVE ACTION SHOULD CROSS-REFERENCED TO THE APPROPF		COMPLETE DATE
TAG	NEGOLATORI ORI	20 IDENTIFTING INFORMATION)	TAG	DEFICIENCY)	NAIE	5/1.2
			+ +	·		
C 601	Continued From page	∍ 33	C 601			
	screening documenta	ation later in the day				
	_	o ensure a prescreening was				
	T	· · · · · · · · · · · · · · · · · · ·				
	done on anyone ente	ring the facility.				
	Tolenhone interview v	with the public health nurse				
	I =	partment (LHD) on 12/02/20				
	at 8:42am revealed:					
	-She was notified by t	the Administrator on				
	_	two staff testing positive for				
	COVID-19.	two stail testing positive for				
	-Two COVID-19 case	a at a facility was				
	considered a "cluster/	-				
	-					
		pecific information regarding where each resident resided				
	on the facility grounds					
		s. quired a lot of guidance				
	regarding guidelines f					
	-She spent a lot of tim					
	•	ek of 11/15/20 related to				
		PPE, not moving residents				
		nother on the facility grounds,				
		-19 and lack of symptoms				
		9, staffing patterns for the				
		noving staff from one facility				
	to another facility and					
	-She talked with the A					
		r illness and if any staff were				
	sick to stay home.	illiess and it arry stair word				
		lministrator a link for long				
		at included education for				
	weekly COVID-19 tes					
	_	t to the Administrator related				
		ommendations related to				
	_	d tested COVID-19 positive				
		g was done the week of				
	11/15/20.	J was dolle the week of				
		rator told her the facility was				
	, -iriidaliy, tile Adiriiriist	rator told fier the facility was				

Division of Health Service Regulation

not a long-term care facility or an assisted living facility and thought the facility did not have to follow some of the guidelines provided and

STATE FORM 5899 5KZ711 If continuation sheet 34 of 38

Division of	<u>of Health Service Regu</u>	lation			
STATEMENT OF DEFICIENCIES (X1) PROVIDER/SUPPLIER/CLIA		(X1) PROVIDER/SUPPLIER/CLIA	(X2) MULTIPLE	CONSTRUCTION	(X3) DATE SURVEY
AND PLAN (	OF CORRECTION	IDENTIFICATION NUMBER:	A. BUILDING:		COMPLETED
			-		
			D WING		С
		FCL051056	B. WING	<del>-</del>	12/02/2020
NAME OF P	ROVIDER OR SUPPLIER	STREET AF	DRESS, CITY, STA	TE ZIP CODE	
TVAIVIL OF T	TO VIDER OR GOLT EIER				
THE VILL	AS BENSON I		MORRIS AVEN	IUE	
		BENSON	, NC 27504		
(X4) ID	SUMMARY ST	ATEMENT OF DEFICIENCIES	ID	PROVIDER'S PLAN OF CORRECTION	V (X5)
PREFIX		Y MUST BE PRECEDED BY FULL	PREFIX	(EACH CORRECTIVE ACTION SHOULD	
TAG	REGULATORY OR I	LSC IDENTIFYING INFORMATION)	TAG	CROSS-REFERENCED TO THE APPROPE DEFICIENCY)	RIATE DATE
				DETIGIENCY)	
C 601	Continued From page	e 34	C 601		
	. •				
	continued to state the facility was a "home care				
	facility".				
		ity was a congregate living			
	•	e Administrator that the			
	facility would be respond	onsible for testing for			
	COVID-19 every 3-7	days until there were no			
	positive COVID-19 re	sults in 2 weeks and testing			
	for prior positive staff	or residents did not have to			
	be completed.				
	-A named staff had te	sted positive for COVID-19			
	on 11/14/20.	-			
	-A second named sta	ff (the MA working at the			
		nd 12/02/20) tested positive			
	on 11/17/20.	1			
	-The RCC tested pos	itive for COVID-19 on			
	11/15/20.				
		he facility to have a system			
		at everyone entering the			
	facility was screened				
		avoid either persons			
	entering the facility be				
		o was asymptomatic that			
	could potentially expo	* ·			
		on to enter the facility and			
	spread COVID-19 thr				
		ave documentation of all			
	•	inyone entering the facility to			
	_	ntable and if the screenings			
	•	I then there was no proof the			
	screenings were com				
	_	norbidities was at increased			
	risk for affects from C				
		clude death from the virus.			
	anects writer could in	ciude death nom the virus.			
	The facility failed to fo	ollow the Centers for			
	Disease Control (CD)				
		and Human Services (NC			
		alth Department (LHD)			
		virus (COVID-19) during the			
	giobai pandemic for v	risitor, staff and resident			

Division of Health Service Regulation

STATE FORM 6899 5KZ711 If continuation sheet 35 of 38

Division of Health Service Regulation

	OF DEFICIENCIES OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE C A. BUILDING:			SURVEY PLETED
						С
		FCL051056	B. WING		12	/02/2020
NAME OF PR	ROVIDER OR SUPPLIER	STREET A	DDRESS, CITY, STATE	, ZIP CODE		
THE VILLA	AS BENSON I		T MORRIS AVENU	Ε		
	OUR MAN DV OT		I, NC 27504	DDOWDERIO PLANTOS CORDO		
(X4) ID PREFIX TAG	(EACH DEFICIENC)	ATEMENT OF DEFICIENCIES Y MUST BE PRECEDED BY FULL SC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRI (EACH CORRECTIVE ACTION SI- CROSS-REFERENCED TO THE API DEFICIENCY)	OULD BE	(X5) COMPLETE DATE
C 601	Continued From page	35	C 601			
	for transmission and i COVID-19 virus. The	facility's failure was dents' health, safety and				
	The facility provided a accordance with G.S. this violation.	plan of protection in 131D-34 on 12/01/20 for				
	CORRECTION DATE VIOLATION SHALL N 2021	FOR THE TYPE B OT EXCEED JANUARY 16,				
C 912	G.S. 131D-21(2) Dec	aration of Residents' Rights	C 912			
	Every resident shall h 2. To receive care an adequate, appropriate	ation of Resident's Rights ave the following rights: d services which are e, and in compliance with tate laws and rules and				
	reviews, the facility fa had the right to receiv are adequate, approp with rules and regulat	as evidenced by: is, interviews, and record iled to assure every resident re care and services, which riate, and in compliance ions as related to design infection prevention and				
	The findings are:					
	reviews, the facility fa evacuation capabilitie the evacuation capab	ions, interviews, and record iled to ensure the residents' s were in accordance with ility listed on the facility's f 5 sampled residents (#1,				

Division of Health Service Regulation

STATE FORM 5899 5KZ711 If continuation sheet 36 of 38

Division of Health Service Regulation

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION  A. BUILDING:		(X3) DATE SURVEY COMPLETED			
			B. WING		С			
		FCL051056	B. WING		12/02	2/2020		
NAME OF P	ROVIDER OR SUPPLIER	STREET AD	DRESS, CITY, STA	TE, ZIP CODE				
THE VILLAS BENSON I 606 EAST MORRIS AVENUE BENSON, NC 27504								
0/0.15	SHIMMADV ST			PROVIDER'S PLAN OF CORRECTION	ı I	0/5)		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)		ID PREFIX TAG	(EACH CORRECTIVE ACTION SHOULD CROSS-REFERENCED TO THE APPROPR DEFICIENCY)	ECTIVE ACTION SHOULD BE COMPLETE ENCED TO THE APPROPRIATE DATE			
C 912	Continued From page 36		C 912					
	#3) who had cognitive impairments and/or physical impairments and required verbal prompting to exit the facility during a fire drill. [Refer to Tag C0022, 10A NCAC .0302(b) Design and Construction (Type B Violation)].  2. Based on observations, record reviews, and interviews, the facility failed to ensure recommendations and guidance established by the Centers for Disease Control (CDC), the North Carolina Department of Health and Human Services (NC DHHS) and the local county health department (LHD) were implemented and maintained to provide protection of residents during the global pandemic of COVID-19 related to screening of visitors, staff, and residents, and posting of signage notifying visitors of restrictions. [Refer to Tag C0601, 10A NCAC .1701 Infection Prevention and Control Program (Type B Violation)].							
C 914	Every resident shall h 4. To be free of ment neglect, and exploitat  This Rule is not met Based on record revie observations, the faci resident was free of n management and oth  The findings are:  Based on observation reviews, the facility fa on duty and awake at	as evidenced by: ews, interviews and lity failed to ensure each leglect related to er staff.  as, interviews, and record lied to have sufficient staff	C 914					

Division of Health Service Regulation

STATE FORM 5899 5KZ711 If continuation sheet 37 of 38

Division of Health Service Regulation

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION			(X3) DATE SURVEY COMPLETED						
, and i Eravor continuonon	.52	A. BUILDING:									
FCL051056		B. WING			C 12/02/2020						
NAME OF PROVIDER OR SUPPLIER STREET ADDRESS, CITY, STATE, ZIP CODE											
THE VILLAS BENSON I BENSON, NC 27504											
PREFIX (EACH DEFICIE	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)		PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)  (X5)  COMPLETE DATE								
to the residents by [Refer to Tag C019	to ensure staff were accessible leaving the facility unattended.  1, 10A NCAC .0601(d)  Other Staff (Type A2 Violation)].	C 914									

Division of Health Service Regulation

STATE FORM 5899 5KZ711 If continuation sheet 38 of 38