Division of Health Service Regulation (X3) DATE SURVEY (X2) MULTIPLE CONSTRUCTION STATEMENT OF DEFICIENCIES (X1) PROVIDER/SUPPLIER/CLIA COMPLETED IDENTIFICATION NUMBER: AND PLAN OF CORRECTION A, BUILDING: B. WING 12/14/2021 AB0004 STREET ADDRESS, CITY, STATE, ZIP CODE NAME OF PROVIDER OR SUPPLIER **421 WENDOVER ROAD** A WOMAN'S CHOICE OF CHARLOTTE CHARLOTTE, NC 28211 (X5) COMPLETE DATE SUMMARY STATEMENT OF DEFICIENCIES PROVIDER'S PLAN OF CORRECTION (X4) ID (EACH CORRECTIVE ACTION SHOULD BE (EACH DEFICIENCY MUST BE PRECEDED BY FULL **PREFIX** PREFIX CROSS-REFERENCED TO THE APPROPRIATE REGULATORY OR LSC IDENTIFYING INFORMATION) TAG TAG DEFICIENCY) E 000 E 000 Initial Comments An onsite survey was conducted on December 14, 2021 to determine compliance with the North Carolina Rules Governing the Certifications of Clinics for Abortion. No deficiencies were identified. The State Agency recommends certification effective December 14, 2021.

Division of Health Service Regulation LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE