

North Carolina Department of Health and Human Services Division of Health Service Regulation

Pat McCrory Governor Aldona Z. Wos, M.D. Ambassador (Ret.) Secretary DHHS

> Drexdal Pratt Division Director

March 27, 2013

Jim Swann Fresenius Medical Care 3717 National Drive, Suite 206 Raleigh, NC 27612

RE:

No Review/ RAI West College - Warsaw / Provision of home hemodialysis training and support and home peritoneal dialysis utilizing one or more of 16 existing certified hemodialysis stations for which a certificate of need was issued/ Duplin County FID # 944440

Dear Mr. Swann:

The Certificate of Need (CON) Section received your letter of March 15, 2013 regarding the above referenced proposal. The proposal described in your correspondence is not governed by, and therefore, does not currently require a certificate of need provided that the addition of home dialysis training services does not result in the development of hemodialysis training stations that are in addition to the total number of stations stated in the scope of the certificate of need for the facility. Further, it should be noted that the Acute and Home Care Licensure and Certification Section is responsible for counting the number of dialysis stations developed in a facility as part of their survey process. It is our understanding that the surveyors count the total number of stations located in the facility not the number of stations in use in the facility at any given time.

At this time, the CON Section has authorized RAI West College - Warsaw to develop a total of no more than 16 hemodialysis stations, of which one or more may be used for home hemodialysis training and support and home peritoneal dialysis training. Thus, the facility may not have 16 hemodialysis stations, plus one additional home hemodialysis / peritoneal dialysis training station. In other words, the total number of "stations" (i.e. hemodialysis / peritoneal training plus hemodialysis) reported on line 22 of Form CMS-3427 may not exceed 16, or the total number of dialysis stations that is stated in the scope of the certificate of need for this facility.

In addition, you should contact the Acute and Home Care Licensure and Certification Section to determine if they have any requirements for development of the proposed project. Please contact the CON Section if you have any questions. Also, in all future correspondence you should reference the Facility I.D.# (FID).



Certificate of Need Section

www.ncdhhs.gov
Telephone: 919-855-3873 • Fax: 919-733-8139
Location: Edgerton Building • 809 Ruggles Drive • Raleigh, NC 27603
Mailing Address: 2704 Mail Service Center •Raleigh, NC 27699-2704
An Equal Opportunity/ Affirmative Action Employer

Jim Swann Page 2 March 27, 2013

Sincerely,

Jane Rhoe-Jones, Project Analyst Certificate of Need Section Craig R. Splith, Chief Certificate of Need Section

cc:

Medical Facilities Planning Section, DHSR

Acute and Home Care Licensure and Certification Section, DHSR



March 15, 2013



Fresenius Medical Care NA 3717 National Drive Suite 206 Raleigh, NC 27612

919-896-7230

Mr. Craig R. Smith, Chief Certificate of Need Section Division of Health Service Regulation 809 Ruggles Drive Raleigh, NC 27603

Re:

Request for No Review Determination, Warsaw Dialysis Center, Add Home fullit

Peritoneal Dialysis and Home Hemo-dialysis training and support

Provider ID# 34-2630

Dear Mr. Smith:

FID# 94440

As you know, Fresenius Medical Care acquired Liberty Dialysis in 2012. Liberty Dialysis is parent company to the RAI dialysis facilities. Thus, Fresenius Medical Care is now the ultimate parent to the Warsaw Dialysis Center.

We are requesting a No Review Determination by the Certificate of Need Section which will allow the facility to add home therapies to its service offerings. As you are probably aware, the number of patients in our state choosing home dialysis is increasing. More and more patients are choosing home dialysis. Fresenius Medical Care is committed to offering patients a choice of dialysis modalities

Warsaw Dialysis Center seeks to add home dialysis therapies for both Peritoneal Dialysis, PD, and home hemo-dialysis to its service offerings. Warsaw Dialysis Center is currently certified as a 16 station dialysis facility, providing in-center dialysis services only.

Warsaw Dialysis Center will dedicate one of its 16 dialysis stations exclusively to the provision of home hemo-dialysis training and support. The facility will convert existing office space into a home training room dedicated to the provision of home hemo-dialysis. Additionally, the facility will convert one other office to a home training room for Peritoneal Dialysis training and support.

The facility will continue to offer in-center dialysis through the remaining 15 dialysis stations. This change will not adversely impact the patient population of the facility. The January 2013 SDR reports that the facility utilization was only 34.38%. The facility will continue to have ample capacity for additional in-center dialysis patients.

If you have any questions, please contact me at 919-896-7230.

Sincerely,

Jim Swann, Director

Market Development and Certificate of Need

RAI WEST COLEGE-WARSAW,
Facility:
944440

Address

Names

Facility Name: CURRENT: RAI WEST COLEGE-WARSAW

Facility Name: Previous: RAI CARE CENTERS

Facility Name: Previous: Warsaw Dialysis Center

Facility - RAI WEST COLEGE-WARSAW

(S) 213 West College Street Warsaw NC 28398 Duplin Facility Type -ESRD FID -944440 National Provider Identifier-

(M) 213 WEST COLLEGE STREET WARSAW NC 2839





Facility Database Application

Search Extracts

Summary	WEST COLLEGE W	ARSAW [BE ID:721	1 Global	
Status	. ID:107886]			
Address	ID Information	•		
Phone	-			
IDs			Effective	Expiration
Business Profile	Туре	ID Number State	Date	Date
Offered Services	BUSINESS ENTITY	7211	02/27/2013	
IT Resource Usage	ESRD NETWORK	6	06/14/2012	
Medical Staff	MEDICAID	3412630 NC		
	MEDICARE - ESRD	34-2630	06/14/2012	
Staff	NPI - ESRD	1376552331		
Operational Structure	RAI GL	A63	02/28/2012	
Billing Structure	TAX	20-3276272	06/14/2012	
Central Admissions				
Office Structure	•			
Vascular Access Center				
Structure	•			
<u>History</u>				

^{© 2013} Fresenius Medical Care North America Facility Database Application Version 2.6 Build 47a-11.1.1.6

Maps provided courtesy of G9.981S

For internal use only.

STATE OF NORTH CAROLING
Department of Health and Human Services Division of Health Service Regulation

CERTIFICATE OF NEED

for

Project Identification Number P-7810-07 FID#070196

ISSUED TO: RAI Care Centers of North Carolina II, LLC

115 East Park Drive, Suite 300

Brentwood, TN 37027

Pursuant to N.C. Gen. Stat. § 131E-175, et. seq., the North Carolina Department of Health and Human Services hereby authorizes the person or persons named above (the "certificate holder") to develop the certificate of need project identified above. The certificate holder shall develop the project in a manner consistent with the representations in the project application and with the conditions contained herein and shall make good faith efforts to meet the timetable contained herein. The certificate holder shall not exceed the maximum capital expenditure amount specified herein during the development of this project, except as provided by N.C. Gen. Stat. § 131E-176(16)e. The certificate holder shall not transfer or assign this certificate to any other person except as provided in N.C. Gen. Stat. § 131E-189(c). This certificate is valid only for the scope, physical location, and person(s) described herein. The Department may withdraw this certificate pursuant to N.C. Gen. Stat. § 131E-189 for any of the reasons provided in that

SCOPE:

RAI Care Centers of North Carolina II, LLC shall add no more than two dialysis stations to RAI Care Centers - West College (Warsaw) for a total of 16 stations upon completion of the project/Duplin County

CONDITIONS:

See Reverse Side

PHYSICAL LOCATION:

RAI Care Centers - West College

213 West College Street

Warsaw, NC 28398

MAXIMUM CAPITAL EXPENDITURE:

\$49,472

TIMETABLE:

See Reverse Side

FIRST PROGRESS REPORT DUE: January 31, 2008

This certificate is effective as of the 21st day of July, 2007.

Division of Health Service Regulation

DEPARTMENT OF HEALTH & HUMAN SERVICES Centers for Medicare & Medicaid Services 1301 Young Street, Room 833 Dallas, Texas 75202



Division of Survey and Certification, Region VI

June 23, 2008

CMS Certification Number (CCN): 34-2630

RAI Care Centers of North Carolina II, LLC 213 West College Street Warsaw, North Carolina 28398

Dear Administrator:

We were notified by the State survey agency that you have had an increase in stations. The total number of stations, for the facility listed above, has increased from fourteen (14) to sixteen (16). The effective date is February 7, 2008. Your fiscal intermediary, Trailblazer Health Enterprises, will be notified via email by form CMS-2007.

If you contemplate or experience a change in ownership, physical relocation, change in service or expansion of your facility, you must notify the State survey agency as soon as possible. Failure to do so may result in the suspension of program payments.

If you have any questions, please call me at (214) 767-2082.

Sincerely,

Rachel McCarty

Rachel McCarty Health Insurance Specialist

ce: Trailblazer(email)/NCarolina 18/NCarolina Medicaid/ESRD CMS CO/Network 6-Fac #:910-293-9984



North Carolina Department of Health and Human Services Division of Health Service Regulation

Acute and Home Care Licensure and Certification Section 2712 Mail Service Center . Raleigh, North Carolina 27699-2712

Boverly Baves Perdue, Governor Lanier M. Canaler, Secretary

9102939988

http://www.ncdlibs.gov/dhst Draxdall Pratt, Division Director Azzie Y. Conley, Chief Phone: 919-855-4620 Fax: 919-715-8476

October 11, 2010

Arnela M. Sutton, RN, Center Director, Rai Care Conters 213 West College Street Warsaw, NC 28398

Re: Recertification Survey

Dear Ms. Sutton,

Thank you and your staff for the assistance and cooperation extended during the Recertification survey at Rai Care Centers in Warsaw, NC from October 6, 2010 through October 7, 2010. The survey was conducted in order to determine the facility's compliance with the Medicare Conditions for Coveragefor End Stage Renal Disease Facilities. As a result of the survey, standard level deficiencies were identified with respect to 494.30 Infection Control, 494.60 Physical Environment and 494.140 Personnel Qualifications.

Enclosed please find CMS Form 2567, "Statement of Deficiencies and Plan of Correction," containing the cited deficiencies. A plan of correction for the deficiencies should be submitted and include the following:

- A description of the corrective action(s) and the systems that have been or will be implemented to correct
- the deficiency. A description of the monitoring system that has been or will be implemented including the person(s) responsible for the monitoring to assure compliance; and **(b)**
- The date by which all corrective actions will be completed and the monitoring system will be in place (the date should be no later than 60 days from the date of (c) the survey and should be indicated in the right-hand column).

An original of the enclosed form CMS 2367, with the plan of correction added, must be returned to this office, SIGNED AND DATED, WITHIN 16 CALENDAR DAYS OF RECEIPT. We are unable to accept e-mailed or faxed reports at this time. A response will be sent ONLY if the plan of sorrection is not approved. Please retain a copy for your files. If you have any questions, please feel free to contact me by calling (919) 218-2638.

Sincercly.

Ralph Mills

Ralph Mills, RN, BSN, RN Facility Survey Consultant Acute and Home Care Licensure and Certification Section

Enclosures: CMS 2567 Statement of Deficiencies

