

North Carolina Department of Health and Human Services Division of Health Service Regulation

Pat McCrory Governor Richard O. Brajer Secretary DHHS

Mark Payne Assistant Secretary for Audit and Health Service Regulation

April 5, 2016

Denise M. Gunter 380 Knollwood Suite 530 Winston-Salem, NC 27103

Exempt from Review - Replacement Equipment

Record #:

1917

Facility Name:

Cape Fear Mobile Imaging

FID #:

020872

Business Name:

Cape Fear Mobile Imaging, LLC

Business #:

2375

Project Description:

Replace mobile MRI scanner

County:

New Hanover

Dear Ms. Gunter:

The Healthcare Planning and Certificate of Need Section, Division of Health Service Regulation (Agency), determined that based on your letter of March 11, 2016, the above referenced proposal is exempt from certificate of need review in accordance with G.S 131E-184(a)(7). Therefore, you may proceed to acquire, without a certificate of need, the Siemens Espree 1.5T mobile MRI scanner, VIN Number 1M9A3A828CH022810. This determination is based on your representations that the existing unit will be removed from North Carolina and will not be used again in the State without first obtaining a certificate of need.

It should be noted that the Agency's position is based solely on the facts represented by you and that any change in facts as represented would require further consideration by this office and a separate determination. If you have any questions concerning this matter, please feel free to contact this office.

Sincerely,

cc:

Tanya S. Rupp Project Analyst

Assistant Chief, Certificate of Need

Kelli Fisk, Program Assistant, Healthcare Planning, DHSR

hc

Healthcare Planning and Certificate of Need Section

www.ncdhhs.gov
Telephone: 919-855-3873 • Fax: 919-715-4413
Location: Edgerton Building • 809 Ruggles Drive • Raleigh, NC 27603
Mailing Address: 2704 Mail Service Center •Raleigh, NC 27699-2704
An Equal Opportunity/ Affirmative Action Employer

23

Nelson Mullins

Nelson Mullins Riley & Scarborough LLP

Attorneys and Counselors at Law 380 Knollwood Street / Suite 530 / Winston-Salem, NC 27103 Tel: 336.774.3300 Fax: 336.774.3372

www.nelsonmullins.com

Denise M. Gunter
Tel: 336.774.3322
Fax: 336.774.3372
denise.gunter@nelsonmullins:com

March 11, 2016

VIA HAND-DELIVERY

Martha J. Frisone, Assistant Chief North Carolina Department of Health and Human Services Division of Health Service Regulation Certificate of Need Section 809 Ruggles Drive Raleigh, North Carolina 27603 Bus 2375 020872 FID NR 10 1917

Re: Notice of Replacement Mobile MRI Equipment – Cape Fear Mobile Imaging, LLC – Project I.D. No. O-6665-02

Dear Martha:

Pursuant to N.C. Gen. Stat. § 131E-184(a)(7), I am writing on behalf of Novant Health, Inc. and its subsidiary Cape Fear Mobile Imaging, LLC (CFMI) to provide written notice of CFMI's intention to replace its existing GE 1.5T mobile MRI scanner with a previously-owned Siemens Espree 1.5T mobile MRI unit, which will be internally known as MQ 17 (the "Replacement Unit"). There will be no increase in the mobile MRI inventory as a result of this replacement request. Total costs of the replacement scanner are \$800,000 which includes all costs essential to acquiring and making the replacement equipment operational. This cost is well within the applicable \$2 million cost threshold contained in N.C. Gen. Stat. § 131E-176(22a).

An equipment comparison form is attached hereto as <u>Exhibit A</u> and a capital cost form is attached as <u>Exhibit B</u>. There are no estimated construction costs related to this project as it involves the replacement of a mobile MRI unit. The Replacement Unit also meets the requirements of 10A NCAC 14C.0303(d) because:

(1) it has the same technology as the equipment currently in use, although it may possess expanded capabilities due to technological improvements; and

Martha J. Frisone March 11, 2016 Page 2

- (2) it is functionally similar and is used for the same diagnostic or treatment purposes as the equipment currently in use and is not used to provide a new health service; and
- (3) the acquisition of the equipment does not result in more than a 10% increase in patient charges or per procedure operating expenses within the first twelve months after the replacement equipment is acquired.

None of the exclusions contained in 10A NCAC 14C.0303(e) applies here.

Based on the foregoing, CFMI respectfully requests that the CON Section confirm, in writing that the above referenced proposal is exempt from CON review pursuant to N.C. Gen. Stat. § 131E-184(a)(7).

Thank you for your time and attention.

Sincerely,


July pouxor Denise M. Gunter

Enclosures



EQUIPMENT COMPARISON – MRI REPLACEMENT Project ID No. 0-6665-02

	EXISTING	REPLACEMENT
	EQUIPMENT	EQUIPMENT
Type of Equipment (List Each Component)	MRI Scanner	MRI Scanner
Manufacturer of Equipment	General Electric	Siemens
Tesla Rating for MRIs	1.5T	1.5T
Model Number	Excite Echospeed	Espree
Serial Number	R5786	31267
Provider's Method of Identifying Equipment	Serial Number	Serial Number
Specify if Mobile or Fixed	Mobile	Mobile
Mobile Trailer Serial Number/VIN #	1S9FA482371183166	1M9A3A828CH022810
Mobile Tractor Serial Number/VIN #		
Date of Acquisition of Each Component	2009	2012
Does Provider Hold Title to Equipment or Have a Capital Lease?	Title	Title
	Used	Used
Total Capital Cost of Project (Including Construction, etc.) < Use Attached Form>	\$668,750 incld sales tax	\$800,000
Total Cost of Equipment	\$625,000	\$800,000
ipment .	\$625,000	\$800,000
Net Purchase Price of Equipment	Same	Same
Locations Where Operated	Southern Pines	Southern Pines
	Diagnostic Imaging;	Diagnostic Imaging;
	NCDI-Cary;	NCDI-Cary;
	Raleigh Radiology; Carolina Imaging	Raleigh Radiology; Carolina Imaging
Number Days In Use/To Be Used in N.C. Per Year	365 less any	365 less any holidays
The second secon	holidays	
Percent of Change in Patient Charges (by Procedure)	NA	NA
Percent of Change in Per Procedure Operating Expenses (by Procedure)	NA	NA
Type of Procedures Currently Performed on Existing Equipment	MRI scans	MRI scans
Type of Procedures New Equipment is Capable of Performing	MRI scans	MRI scans



PROJECT CAPITAL COST

Α.	Site Co			
	(1)	Full purchase price of land	\$Not Applicable	
		# Acres Price per Acre \$		
	(2)	Closing costs	\$Not Applicable	
	(2) (3)	Site Inspection and Survey	\$Not Applicable	
	(4)	Legal fees and subsoil investigation	\$Not Applicable	
	(5)	Site Preparation Costs [Include]	· popularian de francisco	
		Soil Borings	•	
	1	Clearing and Grading		
		Roads and Parking		
		Sidewalks		
		Water and Sewer		
		Excavation and Backfill		•
		Termite Treatment		
		Sub-Total Site Preparation Costs	\$Not Applicable	
	(6)	Other (Specify)	\$ <u>Not Applicable</u>	
	(7)	Sub-Total Site Costs		S Not Applicable
В.	Constr	uction Contract		
	(8)	Cost of Materials [Include]		
		General Requirements		
		Concrete/Masonry		
		Woods/Doors & Windows/Finishes		•
		Thermal & Moisture Protection		
		Equipment/Specialty Items		•
		Mechanical/Blectrical		
		Sub-Total Cost of Materials	\$	
	(9)	Cost of Labor	\$	
	(10)	Other	ę	
	(11)	Sub-Total Construction Contract	Ψ	<u>\$0</u>
		aneous Project Costs		, po
C.			¢	
	(12)	Building Purchase	\$ 200 000 (in the day on the torn)	
	(13)	Fixed Equipment Purchase/Lease	\$ 800,000 (includes sales tax)	
	(14)	Movable Equipment Purchase/Lease	\$.	
	(15)	Furniture	\$	
	(16)	Landscaping	\$	-
	(17)	Consultant Fees		
		Architect/Engineering Fees \$		•
		Legal Fees	\$ \$	
		Market Analysis	\$	·
		Other		
		Total Consultant Fees	\$	
	(18)	Financing Costs	-	
	•	(e.g. Bond, Loan, etc.)	\$Not Applicable	
	(19)	Interest During Construction	\$Not Applicable	
	(20)	Other \$.30		
	`	Other		
	(21)	Sub-Total Miscellancous	\$	* *
D,		apital Cost of Project (Sum A-C above	,	
 Lertify t	that to th	ne best of my knowledge, the above cons		ed project named above are
	and corr			F3
oomproro	tura cont	~~		•
N/A.				
(Cionatur	e of Lice	nsed Architect or Engineer)		
(mightana) (mightana)	hat to th	e best of my knowledge, the above capit	al easts for the proposed project ar	e complete and correct and
		to carry out the proposed project as descri		c comprete and correct and
mat it 18 I	ary mucill ويسند	to eurly out the brobosed bioleet as desci.	100a.	
	1.1	Maria		
· di	1 re	MUNICAL PR	TORNIGH IN FACT	
(F)		Mann A	mu .cocc.	
(Propone	n()	150 NODWAR	(Time of Office	ioi)