

North Carolina Department of Health and Human Services Division of Health Service Regulation

Pat McCrory Governor

Richard O. Brajer Secretary DHHS

Mark Payne, Director Health Service Regulation

October 14, 2016

W. Stan Taylor, Vice President Corporate Planning WakeMed 3000 New Bern Avenue Raleigh NC 27610

No Review

Record #:

2076

Facility Name:

WakeMed Cary Hospital

FID#:

990332

Project Description:

Develop a vascular lab

County:

Wake

Dear Mr. Taylor:

The Healthcare Planning and Certificate of Need Section, Division of Health Service Regulation (Agency) received your letter of October 3, 2016 regarding the above referenced proposal. Based on the CON law in effect on the date of this response to your request, the proposal described in your correspondence is not governed by, and therefore, does not currently require a certificate of need. However, please note that if the CON law is subsequently amended such that the above referenced proposal would require a certificate of need, this determination does not authorize you to proceed to develop the above referenced proposal when the new law becomes effective.

However, you need to contact the Agency's Construction and Acute and Home Care Licensure and Certification Sections to determine if they have any requirements for development of the proposed project.

It should be noted that this determination is binding only for the facts represented in your correspondence. Consequently, if changes are made in the project or in the facts provided in your correspondence referenced above, a new determination as to whether a certificate of need is required would need to be made by this office. Changes in a project include, but are not limited to: (1) increases in the capital cost; (2) acquisition of medical equipment not included in the original cost estimate; (3) modifications in the design of the project; (4) change in location; and (5) any increase in the number of square feet to be constructed. Please contact this office if you have any questions.

Sincerely,

cc:

Michael McKillip Project Analyst

Construction Section, DHSR

Acute and Home Care Licensure and Certification Section, DHSR Paige Bennett, Assistant Chief, Healthcare Planning, DHSR


Healthcare Planning and Certificate of Need Section

Assistant Chief, Certificate of Need

www.ncdhhs.gov Telephone: 919-855-3873 • Fax: 919-715-4413 Location: Edgerton Building • 809 Ruggles Drive • Raleigh, NC 27603 Mailing Address: 2704 Mail Service Center • Raleigh, NC 27699-2704 An Equal Opportunity/ Affirmative Action Employer

. 3







Corporate Planning 3000 New Bern Avenue Raleigh, NC 27610 (919) 350 8108 staylor@wakemed.org

October 3, 2016

Martha Frisone, Assistant Chief Certificate of Need Section Division of Facility Services 2704 Mail Service Center Raleigh, NC 27699-2704

Re: Request for Letter-of-No-Review for a Vascular Lab – Cary Hospital

Dear Ms. Frisone:

WakeMed has been working with community vascular surgeons in the Cary market to better meet the needs of community residents for vascular interventions. As part of that effort the health system plans to develop a vascular lab at the Cary Hospital. Via this letter we are requesting a letter-of-no-review determination for the project.

Attached are a certified cost estimate and floorplans for the project. The cost estimate has been certified by the architect working on the project.

WakeMed believes this project should not be subject to certificate of need review, per NC GS 131E-176(14o). It is below the expenditure threshold for "major medical equipment". We are requesting a determination from the Certificate of Need Section as to whether we may proceed with development of this project without a CON.

Thank you for your attention to this matter. If you have any questions or require additional information, please do not hesitate to contact me at (919) 350-8108.

Sincerely,

W. Stan Taylor

Vice President Corporate Planning



September 16, 2016

Vascular Laboratory
WakeMed Cary Hospital

RE:

Cost Certification

To Whom It May Concern:

This is to certify that I have reviewed the Construction Costs for the referenced project. Based on my review and comparison of this project with similar projects, I believe the costs indicated are a reasonable estimate of the costs to be expected on a project of the scope defined. The Anticipated Construction Cost of \$118,559 combined with the Associated Soft Costs of \$599,844 creates a TOTAL PROJECT BUDGET for the new vascular laboratory project at Cary Hospital of \$718,403.

Sincerely,

Thomas Cavender, PE

Vice President, Facilities & Construction

PROPOSED TOTAL CAPITAL COST OF PROJECT

	·····	The said and the s	
	B14814-8814-8814-8814-8814-8814-8814-881		
1			
•			
÷			


	······		
	· · · · · · · · · · · · · · · · · · ·		
CHEMORACON LL L. A.			
	<u> </u>		
			
***************************************	- 50		
	30		
		u in	
	<u> </u>	\$0	

	.,,		
· · · · · · · · · · · · · · · · · · ·			
	_		
;,, , , , , , , , , , , , , , , , , , ,	946.675		
	\$14,836		
		\$118,559	
	\$570 903		
× ·	\$570,705		
•			
\$20.330	n		
- United	<u>×.</u>		

		-	
\$4,611	<u>l</u>		
,	\$28,941		

		45.44.50.46	
		\$599,844	
	\$20,331	\$46,675 \$57,048 \$14,836 \$20,330 \$4,000 \$4,611	\$46,675 \$570,903 \$4,000 \$4,000 \$4,611





G-001



The conject of the country is the control of the conject of the co

