

## DEPARTMENT OF HEALTH AND HUMAN SERVICES DIVISION OF HEALTH SERVICE REGULATION

ROY COOPER GOVERNOR

MANDY COHEN, MD, MPH SECRETARY

> MARK PAYNE DIRECTOR

June 27, 2017

Tim Ludwig, VP, Ancillary Services Post Office Box 12157 New Bern, North Carolina 28561

Exempt from Review - Replacement Equipment

Record #:

2298

Facility Name:

CarolinaEast Medical Center

FID #:

923126

Business Name:

CarolinaEast Medical Center, Inc

Business #:

2490

Project Description:

Temporarily replace existing fixed PET/CT scanner with a mobile PET/CT

scanner

County:

Craven

Dear Mr. Ludwig:

The Healthcare Planning and Certificate of Need Section, Division of Health Service Regulation (Agency), determined that based on your correspondence of June 21, 2017 and June 12, 2017, the above referenced proposal is exempt from certificate of need review in accordance with N.C. Gen. Stat. §131E-184(a)(7). Therefore, you may proceed to use a mobile PET/CT to temporarily replace your fixed PET/CT scanner. Further, the current PET/CT scanner will resume operations at CarolinaEast Medical in North Carolina once it is repaired and operational, and will not be used at other sites in the State without first obtaining a certificate of need.

It should be noted that the Agency's position is based solely on the facts represented by you and that any change in facts as represented would require further consideration by this office and a separate determination. If you have any questions concerning this matter, please feel free to contact this office.

Sincerely,

Project Analyst

Martha J. Frisone

Chief, Healthcare Planning and Certificate of Need Section

cc:

Paige Bennett, Assistant Chief, Healthcare Planning, DHSR

HEALTHCARE PLANNING AND CERTIFICATE OF NEED SECTION

WWW.NCDHHS.GOV TELEPHONE 919-855-3873

LOCATION: EDGERTON BUILDING • 809 RUGGLES DRIVE • RALEIGH, NC 27603 MAILING ADDRESS: 2704 MAIL SERVICE CENTER •RALEIGH, NC 27699-2704 AN EQUAL OPPORTUNITY/ AFFIRMATIVE ACTION EMPLOYER

## rhoe-jones, jane e

From:

Timothy Ludwig <TLudwig@carolinaeasthealth.com>

Sent:

Wednesday, June 21, 2017 1:41 PM

To: Subject: rhoe-jones, jane e CarolinaEast Pet

Follow Up Flag:

Follow up

Due By:

Thursday, June 22, 2017 8:00 AM

Flag Status:

Flagged

Good afternoon Jane. Below is the information needed to supplement the letter related to utilizing a mobile PET in place of our fixed PET for a couple of months.

Current Fixed PET- GE Discovery ST 4 Slice, S/N 4643PT3

Mobile Unit PET - GE Discovery ST 4 Slice, S/N 6038PT4

Please let me know if there is anything else that I can provide for you, and as always, thank you for your kindness and assistance.

Respectfully, Tim Ludwig

Tim Ludwig Vice President, Ancillary Services 2000 Neuse Boulevard New Bern, NC 28561 (252) 633-8999 Phone (252) 633-8144 Fax



Confidential/HIPAA Encryption: CarolinaEast Health System uses Barracuda email encryption server to encrypt messages going through the internet if they meet certain criteria. It has determined that this email most likely contains protected health information (PHI). All emails containing PHI are automatically encrypted by Barracuda to comply with HIPAA regulations. If you are asked for a password by this message, please create one for use with any encrypted messages from CarolinaEast Health System. Please record or remember the password you create and use it the next time you receive a similar message.



CarolinaEast Medical Center

CarolinaEast Diagnostic Center

CarolinaEast Surgery Center

CarolinaEast Rehabilitation Hospital

CarolinaEast Heart Center

CarolinaEast Urology Center

CarolinaEast Internal Medicine

CarolinaEast Pediatrics

CarolinaEast Gastroenterology

CarolinaEast Cardiac, Thoracic & Vascular Surgery

CarolinaEast Ear, Nose & Throat

CarolinaEast Radiation Oncology

CarolinaEast Physical Medicine & Rehabilitation

CarolinaEast Home Care

CarolinaEast Foundation

CarolinaEast Wound Healing & Hyperbaric Services

Crossroads Mental Health June 12, 2017

Ms. Martha Frisone, Chief Healthcare Planning and Certificate of Need Section Division of Health Service Regulation 2704 Mail Service Center Raleigh, NC 27699-2704



RE: Temporary Equipment Replacement for CarolinaEast Medical Center's Fixed PET/CT Scanner

Dear Ms. Frisone:

The purpose of this letter is to request that CarolinaEast Medical Center ("CEMC") be permitted to temporarily utilize a mobile PET/CT scanner in place of its existing fixed PET/CT scanner. CEMC will be undergoing ceiling and roof repairs directly over the room containing the fixed PET/CT scanner. During that time, the room will be closed and unable to be used to scan patients. CEMC estimates the repairs will take approximately two months.

As the only fixed PET service in HSA IV east of Greenville, and in order to ensure continued care to patients, CEMC intends to contract with Numed, Inc. to bring a mobile PET/CT scanner to CEMC from another state. CEMC already has a mobile pad in place that will accommodate the mobile scanner, so no construction will be necessary to provide the temporary service. Upon completion of the necessary roof work, and once CEMC is able to utilize its own fixed PET/CT scanner again, the vendor will remove the mobile PET/CT scanner from the state. At no time will CEMC scan patients on more than one PET/CT scanner.

CEMC hopes to commence this work within the next few weeks, so please let me know if I can provide any additional information to expedite our request.

Sincerely,

Tim Ludwig

Vice President, Ancillary Services CarolinaEast Health System