|   |  |   |  |  |  | MAPPROVED                     |  |
|---|--|---|--|--|--|-------------------------------|--|
| CENTERS FOR MEDICARE & MEDICAID SERVICES STATEMENT OF DEFICIENCIES (X1) PROVIDER/SUPPLIER/CLIA    |  |   |  |  |  | D. 0938-0391                  |  |
| AND PLAN OF CORRECTION  |  | IDENTIFICATION NUMBER:                        | (X2) MULTIPLE CONSTRUCTION A. BUILDING |  | COMF   | (X3) DATE SURVEY<br>COMPLETED |  |
|   |  | 345426  | B. WING                                |  |  | C<br>/ <b>23/2016</b>         |  |
| NAME OF PROVIDER OR SUPPLIER  |  |   | ·                                      | STREET ADDRESS, CITY, STATE, ZIP COD   | E  |                               |  |
| VALLEY VIEW CARE & REHAB CENTER   |  |   |  | 551 KENT STREET<br>ANDREWS, NC 28901   |  |                               |  |
| (X4) ID<br>PREFIX<br>TAG  | SUMMARY STATEMENT OF DEFICIENCIES<br>(EACH DEFICIENCY MUST BE PRECEDED BY FULL<br>REGULATORY OR LSC IDENTIFYING INFORMATION) |   | ID<br>PREFIX<br>TAG                    | PROVIDER'S PLAN OF CC<br>(EACH CORRECTIVE ACTION<br>CROSS-REFERENCED TO THE<br>DEFICIENCY) | ACTION SHOULD BE COMPLETION<br>TO THE APPROPRIATE DATE |                               |  |
| F 000   | INITIAL COMMENTS   |   | F 00                                   | 00   |  |                               |  |
|   |  | cited as a result of the on Event ID #GNSJ11. |  |  |  |                               |  |
|   |  |   |  |  |  |                               |  |
|   |  |   |  |  |  |                               |  |
|   |  |   |  |  |  |                               |  |
|   |  |   |  |  |  |                               |  |
|   |  |   |  |  |  |                               |  |
|   |  |   |  |  |  |                               |  |
|   |  |   |  |  |  |                               |  |
|   |  |   |  |  |  |                               |  |
|   |  |   |  |  |  |                               |  |
|   |  |   |  |  |  |                               |  |
| LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE TITLE Electronically Signed |  |   |  |  |  | (X6) DATE<br>12/06/2016       |  |

Any deficiency statement ending with an asterisk (\*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.

PRINTED: 12/09/2016