DEPARTMENT OF HEALTH AND HUMAN SERVICES CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 01/31/2018 FORM APPROVED OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION A. BUILDING			DATE SURVEY COMPLETED	
		345215	B. WING			C 12/28/2017	
NAME OF PROVIDER OR SUPPLIER				STREET ADDRESS, CITY, STATE, ZIP COD	I	12/20/2017	
RIVER TRACE NURSING AND REHABILITATION CENTER				250 LOVERS LANE			
				WASHINGTON, NC 27889	SHINGTON, NC 27889		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)		ID PREFIX TAG	((EACH CORRECTIVE ACTION	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		
F 000	INITIAL COMMENTS		F 000				
	No deficiencies were complaint investigation #ESYL11.	e cited as a result of the on survey. Event ID					
ADODATODA		SUPPLIER REPRESENTATIVE'S SIGNATU		TITLE		(X6) DATE	

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

12/29/2017

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.

Electronically Signed