

POST-CERTIFICATION REVISIT REPORT

PROVIDER / SUPPLIER / CLIA / IDENTIFICATION NUMBER 345503	Y1	MULTIPLE CONSTRUCTION A. Building B. Wing	DATE OF REVISIT 4/7/2019	Y2	Y3
NAME OF FACILITY LIBERTY COMMONS NSG & REHAB CTR OF ROWAN COUNTY			STREET ADDRESS, CITY, STATE, ZIP CODE 4412 SOUTH MAIN STREET SALISBURY, NC 28147		

This report is completed by a qualified State surveyor for the Medicare, Medicaid and/or Clinical Laboratory Improvement Amendments program, to show those deficiencies previously reported on the CMS-2567, Statement of Deficiencies and Plan of Correction, that have been corrected and the date such corrective action was accomplished. Each deficiency should be fully identified using either the regulation or LSC provision number and the identification prefix code previously shown on the CMS-2567 (prefix codes shown to the left of each requirement on the survey report form).

ITEM Y4	DATE Y5	ITEM Y4	DATE Y5	ITEM Y4	DATE Y5
ID Prefix F0561	Correction	ID Prefix F0677	Correction	ID Prefix F0689	Correction
Reg. # 483.10(f)(1)-(3)(8)	Completed	Reg. # 483.24(a)(2)	Completed	Reg. # 483.25(d)(1)(2)	Completed
LSC	03/18/2019	LSC	03/25/2019	LSC	03/20/2019
ID Prefix F0725	Correction	ID Prefix	Correction	ID Prefix	Correction
Reg. # 483.35(a)(1)(2)	Completed	Reg. #	Completed	Reg. #	Completed
LSC	03/18/2019	LSC		LSC	
ID Prefix	Correction	ID Prefix	Correction	ID Prefix	Correction
Reg. #	Completed	Reg. #	Completed	Reg. #	Completed
LSC		LSC		LSC	
ID Prefix	Correction	ID Prefix	Correction	ID Prefix	Correction
Reg. #	Completed	Reg. #	Completed	Reg. #	Completed
LSC		LSC		LSC	
ID Prefix	Correction	ID Prefix	Correction	ID Prefix	Correction
Reg. #	Completed	Reg. #	Completed	Reg. #	Completed
LSC		LSC		LSC	

REVIEWED BY STATE AGENCY <input type="checkbox"/>	REVIEWED BY (INITIALS)	DATE	SIGNATURE OF SURVEYOR	DATE
REVIEWED BY CMS RO <input type="checkbox"/>	REVIEWED BY (INITIALS)	DATE	TITLE	DATE
FOLLOWUP TO SURVEY COMPLETED ON 2/20/2019		<input type="checkbox"/> CHECK FOR ANY UNCORRECTED DEFICIENCIES. WAS A SUMMARY OF UNCORRECTED DEFICIENCIES (CMS-2567) SENT TO THE FACILITY? <input type="checkbox"/> YES <input type="checkbox"/> NO		