DEPARTMENT OF HEALTH AND HUMAN SERVICES CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 07/06/2020 FORM APPROVED OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	` ′	(X2) MULTIPLE CONSTRUCTION A. BUILDING		(X3) DATE SURVEY COMPLETED	
		345050	B. WING				C 06/04/2020
NAME OF PROVIDER OR SUPPLIER JACOB'S CREEK NURSING AND REHABILITATION CENTER				STREET ADDRE		1 00	70472020
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)		ID PREFI TAG		PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETION DATE
E 000	Initial Comments		E	E 000			
F 000	An unannounced COVID-19 Focused Survey was conducted on 6/2/20 to 6/4/20. The facility was found in compliance with 42 CFR §483.73 related to E-0024 (b)(6), Subpart-B-Requirements for Long Term Care Facilities. Event ID# T3D111. INITIAL COMMENTS An unannounced COVID-19 Focused Infection Control Survey and complaint investigation were conducted on 6/2/20 to 6/4/20. The facility was found in compliance with 42 CFR §483.80 infection control regulations and has implemented the CMS and Centers for Disease Control and Prevention (CDC) recommended practices to prepare for COVID-19. One of the one complaint allegations was substantiated resulting in deficiency. On June 23, 2020 an amended 2567 report was issued to the facility becasue tag F-602 was deleted by the survey team prior to the facility's requested IDR. As a result of tag F-602 being deleted there were no deficiencies cited as a result of this survey. Event ID #T3D111.		F	000			
LADODATORY		SUPPLIER REPRESENTATIVE'S SIGNATURE	-		TITLE		(X6) DATE

Electronically Signed 06/15/2020

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.