## DEPARTMENT OF HEALTH AND HUMAN SERVICES CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 10/19/2020 FORM APPROVED OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION  (X1)		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION  A. BUILDING		C	K3) DATE SURVEY COMPLETED
		345088	B. WING_			R
NAME OF PROVIDER OR SUPPLIER  TRINITY GLEN				STREET ADDRESS, CITY, STATE, ZIP C 849 WATERWORKS ROAD WINSTON-SALEM, NC 27101	ODE	10/19/2020
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)		ID PREFIX TAG	X (EACH CORRECTIVE ACT CROSS-REFERENCED TO T	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)  (X5)  COMPLETIO DATE	
{E 000}	0} Initial Comments		{E 0	00}		
{F 000}		as conducted on 10/16/2020 k into compliance effective	{F 0	00}		
	A paper follow-up wa	as conducted on 10/16/2020 k into compliance effective				

**Electronically Signed** 

Any deficiency statement ending with an asterisk (\*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE