## DEPARTMENT OF HEALTH AND HUMAN SERVICES CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 11/16/2020 FORM APPROVED OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	1 ' '	(X2) MULTIPLE CONSTRUCTION  A. BUILDING			(X3) DATE SURVEY COMPLETED	
		345502	B. WING		_	C <b>10/21/2020</b>		
NAME OF PROVIDER OR SUPPLIER				STREET ADDRESS, CITY, STA	ATE, ZIP CODE	1 10/2	1/2020	
LAKE PARK NURSING AND REHABILITATION CENTER				3315 FAITH CHURCH ROAD				
				INDIAN TRAIL, NC 28079				
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)		ID PREFI TAG	X (EACH CORREC CROSS-REFEREN	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETION DATE	
E 000	Initial Comments		E	000				
F 000	An unannounced COVID-19 Focused Survey was conducted onsite on 10/19/20 with more information off-site through 10/21/20. The facility was found in compliance with 42 CFR §483.73 related to E-0024 (b)(6), Subpart-B-Requirements for Long Term Care Facilities. Event ID #5XPS11.		F	F 000				
LABORATORY	DIRECTOR'S OR PROVIDER/S	SUPPLIER REPRESENTATIVE'S SIGNATUR	 F	TITLE		(X	(6) DATE	

Electronically Signed

Any deficiency statement ending with an asterisk (\*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14

program participation.

days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued