PRINTED: 02/12/2021 FORM APPROVED OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	1 ' '	PLE CONSTRUCTION  G	(X3) DATE SURVEY COMPLETED
		345185	B. WING _		01/06/2021
NAME OF PROVIDER OR SUPPLIER  PREMIER LIVING AND REHAB CENTER				STREET ADDRESS, CITY, STATE, ZIP CODE  106 CAMERON STREET  LAKE WACCAMAW, NC 28450	, , , , , , , , , , , , , , , , , , , ,
(X4) ID PREFIX TAG	(EACH DEFICIENC	ATEMENT OF DEFICIENCIES Y MUST BE PRECEDED BY FULL LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRE- (EACH CORRECTIVE ACTION SHO CROSS-REFERENCED TO THE APP DEFICIENCY)	OULD BE COMPLETION
E 000	Initial Comments		E O	00	
F 000	Survey was conducted was found to be in column 483.73 related to E 0	ent for Long term Care /211	F 0	00	
	was conducted on 01 found to be in compli infection control regu the CMS and Centers Prevention (CDC) recuprepare for COVID-1 was conducted at this allegations were unsultivall.	d Infection Control Survey /06/21. The facility was ance with 42 CFR 483.80 lations and has implemented of for Disease Control and commended practices to 9. A complaint investigation is time. Two of the two substantiated. Event ID#			
F 641 SS=D	§483.20(g) Accuracy The assessment mus resident's status.		F 6	41	1/15/21
	Based on record rev facility failed to updat Data Set (MDS) to re 1 of 3 residents revie Findings included: Resident #1 was adn 09/28/16. The reside hospital on 11/13/20 facility on 11/17/20.	iew and staff interviews, the e the quarterly Minimum flect deep tissue injuries on wed for pressure ulcers.  Initted to the facility on ent was discharged to the and returned back to the Diagnoses included, in part,		CORRECTIVE ACTION:  - The Minimum Data Set (MDS) trinadvertently miscoded to reflect pressure ulcers on Resident #1 writing modified to reflect resident's deep injuries.  - Modification of quarterly/5-day assessment was made and submarkers.  Resident #1 on 01/06/21.	current /as o tissue nitted for
ABOBATORY	DIDECTOR'S OR BROVINER!	SLIPPLIER REPRESENTATIVE'S SIGNATUE	DE	TITI F	(X6) DATE

Electronically Signed 01/14/2021

Any deficiency statement ending with an asterisk (\*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.

PRINTED: 02/12/2021 FORM APPROVED OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:		(X2) MULTIPLE CONSTRUCTION  A. BUILDING		(X3) DATE SURVEY COMPLETED	
		345185	B. WING				C / <b>06/2021</b>
NAME OF PROVIDER OR SUPPLIER				S	TREET ADDRESS, CITY, STATE, ZIP CODE	1 01.	00/2021
DDEMIED	LIVING AND DELIAD OF	NTED		1	06 CAMERON STREET		
PREMIER	LIVING AND REHAB CE	NIER		L	AKE WACCAMAW, NC 28450		
(X4) ID	(EACH DEFICIENCY MUST BE PRECEDED BY FULL		ID		PROVIDER'S PLAN OF CORRECTION		(X5)
PREFIX TAG			PREFI TAG	X (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)			COMPLETION DATE
F 641	Continued From page 1		F	641			
	Parkinson 's disease				OTHERS WITH POTENTIAL TO BE		
		dney disease, pneumonia,			AFFECTED:		
		ure to thrive, gastrostomy,					
	-	halation of food and vomit,			- Most recent MDS assessment for all		
	and pain in left and ri	gnt toes.			residents with pressure injuries were		
	A review of the admission assessment dated				audited to ensure accurate coding.		
	11/17/20 upon return from the hospital revealed				MEASURES AND SYSTEMIC		
	the resident was noted to have the following skin				CHANGES:		
	issues:	ğ					
					- MDS Coordinator and Interdisciplinar	У	
	Pinpoint area on top of left ear				Team inserviced on importance of		
	Pinpoint area on top of right ear				accuracy of MDS coding by Nursing		
	Right heel deep tissue injury (DTI) measuring 8				Home Administrator on 01/14/21.	040	
	centimeters (cm) X 11.5cm Right top of foot DTI measuring 1.7 X 2.0cm				- Wound Nurse will review Section M0		
	Right lateral foot DTI			coding with MDS nurse following Weel Wound Assessments/Rounds.	ау		
	4.0cm, and #2 - 1.5 X	,			- 5% of all MDS's completed will be		
	Left lateral heel DTI measuring 2.0 X 1.5cm				audited weekly x's 4 weeks, then 5%		
		3			monthly x's 2 months to ensure section	าร	
	The Minimum Data Set (MDS) quarterly				M0210 are coded accurately by		
	assessment dated 11/24/20 revealed the resident				Interdisciplinary Team (IDT) members.		
		ely impaired. He required					
	total dependence with two person physical				PERFORMANCE MONITORING:		
	assistance with bed n	•			Audite will be femuended to OADI		
		person physical assistance s of daily living. The resident			- Audits will be forwarded to QAPI Committee for review and further		
					recommendations as		
	was not coded as having a pressure ulcer, but was coded as being at risk for developing				warranted/necessary.		
		tion 0300 "Current number					
	of unhealed pressure				- Director of Nursing is responsible.		
	Section G #1 unstageable deep tissue:						
		ie injury in evolution was					
	marked "0" to indicate						
		ageable pressure ulcers that					
	were present upon admission or reentry was						
	marked "0" to indicate	e none.					
	An interview was con	ducted with Nurse #1 on					

PRINTED: 02/12/2021 FORM APPROVED OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULT A. BUILDIN	IPLE CONSTRUCTION  IG		(X3) DATE SURVEY COMPLETED	
		<b>345185</b> B. V		B. WING		C 01/06/2021	
NAME OF PROVIDER OR SUPPLIER  PREMIER LIVING AND REHAB CENTER				STREET ADDRESS, CITY, STATE, ZIP CODE 106 CAMERON STREET LAKE WACCAMAW, NC 28450	'		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)		ID PREFIX TAG	PROVIDER'S PLAN OF COR (EACH CORRECTIVE ACTION S CROSS-REFERENCED TO THE A DEFICIENCY)	SHOULD BE	(X5) COMPLETION DATE	
F 641	had been the wound 12/01/20. The nurse readmitted back to the hospital stay on 11/1 did not complete the but was aware of wo including bruises to to his hands and seven and the had several ways including bruises to to his hands and seven on 01/06/21 at 1:10 reported when upday would obtain informate several ways including herself, asking the number of the had several tresident on 11/24/20. An interview was con Nursing (DON) on 00 DON reported she had several DTIs facility on 11/17/20 areflected on the MDS which she completed the needed to be provided reported it was an ovaccurately.	M. Nurse #1 reported she I treatment nurse up until Preported Resident #1 was The facility from his previous T/20. Nurse #1 stated she Tassessment upon his return Tounds that were identified This upper extremities, blisters The MDS Nurse stated the The MDS nurse stated she The ADS nurse st	F6	41			
	her MDS staff was to	er expectation for her and b accurately code the MDS ect the care that needed to be					

PRINTED: 02/12/2021 FORM APPROVED OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION  (X1) PROVIDER/SUPPLIER IDENTIFICATION NUMBER  345185		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	1 ' '	PLE CONSTRUCTION  G		(X3) DATE SURVEY COMPLETED	
		345185	B. WING			С	
NAME OF P	ROVIDER OR SUPPLIER	340100		STREET ADDRESS, CITY, STATE, ZIP COD	DF.	01/06/2021	
				106 CAMERON STREET			
PREMIER	LIVING AND REHAB CE	NTER		LAKE WACCAMAW, NC 28450			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)		ID PREFI) TAG	PROVIDER'S PLAN OF CORRECTI (EACH CORRECTIVE ACTION SHOUL CROSS-REFERENCED TO THE APPRO DEFICIENCY)			N
F 641	Continued From page provided for the resid	e 3	F	DEFICIENCY)			