DEPARTMENT OF HEALTH AND HUMAN SERVICES CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 02/18/2021 FORM APPROVED OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	1 ' '	(X2) MULTIPLE CONSTRUCTION A. BUILDING			(X3) DATE SURVEY COMPLETED	
		345127	B. WING			01/26/2021		
NAME OF PROVIDER OR SUPPLIER WHITE OAK MANOR - TRYON				STREET ADDRESS, CITY, STATE, ZIP CODE 70 OAK STREET TRYON, NC 28782				
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)		ID PREFI TAG	x	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD E CROSS-REFERENCED TO THE APPROPRI DEFICIENCY)	BE	(X5) COMPLETION DATE	
E 000	Initial Comments		E	E 000				
F 000	An unannounced COVID-19 Focused Survey was conducted on 01/26/2021. The facility was found in compliance with 42 CFR §483.73 related to E-0024 (b)(6), Subpart-B-Requirements for Long Term Care Facilities. Event ID# XMDE11. INITIAL COMMENTS An unannounced COVID-19 Focused Infection Control Survey was conducted on 01/26/2021. The facility was found in compliance with 42 CFR §483.80 infection control regulations and has implemented the CMS and Centers for Disease Control and Prevention (CDC) recommended practices to prepare for COVID-19. Event ID# XMDE11.		F	F 000				
LABORATORY	DIRECTOR'S OR PROVIDED!	SUPPLIER REPRESENTATIVE'S SIGNATURE	:		TITLE		(X6) DATE	

Electronically Signed 02/02/2021

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.