

DEPARTMENT OF HEALTH AND HUMAN SERVICES  
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 03/16/2021  
FORM APPROVED  
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:  <b>345573</b>	(X2) MULTIPLE CONSTRUCTION A. BUILDING _____  B. WING _____		(X3) DATE SURVEY COMPLETED  <b>02/25/2021</b>
NAME OF PROVIDER OR SUPPLIER  <b>ARBOR ACRES UNITED METHODIST RETIREMENT COMMUNITY</b>			STREET ADDRESS, CITY, STATE, ZIP CODE <b>1250 ARBOR ROAD WINSTON SALEM, NC 27104</b>		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE	
E 000	Initial Comments  The survey team entered the facility on 2/23/21 to conduct a recertification survey. The survey team was onsite 2/23/21 and 2/24/21. Additional information was obtained offsite on 2/25/21. Therefore, the exit date was changed to 2/25/21. The facility was found in compliance with the requirements CFR 483.73, emergency preparedness. Event ID 2QUV11	E 000			
F 000	INITIAL COMMENTS  The survey team entered the facility on 2/23/21 to conduct a recertification survey. The survey team was onsite 2/23/21 and 2/24/21. Additional information was obtained offsite on 2/25/21. Therefore, the exit date was changed to 2/25/21. The facility was found in compliance with the requirements of 42 CFR Part 483, Subpart B for Long Term Care Facilities (General Health Survey). Event ID 2QUV11	F 000			

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE

Electronically Signed

03/02/2021

Any deficiency statement ending with an asterisk (\*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.