

## POST-CERTIFICATION REVISIT REPORT

PROVIDER / SUPPLIER / CLIA / IDENTIFICATION NUMBER 345174	Y1	MULTIPLE CONSTRUCTION A. Building B. Wing	Y2	DATE OF REVISIT 6/1/2022	Y3
NAME OF FACILITY CAROLINA PINES AT ASHEVILLE			STREET ADDRESS, CITY, STATE, ZIP CODE 91 VICTORIA ROAD ASHEVILLE, NC 28801		

This report is completed by a qualified State surveyor for the Medicare, Medicaid and/or Clinical Laboratory Improvement Amendments program, to show those deficiencies previously reported on the CMS-2567, Statement of Deficiencies and Plan of Correction, that have been corrected and the date such corrective action was accomplished. Each deficiency should be fully identified using either the regulation or LSC provision number and the identification prefix code previously shown on the CMS-2567 (prefix codes shown to the left of each requirement on the survey report form).

ITEM Y4	DATE Y5	ITEM Y4	DATE Y5	ITEM Y4	DATE Y5
ID Prefix F0558	Correction	ID Prefix F0608	Correction	ID Prefix F0689	Correction
Reg. # 483.10(e)(3)	Completed	Reg. # 483.12(b)(5)(i)-(iii)	Completed	Reg. # 483.25(d)(1)(2)	Completed
LSC	06/01/2022	LSC	06/01/2022	LSC	06/01/2022
ID Prefix F0835	Correction	ID Prefix F0838	Correction	ID Prefix F0843	Correction
Reg. # 483.70	Completed	Reg. # 483.70(e)(1)-(3)	Completed	Reg. # 483.70(j)(1)(2)	Completed
LSC	06/01/2022	LSC	06/01/2022	LSC	06/01/2022
ID Prefix	Correction	ID Prefix	Correction	ID Prefix	Correction
Reg. #	Completed	Reg. #	Completed	Reg. #	Completed
LSC		LSC		LSC	
ID Prefix	Correction	ID Prefix	Correction	ID Prefix	Correction
Reg. #	Completed	Reg. #	Completed	Reg. #	Completed
LSC		LSC		LSC	
ID Prefix	Correction	ID Prefix	Correction	ID Prefix	Correction
Reg. #	Completed	Reg. #	Completed	Reg. #	Completed
LSC		LSC		LSC	

REVIEWED BY STATE AGENCY <input type="checkbox"/>	REVIEWED BY (INITIALS)	DATE	SIGNATURE OF SURVEYOR	DATE
REVIEWED BY CMS RO <input type="checkbox"/>	REVIEWED BY (INITIALS)	DATE	TITLE	DATE
FOLLOWUP TO SURVEY COMPLETED ON 3/3/2022		<input type="checkbox"/> CHECK FOR ANY UNCORRECTED DEFICIENCIES. WAS A SUMMARY OF UNCORRECTED DEFICIENCIES (CMS-2567) SENT TO THE FACILITY? <span style="float: right;"><input type="checkbox"/> YES <input type="checkbox"/> NO</span>		