

POST-CERTIFICATION REVISIT REPORT

PROVIDER / SUPPLIER / CLIA / IDENTIFICATION NUMBER 345349	Y1	MULTIPLE CONSTRUCTION A. Building B. Wing	Y2	DATE OF REVISIT 4/19/2023	Y3
NAME OF FACILITY WOODBURY WELLNESS CENTER INC			STREET ADDRESS, CITY, STATE, ZIP CODE 2778 COUNTRY CLUB DRIVE HAMPSTEAD, NC 28443		

This report is completed by a qualified State surveyor for the Medicare, Medicaid and/or Clinical Laboratory Improvement Amendments program, to show those deficiencies previously reported on the CMS-2567, Statement of Deficiencies and Plan of Correction, that have been corrected and the date such corrective action was accomplished. Each deficiency should be fully identified using either the regulation or LSC provision number and the identification prefix code previously shown on the CMS-2567 (prefix codes shown to the left of each requirement on the survey report form).

ITEM Y4	DATE Y5	ITEM Y4	DATE Y5	ITEM Y4	DATE Y5
ID Prefix F0561	Correction	ID Prefix F0641	Correction	ID Prefix F0644	Correction
Reg. # 483.10(f)(1)-(3)(8)	Completed	Reg. # 483.20(g)	Completed	Reg. # 483.20(e)(1)(2)	Completed
LSC	03/28/2023	LSC	03/28/2023	LSC	03/28/2023
ID Prefix F0802	Correction	ID Prefix F0809	Correction	ID Prefix F0812	Correction
Reg. # 483.60(a)(3)(b)	Completed	Reg. # 483.60(f)(1)-(3)	Completed	Reg. # 483.60(i)(1)(2)	Completed
LSC	03/28/2023	LSC	03/28/2023	LSC	03/28/2023
ID Prefix	Correction	ID Prefix	Correction	ID Prefix	Correction
Reg. #	Completed	Reg. #	Completed	Reg. #	Completed
LSC		LSC		LSC	
ID Prefix	Correction	ID Prefix	Correction	ID Prefix	Correction
Reg. #	Completed	Reg. #	Completed	Reg. #	Completed
LSC		LSC		LSC	
ID Prefix	Correction	ID Prefix	Correction	ID Prefix	Correction
Reg. #	Completed	Reg. #	Completed	Reg. #	Completed
LSC		LSC		LSC	

REVIEWED BY STATE AGENCY <input type="checkbox"/>	REVIEWED BY (INITIALS)	DATE	SIGNATURE OF SURVEYOR	DATE
REVIEWED BY CMS RO <input type="checkbox"/>	REVIEWED BY (INITIALS)	DATE	TITLE	DATE
FOLLOWUP TO SURVEY COMPLETED ON 3/2/2023		<input type="checkbox"/> CHECK FOR ANY UNCORRECTED DEFICIENCIES. WAS A SUMMARY OF UNCORRECTED DEFICIENCIES (CMS-2567) SENT TO THE FACILITY? <input type="checkbox"/> YES <input type="checkbox"/> NO		