

DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 07/24/2024
FORM APPROVED
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 345024	(X2) MULTIPLE CONSTRUCTION A. BUILDING _____ B. WING _____		(X3) DATE SURVEY COMPLETED C 06/26/2024
NAME OF PROVIDER OR SUPPLIER CLAPPS NURSING CENTER INC			STREET ADDRESS, CITY, STATE, ZIP CODE 5229 APPOMATTOX ROAD PLEASANT GARDEN, NC 27313		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE	
E 000	Initial Comments	E 000			
F 000	<p>An unannounced recertification and complaint investigation survey was conducted on 6/23/24 through 6/26/24. The facility was found in compliance with the requirement CFR 483.73, Emergency Preparedness. Event ID # E21011.</p> <p>INITIAL COMMENTS</p> <p>A recertification and complaint investigation survey was conducted from 06/23/24 through 06/26/24. Event ID# E21011. The following intakes were investigated NC00211440 and NC00218571.</p> <p>Please select one of the followings:</p> <p>4 of the 4 complaint allegations did not result in a deficiency.</p>	F 000			

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE

Electronically Signed

07/02/2024

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.