

POST-CERTIFICATION REVISIT REPORT

PROVIDER / SUPPLIER / CLIA / IDENTIFICATION NUMBER 345416	MULTIPLE CONSTRUCTION A. Building B. Wing	DATE OF REVISIT 5/6/2025
NAME OF FACILITY BERMUDA VILLAGE RETIREMENT CENTER	STREET ADDRESS, CITY, STATE, ZIP CODE 142 BERMUDA VILLAGE DRIVE BERMUDA RUN, NC 27006	

This report is completed by a qualified State surveyor for the Medicare, Medicaid and/or Clinical Laboratory Improvement Amendments program, to show those deficiencies previously reported on the CMS-2567, Statement of Deficiencies and Plan of Correction, that have been corrected and the date such corrective action was accomplished. Each deficiency should be fully identified using either the regulation or LSC provision number and the identification prefix code previously shown on the CMS-2567 (prefix codes shown to the left of each requirement on the survey report form).

ITEM Y4	DATE Y5	ITEM Y4	DATE Y5	ITEM Y4	DATE Y5
ID Prefix F0578	Correction	ID Prefix F0582	Correction	ID Prefix F0656	Correction
Reg. # 483.10(c)(6)(8)(g)(12)(i)-(v)	Completed	Reg. # 483.10(g)(17)(18)(i)-(v)	Completed	Reg. # 483.21(b)(1)(3)	Completed
LSC	04/22/2025	LSC	04/22/2025	LSC	04/22/2025
ID Prefix F0657	Correction	ID Prefix F0761	Correction	ID Prefix F0880	Correction
Reg. # 483.21(b)(2)(i)-(iii)	Completed	Reg. # 483.45(g)(h)(1)(2)	Completed	Reg. # 483.80(a)(1)(2)(4)(e)(f)	Completed
LSC	04/22/2025	LSC	04/22/2025	LSC	04/22/2025
ID Prefix	Correction	ID Prefix	Correction	ID Prefix	Correction
Reg. #	Completed	Reg. #	Completed	Reg. #	Completed
LSC		LSC		LSC	
ID Prefix	Correction	ID Prefix	Correction	ID Prefix	Correction
Reg. #	Completed	Reg. #	Completed	Reg. #	Completed
LSC		LSC		LSC	
ID Prefix	Correction	ID Prefix	Correction	ID Prefix	Correction
Reg. #	Completed	Reg. #	Completed	Reg. #	Completed
LSC		LSC		LSC	
REVIEWED BY STATE AGENCY	REVIEWED BY (INITIALS)	DATE	SIGNATURE OF SURVEYOR	DATE	
REVIEWED BY CMS RO	REVIEWED BY (INITIALS)	DATE	TITLE	DATE	
FOLLOWUP TO SURVEY COMPLETED ON 3/20/2025		<input type="checkbox"/> CHECK FOR ANY UNCORRECTED DEFICIENCIES. WAS A SUMMARY OF UNCORRECTED DEFICIENCIES (CMS-2567) SENT TO THE FACILITY? <input type="checkbox"/> YES <input type="checkbox"/> NO			