

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTIONS	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 345219	(X2) MULTIPLE CONSTRUCTION A. BUILDING B. WING	(X3) DATE SURVEY COMPLETED 11/06/2025
--	---	--	---

NAME OF PROVIDER OR SUPPLIER Magnolia Lane Nursing and Rehabilitation Center	STREET ADDRESS, CITY, STATE, ZIP CODE 107 Magnolia Drive , Morganton, North Carolina, 28655
--	---

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE
F0000	<p>INITIAL COMMENTS</p> <p>A follow-up desk review was completed 11/06/25. The facility is back in compliance effective 09/30/25. Permission was obtained from CMS to complete desk review. Event ID #1D5S23-H2.</p>	F0000		

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See reverse for further instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE	TITLE	(X6) DATE
---	-------	-----------