

<b>STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTIONS</b>		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: <b>345489</b>	(X2) MULTIPLE CONSTRUCTION A. BUILDING B. WING	(X3) DATE SURVEY COMPLETED <b>01/07/2026</b>
NAME OF PROVIDER OR SUPPLIER <b>Rockwell Park Rehabilitation and Healthcare Center</b>			STREET ADDRESS, CITY, STATE, ZIP CODE <b>1930 West Sugar Creek Road , Charlotte, North Carolina, 28262</b>	
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE
F0000	<p><b>INITIAL COMMENTS</b></p> <p>An onsite revisit and complaint investigation survey was conducted on 1/06/26. Additional information was obtained offsite on 1/07/26. Therefore, the exit date was changed to 1/07/26. Event ID# 1DB61D-H2. Tags 552, 561, 657 and 759 were corrected as of 12/13/25. A new tag was cited as a result of the complaint investigation conducted at the same time as the revisit.</p> <p>The facility is back in substantial compliance effective 12/13/25.</p>	F0000		

Any deficiency statement ending with an asterisk (\*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See reverse for further instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE	TITLE	(X6) DATE
---	-------	-----------