

Haywood
Medical
Imaging

DFS Health Planning
RECEIVED

AUG 17 2010



Medical Facilities
PLANNING SECTION

262 Leroy George Drive ♦ Clyde, NC 28721

828 452 8346

August 16, 2010

COMMENTS REGARDING THE PROPOSED 2011 NORTH CAROLINA
STATE MEDICAL FACILITIES PLAN



Debera Huderly, M.D.



Richard Lang, M.D.



Mark Mittelman, M.D.



Clifford Riestler, M.D.



Nila Wilbur, M.D.



Laurie Sheppard, RPA


Haywood Medical Imaging is requesting an adjustment to the mobile Position Emission Tomography (PET) scanner need determination contained in the Proposed 2011 State Medical Facilities Plan.

The plan currently being considered by the Medical Facilities Planning Section states that there is no need for an additional mobile scanner anywhere in the state. Harris Regional Hospital is requesting at least one additional mobile PET scanner for the west mobile PET scanner Health Services Areas 1, 2 and 3.

Haywood County is a rural area, and patients in Haywood County are underserved and often lack access to PET services. There is currently only one mobile PET scanner for 18 hospitals in Western North Carolina and it is operating above capacity. The current PET scanner in the system, located at Harris Regional Hospital, receives mobile PET services only half-a-day every other weekend. That can create a hardship for patients who are ill and are forced to travel long distances along curvy mountain roads, particularly during inclement weather. The existing mobile PET scanner logged 2,821 procedures in fiscal year 2009.

We strongly encourage the State Medical Facilities Planning Section to consider allowing for one additional mobile PET Certificate of Need for the West Mobile PET Scanner Planning Region.


Respectfully submitted,


Debera Huderly, M.D.


Richard Lang, M.D.


Mark Mittelman, M.D.


Clifford Riestler, M.D.


Nila Wilbur, M.D.