

1 10A NCAC 14D .0210 is proposed for adoption as follows:

2

3 **10A NCAC 14D .0210 BATHROOM**

4 (a) An adult day care program offering overnight respite care services shall have one bathroom for each six or fewer
5 respite persons. The bathroom may be shared with the adult day care program if the adult day care program
6 requirements are met.

7 (b) The bathrooms shall be designed to provide privacy. A bathroom with two or more water closets (commodes)
8 shall have privacy partitions or curtains for each water closet. Each tub or shower shall have privacy partitions or
9 curtains.

10 (c) Entrance to the bathroom shall not be through a kitchen, another person's bedroom, or another bathroom.

11 (d) The required residents' bathrooms shall be located so that there is no more than 40 feet from any residents'
12 bedroom door to a resident use bathroom door.

13 (e) Hand grips shall be installed at all commodes, tubs and showers used by the residents.

14 (f) Nonskid surfacing or strips must be installed in showers and bath areas.

15 (g) The bathrooms shall be lighted to provide 30 foot candles of light at floor level and have mechanical ventilation
16 at the rate of two cubic feet per minute for each square foot of floor area. These vents shall be vented directly to the
17 outdoors.

18 (h) The bathroom floor shall have a non-slippery water-resistant covering.

19

20 *History Note: Authority S.L. 2011-104;*

21 *Temporary Adoption Eff. January 1, 2012;*

22 *Eff. October 1, 2012.*

23