

DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR MEDICARE & MEDICAID SERVICES

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTIONS		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 345096		(X2) MULTIPLE CONSTRUCTION A. BUILDING B. WING		(X3) DATE SURVEY COMPLETED 05/29/2026	
NAME OF PROVIDER OR SUPPLIER Huntersville Oaks				STREET ADDRESS, CITY, STATE, ZIP CODE 12019 Verhoeff Drive , Huntersville, North Carolina, 28078			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)		ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETION DATE	
E0000	Initial Comments An unannounced recertification and complaint investigation survey was conducted on 05/26/26 through 05/29/26. The facility was found in compliance with the requirement CFR 483.73. Emergency Preparedness Event ID #233478-H1.		E0000				
F0000	INITIAL COMMENTS An unannounced recertification and complaint investigation survey was conducted on 05/26/26 through 05/29/26. The facility is in compliance with the requirements of 42 CFR Part 483, Subpart B for Long Term Care Facilities (General Health Survey). Event ID #233478-H1. The following intakes were investigated: 834380, 2611675, 2645624, 2650067 and 2686439. Twenty-three (23) of the twenty-three (23) complaint allegations did not result in deficiency.		F0000				

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See reverse for further instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE		TITLE	(X6) DATE
---	--	-------	-----------