



AEMT
NON-TRANSPORT
VEHICLE INSPECTION REPORT

Date:
Location:



Office of Emergency Medical Services
2707 Mail Service Center
Raleigh, NC 27699-2707

PROVIDER INFORMATION

Provider Name:
System Affiliation:
Operational Level: AEMT
Viper ID#:

VEHICLE INFORMATION

Current Permit #: VIN:
Assigned Vehicle Number: Model Year:
Manufacturer: Fuel Type: Gas Diesel 4 X 4

Mandatory (Automatic Failure) Items:

- Vehicle Body & Function
Warning Devices (Lights & Sirens)
Two-way Radio Fixed
O2 Cylinder with Regulator
Suction Apparatus
Bag Valve Mask (Adult & Child Sized Bags with Adult, Child, Infant, & Neonatal Mask)
Defibrillator with Adult & PED Pads
Sphygmomanometer (Cuffs & Devices PED, Normal Adult, Large Adult)
Stethoscope
Trauma Tourniquet
Copy of Protocols
Blind Insertion Airway Device with Syringe (Adult & PED Sizes)
IV Admin Set Micro/Macro
IV Catheters in at least 4 Sizes
Needles in Various Sizes (1 Must be 1.5" for IM Injections)
Syringes (in at Least 3 Sizes)
Capnometry (Color)/Capnography EtCO2 Detector (Required for Intubation Only)
Endotracheal Tube Introducer (Adult & PEDS) (If Performing Intubation)

Required Items Continued:

- Pediatric Medication Dosing Guide
Lubricating Jelly
Sterile OB Kit (Scissors, Bulb Suction, Cord Clamps)
Thermal Blanket (or Other Heat Conserving Device)
Thermometer (Low Temperature Capability)
Triage System
Disinfectant Hand Wash/Sanitizer
Disinfectant for Cleaning Equipment
Disposable Biohazard Trash Bags
Infection Control Kit (Mask, Gowns, Jumpsuits, Eye Protection, Shoe Covers)
Gloves (Latex Free)
Sharps Container (2 Sources)
Exterior Cleanliness
Medications and Fluid Kept in Climate-Controlled Environment
Provider Name Displayed on Each Side
Reflective Tape on All Sides
Mounted Fire Extinguisher
Acetaminophen or NSAID
Aspirin
Beta-Agonists
Crystalloid Solution
Diphenhydramine
Epinephrine
Glucagon
Glucose Solution
Naloxone
Nebulizer
Nitroglycerin
Nasal Administration Device

This column intentionally left blank

Missing an entire Mandatory (Automatic Failure) Item may result in Summary Suspension or refusal of a permit.

If the vehicle has all mandatory equipment (Automatic Failure Items) and missing no more than (2) of the Required Items the vehicle permit will be issued.

Inspection Results

PASSED

- 2 missing items = Satisfactory
> 2 missing items = Unsatisfactory

- Deficiencies corrected during inspection
Approved
Not Approved

Permit #: _____

Expiration: _____

FAILED

- Refusal of a Permit
Failed - Suspension Issued

Comments:

Inspection: Permitting Compliance

Provider Representative:

For NCOEMS Use Only:

Inspector:

Date Entered in Continuum:

PERSONNEL - P#

LEVEL

#1: EMR EMT AEMT Paramedic
#2: EMR EMT AEMT Paramedic