

Division of Health Service Regulation

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: HAL049029	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____	(X3) DATE SURVEY COMPLETED R 01/26/2018
--	--	---	---

NAME OF PROVIDER OR SUPPLIER BROOKDALE CHURCHILL	STREET ADDRESS, CITY, STATE, ZIP CODE 140 CARRIAGE CLUB DRIVE MOORESVILLE, NC 28117
--	---

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
D 000	Initial Comments The Adult Care Licensure Section conducted an annual and follow-up survey on January 23 - 26, 2018.	D 000		
D 234	<p>10A NCAC 13F .0703(a) Tuberculosis Test, Medical Exam & Immunizatio</p> <p>10A NCAC 13F .0703 Tuberculosis Test, Medical Examination & Immunizations (a) Upon admission to an adult care home, each resident shall be tested for tuberculosis disease in compliance with the control measures adopted by the Commission for Health Services as specified in 10A NCAC 41A .0205 including subsequent amendments and editions. Copies of the rule are available at no charge by contacting the Department of Health and Human Services, Tuberculosis Control Program, 1902 Mail Service Center, Raleigh, North Carolina 27699-1902.</p> <p>This Rule is not met as evidenced by: Based on record reviews and interviews, the facility failed to assure 1 of 7 sampled residents (Resident #7) was tested upon admission for tuberculosis (TB) disease in compliance with control measures adopted by the Commission for Health Services.</p> <p>The findings are:</p> <p>Review of Resident #7's current FL2 dated 7/8/17 revealed diagnoses included diabetes mellitus type 2, memory deficient, hypertension, coronary artery disease, hyperlipidemia, and arthritis.</p> <p>Review of Resident #7's Resident Register revealed he was admitted to the facility on 5/31/13.</p>	D 234		

Division of Health Service Regulation LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE	TITLE	(X6) DATE
--	-------	-----------

Division of Health Service Regulation

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: HAL049029	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____	(X3) DATE SURVEY COMPLETED R 01/26/2018
--	--	---	---

NAME OF PROVIDER OR SUPPLIER BROOKDALE CHURCHILL	STREET ADDRESS, CITY, STATE, ZIP CODE 140 CARRIAGE CLUB DRIVE MOORESVILLE, NC 28117
--	---

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
D 234	<p>Continued From page 1</p> <p>Review of Resident #7's immunization history revealed:</p> <ul style="list-style-type: none"> -There was documentation of a TB test dated 4/20/15 with negative results documented on 4/22/15. -There was a TB Surveillance Questionnaire for symptoms of TB dated 6/1/16 for Resident #7. -There was a second TB Surveillance Questionnaire for symptoms of TB dated 10/4/17 for Resident #7. -There was no documentation of any other TB skin tests for Resident #7 found in the record. <p>Interview on 1/26/18 at 1:50 pm with the Health and Wellness Director (HWD) revealed:</p> <ul style="list-style-type: none"> -The HWD starting working at the facility one year ago (early 2017). -Currently, the HWD verified the status of a resident's TB test for 2 step compliance upon admission to assure compliance with the TB requirements. -The HWD was responsible for administering TB tests to new residents and documenting both the administration and the test results in the residents' medical records. -Resident #7 had been at the facility longer than the current owners had owned the facility. -Many of the residents' records had been thinned and placed in unlabeled boxes in a storage room. -She was unable to locate TB test results prior to 04/22/15 for Resident #7. <p>Interview on 1/26/18 at 2:12 pm with the Resident Care Coordinator (RCC) revealed:</p> <ul style="list-style-type: none"> -The HWD and the Clinical Coordinator (nurses) were responsible for assuring residents were compliant with the TB requirements. -She was not aware Resident #7 did not have documentation for 2 step TB testing on file. 	D 234		

Division of Health Service Regulation

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: HAL049029	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____	(X3) DATE SURVEY COMPLETED R 01/26/2018
--	--	---	---

NAME OF PROVIDER OR SUPPLIER BROOKDALE CHURCHILL	STREET ADDRESS, CITY, STATE, ZIP CODE 140 CARRIAGE CLUB DRIVE MOORESVILLE, NC 28117
--	---

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
D 234	<p>Continued From page 2</p> <p>Interview with the Business Office Manager (BOM) on 1/26/18 at 2:14 pm revealed: -The previous owners had some information on file for residents that she had maintained in the business office. -Some residents had copies of older FL2s and admission information. -Resident #7 did not have documentation of any TB test results available for review in the business office files.</p> <p>Interview on 1/26/17 at 3:00 pm with the Administrator revealed: -He was not aware residents did not have all the required documentation for TB testing. -The HWD and clinical nurses were responsible for assuring compliance with TB test requirements.</p>	D 234		
D 367	<p>10A NCAC 13F .1004(j) Medication Administration</p> <p>10A NCAC 13F .1004 Medication Administration (j) The resident's medication administration record (MAR) shall be accurate and include the following: (1) resident's name; (2) name of the medication or treatment order; (3) strength and dosage or quantity of medication administered; (4) instructions for administering the medication or treatment; (5) reason or justification for the administration of medications or treatments as needed (PRN) and documenting the resulting effect on the resident; (6) date and time of administration; (7) documentation of any omission of medications or treatments and the reason for the omission, including refusals; and,</p>	D 367		

Division of Health Service Regulation

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: HAL049029	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____	(X3) DATE SURVEY COMPLETED R 01/26/2018
--	--	---	---

NAME OF PROVIDER OR SUPPLIER BROOKDALE CHURCHILL	STREET ADDRESS, CITY, STATE, ZIP CODE 140 CARRIAGE CLUB DRIVE MOORESVILLE, NC 28117
--	---

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
D 367	<p>Continued From page 3</p> <p>(8) name or initials of the person administering the medication or treatment. If initials are used, a signature equivalent to those initials is to be documented and maintained with the medication administration record (MAR).</p> <p>This Rule is not met as evidenced by: Based on observations, record reviews, and interviews, the facility failed to assure the electronic Medication Administration Records (eMARs) were accurate for 1 of 7 sampled residents (Resident #6) regarding ipratropium/albuterol nebulizer solution.</p> <p>The findings are:</p> <p>Review of Resident #6's current FL2 dated 7/19/17 revealed diagnoses included chronic obstructive pulmonary disease (COPD), hypertension, dementia, and pacemaker placement.</p> <p>Review of Resident #6's physician orders revealed there was a signed physician's order dated 1/4/18 for albuterol-ipratropium (3mg/3ml) inhalation solution, used to treat COPD, administer every 2 hours as needed for shortness of breath secondary to COPD.</p> <p>Review of Resident #6's eMAR for January 2018 revealed: -There was an entry for albuterol sulfate solution (2.5 mg/3ml), 3 ml inhale via nebulizer every 2 hours as needed for shortness of breath. -The medication had not been documented as administered for the month of January.</p> <p>Review of medications on hand for administration for Resident #6 on 1/25/18 revealed a box of 30 albuterol-ipratropium (3mg/3ml) solution vials</p>	D 367		

Division of Health Service Regulation

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: HAL049029	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____	(X3) DATE SURVEY COMPLETED R 01/26/2018
--	--	---	---

NAME OF PROVIDER OR SUPPLIER BROOKDALE CHURCHILL	STREET ADDRESS, CITY, STATE, ZIP CODE 140 CARRIAGE CLUB DRIVE MOORESVILLE, NC 28117
--	---

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
D 367	<p>Continued From page 4</p> <p>dispensed on 1/5/18, with one pack opened and containing 3 out of 5 vials.</p> <p>Interview on 1/25/18 at 9:55 am with a medication aide (MA) revealed:</p> <ul style="list-style-type: none"> -The albuterol-ipratropium solution was administered on an as needed basis. -She did not think the solution had been administered at all since being prescribed. -The eMAR did not show the medication being administered for the month of January. -She had never administered a nebulizer treatment to Resident #6. -She did not know why the box of albuterol-ipratropium solution was opened or missing 2 vials of solution. <p>Interview on 1/25/18 at 11:11 am, with a representative for the contracted pharmacy provider revealed:</p> <ul style="list-style-type: none"> -The pharmacy received an order by fax for albuterol-ipratropium (3mg/3ml) on 1/4/18 and filled the order on 1/5/18. -The facility staff, and not the pharmacy staff, entered medications on the eMAR. -The pharmacy did not have an order for albuterol (2.5mg/3ml) inhalation solution on file for Resident #6. <p>Interview on 1/25/18 at 11:58 am with the Health and Wellness Director (HWD) revealed:</p> <ul style="list-style-type: none"> -A Resident Care Coordinator (RCC) was responsible for entering orders into the eMAR on second shift. -The Supervisor on third shift then performed a "second check" with the facility's "order tracker." -The HWD did a monthly audit of the eMAR but did not reconcile against the resident's records or orders because the second check was supposed to catch any errors. 	D 367		

Division of Health Service Regulation

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: HAL049029	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____	(X3) DATE SURVEY COMPLETED R 01/26/2018
--	--	---	---

NAME OF PROVIDER OR SUPPLIER BROOKDALE CHURCHILL	STREET ADDRESS, CITY, STATE, ZIP CODE 140 CARRIAGE CLUB DRIVE MOORESVILLE, NC 28117
--	---

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
D 367	<p>Continued From page 5</p> <p>-The order for albuterol sulfate had been marked as verified in the facility's computer system by two separate staff as expected for the "second check" system.</p> <p>Telephone interview on 1/25/18 at 3:36 pm with Resident #6's family member revealed: -Resident #6 had COPD and was on continuous oxygen, as well as inhaled medications as needed for shortness of breath. -The resident had been prescribed an inhalation solution at discharge from a hospital stay on 1/4/18 for pneumonia. -He was not sure the exact name of the medication but the facility had a copy of the discharge medications in the resident's record.</p> <p>Based on observation and record review, it was determined that Resident #6 was not interviewable.</p> <p>A second interview on 1/26/18 at 9:15 am with the HWD revealed: -The eMAR had been edited to reflect the correct order for albuterol-ipratropium solution (3mg/3ml). -Resident #6 had not been administered the medication at all since it was prescribed. -She had verified with the pharmacy representative that the medication on hand was the correct medication.</p>	D 367		
D912	<p>G.S. 131D-21(2) Declaration of Residents' Rights</p> <p>G.S. 131D-21 Declaration of Residents' Rights Every resident shall have the following rights: 2. To receive care and services which are adequate, appropriate, and in compliance with relevant federal and state laws and rules and regulations.</p>	D912		

Division of Health Service Regulation

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: HAL049029	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____	(X3) DATE SURVEY COMPLETED R 01/26/2018
--	--	---	---

NAME OF PROVIDER OR SUPPLIER BROOKDALE CHURCHILL	STREET ADDRESS, CITY, STATE, ZIP CODE 140 CARRIAGE CLUB DRIVE MOORESVILLE, NC 28117
--	---

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
D912	<p>Continued From page 6</p> <p>This Rule is not met as evidenced by: Based on observations, interviews, and record reviews the facility failed to assure every resident received care and services which were adequate, appropriate, and in compliance with relevant federal and state laws and rules and regulations, related to adult care home infection prevention requirements.</p> <p>The findings are:</p> <p>Based on observations, interviews, and record reviews, the facility failed to implement a written infection control policy consistent with the federal Centers for Disease Control and Prevention guidelines to assure proper infection control procedures for the use of glucometers for 3 of 3 diabetic residents sampled (#7, #9, and #10) with orders for blood sugar monitoring resulting in the shared use of glucometers. [Refer to Tag 932, G.S. 131D-4.4A, Adult Care Home Infection Prevention Requirements (Type B Violation)].</p>	D912		
D932	<p>G.S. 131D-4.4A (b) ACH Infection Prevention Requirements</p> <p>G.S. 131D-4.4A Adult Care Home Infection Prevention Requirements</p> <p>(b) In order to prevent transmission of HIV, hepatitis B, hepatitis C, and other bloodborne pathogens, each adult care home shall do all of the following, beginning January 1, 2012: (1) Implement a written infection control policy consistent with the federal Centers for Disease Control and Prevention guidelines on infection</p>	D932		

Division of Health Service Regulation

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: HAL049029	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____	(X3) DATE SURVEY COMPLETED R 01/26/2018
--	--	---	---

NAME OF PROVIDER OR SUPPLIER BROOKDALE CHURCHILL	STREET ADDRESS, CITY, STATE, ZIP CODE 140 CARRIAGE CLUB DRIVE MOORESVILLE, NC 28117
--	---

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
D932	<p>Continued From page 7</p> <p>control that addresses at least all of the following:</p> <ul style="list-style-type: none"> a. Proper disposal of single-use equipment used to puncture skin, mucous membranes, and other tissues, and proper disinfection of reusable patient care items that are used for multiple residents. b. Sanitation of rooms and equipment, including cleaning procedures, agents, and schedules. c. Accessibility of infection control devices and supplies. d. Blood and bodily fluid precautions. e. Procedures to be followed when adult care home staff is exposed to blood or other body fluids of another person in a manner that poses a significant risk of transmission of HIV, hepatitis B, hepatitis C, or other bloodborne pathogens. f. Procedures to prohibit adult care home staff with exudative lesions or weeping dermatitis from engaging in direct resident care that involves the potential for contact between the resident, equipment, or devices and the lesion or dermatitis until the condition resolves. <p>(2) Require and monitor compliance with the facility's infection control policy.</p> <p>(3) Update the infection control policy as necessary to prevent the transmission of HIV, hepatitis B, hepatitis C, and other bloodborne pathogens.</p> <p>This Rule is not met as evidenced by: TYPE B VIOLATION</p>	D932		

Division of Health Service Regulation

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: HAL049029	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____	(X3) DATE SURVEY COMPLETED R 01/26/2018
--	--	---	---

NAME OF PROVIDER OR SUPPLIER BROOKDALE CHURCHILL	STREET ADDRESS, CITY, STATE, ZIP CODE 140 CARRIAGE CLUB DRIVE MOORESVILLE, NC 28117
--	---

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
D932	<p>Continued From page 8</p> <p>Based on observations, interviews, and record reviews, the facility failed to implement a written infection control policy consistent with the federal Centers for Disease Control and Prevention guidelines to assure proper infection control procedures for the use of glucometers for 3 of 3 diabetic residents sampled (#7, #9, and #10) with orders for blood sugar monitoring resulting in the shared use of glucometers.</p> <p>The findings are:</p> <p>Observation of the front hall second floor medication cart on 1/23/18 at 11:35 am revealed:</p> <ul style="list-style-type: none"> -There were 4 black glucometer cases located on the medication cart. -Two of the black glucometer cases were labeled with residents' names and contained Brand A glucometers with one glucometer not labeled with a resident's name, and one glucometer labeled with a resident's name corresponding to the resident's name on the black vinyl pouch. -One of the black glucometer cases was labeled with a resident's name (#7) and contained the Brand B glucometer labeled with a different resident's name. -The fourth black glucometer pouch was labeled with a resident's name (#7) and contained a Brand C glucometer labeled with the corresponding resident's (#7) name that was missing the battery cover. (Resident #7 had 2 different glucometers) <p>Review of the CDC (Center for Disease Control and Prevention) guidelines for infection control revealed the CDC recommends blood glucose monitoring devices (glucometers) should not be shared between residents. If the glucometer is to be used for more than one person, it should be</p>	D932		

Division of Health Service Regulation

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: HAL049029	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____	(X3) DATE SURVEY COMPLETED R 01/26/2018
--	--	---	---

NAME OF PROVIDER OR SUPPLIER BROOKDALE CHURCHILL	STREET ADDRESS, CITY, STATE, ZIP CODE 140 CARRIAGE CLUB DRIVE MOORESVILLE, NC 28117
--	---

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
D932	<p>Continued From page 9</p> <p>cleaned and disinfected per the manufacturer's instructions. If the manufacturer does not list disinfection information, the glucometer should not be shared between residents.</p> <p>Telephone interview on 1/23/18 at 1:35 pm with the manufacturer of the Brand C glucometer revealed the glucometer was recommended for use by a more than one person if disinfected with an Environmental Protection Agency (EPA) approved disinfecting solution that was effective for disinfecting against blood borne diseases, such as Hepatitis A, Hepatitis B, and Human Immunodeficiency Virus, and effective against tuberculosis.</p> <p>Telephone interview on 1/23/18 at 4:50 pm with the manufacturer of the Brand A glucometer revealed the glucometer was recommended for use by a single person and should not be shared. No disinfection procedures were recommended.</p> <p>Interviews on 1/23/18 at 3:30 pm and 5:15 pm with the Health and Wellness Director (HWD) revealed:</p> <ul style="list-style-type: none"> -The facility policy was for each resident to have a glucometer assigned to the resident, and used only for the assigned resident. -The facility had disinfectant wipes on the medication carts for wiping down the carts, computer keyboards, blood pressure cuffs, and counter tops.. -The facility did not have a routine disinfecting schedule for glucometers. -The staff were instructed to clean and disinfect glucometers if the glucometer was visibly dirty. -The facility did not currently have a system in place to randomly audit the current FSBS value in a glucometer's history compared to the current FSBS value documented on the resident's 	D932		

Division of Health Service Regulation

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: HAL049029	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____	(X3) DATE SURVEY COMPLETED R 01/26/2018
--	--	---	---

NAME OF PROVIDER OR SUPPLIER BROOKDALE CHURCHILL	STREET ADDRESS, CITY, STATE, ZIP CODE 140 CARRIAGE CLUB DRIVE MOORESVILLE, NC 28117
--	---

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
D932	<p>Continued From page 10</p> <p>electronic Medication Administration Record (eMAR).</p> <p>-The HWD was not aware if glucometers used by residents were approved for use on more than one resident.</p> <p>-The facility had 4 residents receiving FSBS.</p> <p>-No resident had a diagnosis of a blood borne disease.</p> <p>1. Review of Resident #7's current FL2 dated 7/8/17 revealed:</p> <p>-Diagnoses included diabetes mellitus type 2, memory deficient, hypertension, coronary artery disease, hyperlipidemia, and arthritis.</p> <p>-There was an order for Novolog 100 unit/ml Flexpen (a short acting insulin used to lower blood sugar), inject 8 units subcutaneously 3 times a day, check fingerstick blood sugar (FSBS) 3 times a day and contact physician if blood sugar was less than 65 or greater than 350. Hold insulin if blood sugar is less than 80.</p> <p>Review of Resident #7's physician orders revealed an order dated 12/5/17 continuing the order for Novolog 100 unit/ml Flexpen, inject 8 units subcutaneously 3 times a day, check fingerstick blood sugar (FSBS) 3 times a day and contact physician if blood sugar was less than 65 or greater than 350. Hold insulin if blood sugar is less than 80.</p> <p>Observation on 1/23/18 at 11:30 am of a finger stick blood sugar (FSBS) check revealed:</p> <p>-The second floor morning Medication Aide (MA) opened a black glucometer case, labeled with a resident's name, containing a Brand B glucometer labeled with a different resident's name, and obtained a FSBS check for the resident named on the glucometer pouch.</p> <p>-The MA used disposable gloves, an alcohol</p>	D932		

Division of Health Service Regulation

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: HAL049029	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____	(X3) DATE SURVEY COMPLETED R 01/26/2018
--	--	---	---

NAME OF PROVIDER OR SUPPLIER BROOKDALE CHURCHILL	STREET ADDRESS, CITY, STATE, ZIP CODE 140 CARRIAGE CLUB DRIVE MOORESVILLE, NC 28117
--	---

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
D932	<p>Continued From page 11</p> <p>swab, a new test strip, and a single use disposable lancing device to perform the FSBS. -The MA disposed of the test strip, lancing device, and alcohol wipe in the biohazard waste container affixed to the medication cart.</p> <p>Observation on 1/23/18 at 11:35 am of the front hall second floor medication cart revealed: -There were 4 black glucometer cases located on the medication cart. -Resident #7 had 2 glucometer cases labeled with his name. -One of the black glucometer cases was labeled with a resident's name (#7) and contained the Brand B glucometer labeled with a different resident's name. -The other black glucometer pouch was labeled with a Resident #7's name and contained a Brand C glucometer labeled with Resident #7's name that was missing the battery cover.</p> <p>Review of Resident #7's January 2018 electronic Medication Administration Record (eMAR) revealed: -There was an entry for Novolog 100 unit/ml Flexpen, inject 8 units subcutaneously 3 times a day, check FSBS 3 times a day and contact physician if blood sugar was less than 65 or greater than 350. Hold insulin if blood sugar is less than 80 was listed. -FSBS were scheduled at 8:00 am, 12:00 pm, and 5:00 pm daily.</p> <p>Review of Resident #7's Brand C glucometer's history revealed FSBS values recorded in the glucometer's history compared to values documented on Resident #7's January 2018 eMAR from 1/8/18 to 1/18/18 were consistent for values documented on the eMAR. There were no additional FSBS values documented in the Brand</p>	D932		

Division of Health Service Regulation

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: HAL049029	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____	(X3) DATE SURVEY COMPLETED R 01/26/2018
--	--	---	---

NAME OF PROVIDER OR SUPPLIER BROOKDALE CHURCHILL	STREET ADDRESS, CITY, STATE, ZIP CODE 140 CARRIAGE CLUB DRIVE MOORESVILLE, NC 28117
--	---

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
D932	<p>Continued From page 12</p> <p>C glucometer's history.</p> <p>Review of Resident #7's Brand B glucometer's history revealed FSBS values recorded in the glucometer's history compared to values documented on Resident #7's January 2018 eMAR from 1/19/18 to 1/23/18 were inconsistent. Examples of inconsistencies were as follows:</p> <ul style="list-style-type: none"> -Time and date were not set correctly. The time and date displayed on the glucometer was 1/23/18 at 9:58 am when the actual date and time was 1/23/18 at 11:35 am. -On 1/23/18, at 9:58 am, a FSBS reading of 134 matched the January 2018 eMAR on 1/23/18 at 12:00 pm, and at 4:03 am, a FSBS of 240 matched the FSBS documented on 1/23/18 at 8:00 am. -On 1/22/18, at 2:18 pm FSBS reading of 101 matched the FSBS documented on 1/22/18 at 5:00 pm; at 10:20 am, FSBS reading of 184 matched FSBS documented at 12:00 pm, with an additional FSBS reading recorded in the glucometer history on 1/22/18 at 5:55 am of 132, and at 4:39 am FSBS of 108, (not documented on Resident #7's January 2018 eMAR). -A FSBS reading of 91 was documented on the January 2018 eMAR for 1/21/18 at 5:00 pm, FSBS of 134 documented for 1/21/18 at 12:00 pm, and FSBS of 127 documented for 8:00 am; no FSBS were reading recorded in the glucometer's history corresponding to FSBS values documented on Resident #7's eMAR. -A FSBS reading of 184 was documented on the January 2018 eMAR for 1/20/18 at 8:00 am corresponded to a FSBS value recorded in the Brand B glucometer's history on 1/20/18 at 4:01 am, but no additional FSBS reading were recorded in the glucometer's history for FSBS of 146 at 12:00 pm and FSBS of 119 at 5:00 pm documented on the eMAR. 	D932		

Division of Health Service Regulation

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: HAL049029	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____	(X3) DATE SURVEY COMPLETED R 01/26/2018
--	--	---	---

NAME OF PROVIDER OR SUPPLIER BROOKDALE CHURCHILL	STREET ADDRESS, CITY, STATE, ZIP CODE 140 CARRIAGE CLUB DRIVE MOORESVILLE, NC 28117
--	---

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
D932	<p>Continued From page 13</p> <p>-On 1/19/18, at 5:01 am, a FSBS reading of 263 matched the FSBS documented on 1/19/18 at 8:00 am with an additional FSBS reading recorded in the glucometer history on 1/19/18 at 4:46 am of 193, not documented on Resident #7's January 2018 eMAR. There were no FSBS values of 110 at 5:00 pm and 196 at 12:00 pm documented on the eMAR found in the glucometer's history.</p> <p>Based on review of Resident #7's Brand B glucometer's history compared to the eMARs for January 2018, Resident #7 had 7 FSBS values documented on the eMARs and not recorded in the glucometer's history from 1/19/18 to 01/23/18. There were 3 additional FSBS values recorded in Resident #7's glucometer's history that were not documented on the resident's eMAR.</p> <p>Interview on 1/25/18 at 4:15 pm with Resident #7 revealed: -He was aware the medication aides (MA) were using a different glucometer lately to check his fingerstick blood sugar (FSBS). -He had seen MAs use at least 3 different glucometers. -He did not see if the glucometers were labeled with his name. -He trusted the MAs to use the proper equipment to check his FSBS. -He was aware one glucometer was not working because staff told him it was not working properly.</p> <p>Refer to interview on 1/23/18 at 5:20 pm with a medication aide (MA).</p> <p>Refer to telephone interview on 1/24/18 at 8:45 am with a medication aide/supervisor (MAS).</p>	D932		

Division of Health Service Regulation

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: HAL049029	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____	(X3) DATE SURVEY COMPLETED R 01/26/2018
--	--	---	---

NAME OF PROVIDER OR SUPPLIER BROOKDALE CHURCHILL	STREET ADDRESS, CITY, STATE, ZIP CODE 140 CARRIAGE CLUB DRIVE MOORESVILLE, NC 28117
--	---

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
D932	<p>Continued From page 14</p> <p>Refer to interview on 1/23/18 at 4:50 pm with the Administrator.</p> <p>2. Review of Resident #10's current FL2 dated 7/10/17 revealed:</p> <ul style="list-style-type: none"> -Diagnoses included hypertension, anxiety, depression, and Type II diabetes mellitus. -There was an order to monitor blood glucose in the morning. Call physician if fingerstick blood sugar (FSBS) was greater than 350 or less than 60. <p>Review of Resident #10's physician orders revealed a subsequent order dated 9/14/17 to monitor blood glucose in the morning. Call physician if fingerstick blood sugar (FSBS) was greater than 350 or less than 60.</p> <p>Review of Resident #10's January 2018 eMAR revealed:</p> <ul style="list-style-type: none"> -There was an entry to monitor blood glucose in the morning. Call physician if fingerstick blood sugar (FSBS) was greater than 350 or less than 60. -FSBS were scheduled daily at 6:30 am. <p>Review of Resident #10's Brand A glucometer revealed:</p> <ul style="list-style-type: none"> -The time and date were set accurately. -The glucometer had 8 FSBS reading recorded in the glucometer's history starting on 1/20 18 at 6:24 am through 1/23/18 at 6:44 am. - FSBS values recorded in the glucometer's history compared to values documented on Resident #10's January 2018 eMAR from 1/20/18 to 1/23/18 were inconsistent. <p>Examples of inconsistencies were as follows:</p> <ul style="list-style-type: none"> -On 1/20/18 at 6:24 am, the first FSBS reading of 169 was documented in the glucometer's history and corresponded to the FSBS value 	D932		

Division of Health Service Regulation

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: HAL049029	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____	(X3) DATE SURVEY COMPLETED R 01/26/2018
--	--	---	---

NAME OF PROVIDER OR SUPPLIER BROOKDALE CHURCHILL	STREET ADDRESS, CITY, STATE, ZIP CODE 140 CARRIAGE CLUB DRIVE MOORESVILLE, NC 28117
--	---

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
D932	<p>Continued From page 15</p> <p>documented on Resident #9's eMAR for 1/20/18 at 6:30 am.</p> <p>-On 1/20/18 at 6:19 pm, an additional FSBS reading of 115 was documented in the glucometer's history, but no corresponding value documented on Resident #9's eMAR for 1/20/18.</p> <p>-On 1/21/18 at 7:35 am a FSBS reading of 89 was recorded in the glucometer's history, but no corresponding value documented on Resident #9's eMAR for 1/21/18.</p> <p>-On 1/21/18 at 6:18 pm a FSBS reading of 91 was recorded in the glucometer's history, but no corresponding value documented on Resident #9's eMAR for 1/21/18.</p> <p>-On 1/21/18 at 9:14 pm a FSBS reading of 153 was recorded in the glucometer's history, but no corresponding value documented on Resident #9's eMAR for 1/21/18.</p> <p>-On 1/21/18 at 9:28 pm a FSBS reading of 162 was recorded in the glucometer's history, but no corresponding value documented on Resident #9's eMAR for 1/21/18.</p> <p>Review of the Brand B glucometer's history in the black glucometer case, labeled with a resident's name, containing a Brand B glucometer labeled with a different resident's name revealed:</p> <p>-Examples of consecutive FSBS values recorded in the glucometer's history from 1/01/18 to 1/19/18 at times from 3:53 am to 4:20 am matched FSBS documented at 6:30 am on Resident #10's January 2018 eMAR were as follows: on 1/19/18 (FSBS=192), on 1/16 (FSBS=122), on 1/12/18 (FSBS=141), on 1/11/18 (FSBS=159), 1/10/18 (FSBS=112), on 1/9/18 (FSBS=93), on 1/8/18 (FSBS=110).</p> <p>-FSBS values recorded in the glucometer after 1/19/18 did not correspond to FSBS values documented on Resident #10's eMAR from 1/20/18 to 1/23/18.</p>	D932		

Division of Health Service Regulation

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: HAL049029	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____	(X3) DATE SURVEY COMPLETED R 01/26/2018
--	--	---	---

NAME OF PROVIDER OR SUPPLIER BROOKDALE CHURCHILL	STREET ADDRESS, CITY, STATE, ZIP CODE 140 CARRIAGE CLUB DRIVE MOORESVILLE, NC 28117
--	---

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
D932	<p>Continued From page 16</p> <p>Based on review of Resident #10's Brand A glucometer's history and Brand B glucometer's history (in the black glucometer case, labeled with a resident's name, containing a Brand B glucometer labeled with a different resident's name) compared to the eMARs for January 2018, Resident #10 had 4 additional FSBS values recorded in Resident #10's Brand A glucometer's history, from 1/20/18 to 1/23/18, that were not documented on the resident's eMAR; and 12 FSBS values recorded in the Brand B glucometer's (in the black glucometer case, labeled with a resident's name, containing a Brand B glucometer labeled with a different resident's name) history from 1/2/18 to 1/19/18.</p> <p>Interview on 1/24/18 at 3:45 pm with Resident #10 revealed: -She does not pay attention to the type of glucometer used to check her FSBS. -Staff check her FSBS once daily, in the morning. -She was not aware of the brand name of the glucometer used to check her FSBS.</p> <p>Refer to interview on 1/23/18 at 5:20 pm with a medication aide (MA).</p> <p>Refer to telephone interview on 1/24/18 at 8:45 am with a medication aide/supervisor (MAS).</p> <p>Refer to interview on 1/23/18 at 4:50 pm with the Administrator.</p> <p>3. Review of Resident #9's current FL2 dated 7/10/17 revealed diagnoses included hyperlipidemia, hypertension, and Type 2 diabetes mellitus.</p> <p>Review of Resident #9's physician orders</p>	D932		

Division of Health Service Regulation

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: HAL049029	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____	(X3) DATE SURVEY COMPLETED R 01/26/2018
--	--	---	---

NAME OF PROVIDER OR SUPPLIER BROOKDALE CHURCHILL	STREET ADDRESS, CITY, STATE, ZIP CODE 140 CARRIAGE CLUB DRIVE MOORESVILLE, NC 28117
--	---

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
D932	<p>Continued From page 17</p> <p>revealed an order dated 12/6/17 to check fingerstick blood sugar (FSBS) in the morning and at bedtime.</p> <p>Review of Resident #9's January 2018 electronic Medication Administration Record (eMAR) from 1/01/18 to 1/22/18 revealed FSBS were scheduled daily at 8:00 am and 8:00 pm.</p> <p>Review of Resident #9's Brand A glucometer, labeled with Resident #9's name, revealed: -FSBS values recorded in the glucometer's history compared to values documented on Resident #9's January 2018 eMAR from 1/06/18 to 1/22/18 were inconsistent. -Time and date were not set correctly. The date displayed on the glucometer was 3/09/17 on 1/23/18 at 1:25 pm.</p> <p>Examples of inconsistencies were as follows: -On 3/8/17 at 4:06 am, a FSBS reading of 184 recorded in Resident #9's glucometer matched the January 2018 eMAR on 1/22 at 8:00 pm. -On 3/5/17 at 3:38 am, a FSBS reading of 149 recorded in Resident #9's glucometer matched the January 2018 eMAR on 1/19 at 8:00 pm. -On 3/4/17 at 11:12 pm, a FSBS reading of 110 recorded in Resident #9's glucometer that matched the January 2018 eMAR on 1/19 at 5:00 pm for Resident #7 (and not recorded in the glucometer's history for Resident #7). -On 3/3/17 at 10:48 pm, a FSBS reading of 109 recorded in Resident #9's glucometer that matched the January 2018 eMAR on 1/18 at 5:00 pm for Resident #7 (and not recorded in the glucometer's history for Resident #7). -On 1/17/18 at 8:00 am, a FSBS reading of 122 was documented on the January 2018 eMAR for, but no FSBS reading recorded in Resident #9's glucometer's history.</p>	D932		

Division of Health Service Regulation

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: HAL049029	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____	(X3) DATE SURVEY COMPLETED R 01/26/2018
--	--	---	---

NAME OF PROVIDER OR SUPPLIER BROOKDALE CHURCHILL	STREET ADDRESS, CITY, STATE, ZIP CODE 140 CARRIAGE CLUB DRIVE MOORESVILLE, NC 28117
--	---

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
D932	<p>Continued From page 18</p> <p>-On 1/16/18 at 8:00 am, a FSBS reading of 76 was documented on the January 2018 eMAR for, but no FSBS reading recorded in Resident #9's glucometer's history.</p> <p>-On 2/27/17 at 1:32 pm, a FSBS reading of 207 was recorded in Resident #9's glucometer that matched the January 2018 eMAR on 1/14 at 6:30 am for Resident #10 (and not recorded in the glucometer's history for Resident #10).</p> <p>-On 2/20/17 at 1:11 pm, a FSBS reading of 173 was recorded in Resident #9's glucometer that matched the January 2018 eMAR on 1/7 at 6:30 am for Resident #10 (and not recorded in the glucometer's history for Resident #10).</p> <p>Based on review of Resident #9's glucometer's history compared to the eMARS from 1/6/18 to 1/22/18, Resident #9 had 9 FSBS values documented on the eMARs and not recorded in the glucometer's history; 2 FSBS values that was documented on the eMARs with corresponding FSBS values recorded in the glucometer's history of another resident (Resident #10), and 3 FSBS values that was documented on the eMARs with corresponding FSBS values recorded in the glucometer's history of another resident (Resident #7).</p> <p>Interview on 1/24/18 at 3:53 pm with Resident #9 revealed:</p> <ul style="list-style-type: none"> -Staff checked her FSBS 2 times a day. -She did not pay attention to the type of glucometer used to check her FSBS. -Her vision was poor and she was not able to see if the glucometer was labeled with her name. <p>Refer to interview on 1/23/18 at 5:20 pm with a medication aide (MA).</p> <p>Refer to telephone interview on 1/24/18 at 8:45</p>	D932		

Division of Health Service Regulation

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: HAL049029	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____	(X3) DATE SURVEY COMPLETED R 01/26/2018
--	--	---	---

NAME OF PROVIDER OR SUPPLIER BROOKDALE CHURCHILL	STREET ADDRESS, CITY, STATE, ZIP CODE 140 CARRIAGE CLUB DRIVE MOORESVILLE, NC 28117
--	---

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
D932	<p>Continued From page 19</p> <p>am with a medication aide/supervisor (MAS).</p> <p>Refer to interview on 1/23/18 at 4:50 pm with the Administrator.</p> <p>_____</p> <p>Interview on 1/23/18 at 5:20 pm with a medication aide (MA) revealed:</p> <ul style="list-style-type: none"> -The facility policy was never to share a glucometer. -The MA was supposed to notify the shift supervisor if a resident did not have a functioning glucometer. -She wiped the glucometer with a disinfecting wipe anytime she used it, and allowed the glucometer to air dry for about 30 seconds before placing back in the glucometer pouch. -The HWD had done the infection control training for the MAs. -She was aware of one instance when she shared a glucometer assigned to a resident on a different resident because a glucometer was not working properly. -She was instructed by the HWD to use the glucometer for a different resident to check the FSBS of the resident whose glucometer was not working. -She was not aware only glucometers approved by the glucometer's manufacturer for sharing could be shared. -She was not aware of the instructions for listed on the facility's EPA approved disinfectant wipes for disinfecting glucometers. <p>Telephone interview on 1/24/18 at 8:45 am with a medication aide/supervisor revealed:</p> <ul style="list-style-type: none"> -She was responsible for checking fingerstick blood sugars (FSBS) for 2 residents each morning. -She routinely wiped each glucometer before and 	D932		

Division of Health Service Regulation

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: HAL049029	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____	(X3) DATE SURVEY COMPLETED R 01/26/2018
--	--	---	---

NAME OF PROVIDER OR SUPPLIER BROOKDALE CHURCHILL	STREET ADDRESS, CITY, STATE, ZIP CODE 140 CARRIAGE CLUB DRIVE MOORESVILLE, NC 28117
--	---

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
D932	<p>Continued From page 20</p> <p>after use with an alcohol swab.</p> <p>-She received training on infection prevention regarding glucometers within the last year.</p> <p>-The facility policy was that each resident had a glucometer assigned to the resident for checking FSBS.</p> <p>-She was aware of at least 2 residents that had a problem with their glucometers and she had used a different glucometer to check the residents' FSBS. The same glucometer was used on both residents after cleaning with alcohol wipes.</p> <p>-She had documented FSBS values on the eMARs for residents after she obtained the FSBS.</p> <p>-The EPA approved disinfecting wipes that the facility had were used to wipe down hard surfaces like the medication room counter tops and the top of the medication cart.</p> <p>-She had not used the disinfecting wipes on a glucometer.</p> <p>Interview on 1/23/18 at 4:50 pm with the Administrator revealed:</p> <p>-The Health and Wellness Director was responsible to assure the facility policy of one glucometer per resident and glucometers were not shared was enforced.</p> <p>-The facility policy was one glucometer assigned to a resident and no sharing glucometers between residents.</p> <p>-She was not aware staff were sharing glucometers between residents.</p> <hr/> <p>The facility's failure to implement infection control procedures consistent with the federal Center for Disease Control (CDC) guidelines placed residents receiving finger stick blood sugar checks with glucometers at risk due to possible exposure of blood borne pathogens by the sharing of glucometers for Residents #7, #9 and</p>	D932		

Division of Health Service Regulation

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: HAL049029	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____	(X3) DATE SURVEY COMPLETED R 01/26/2018
--	--	---	---

NAME OF PROVIDER OR SUPPLIER BROOKDALE CHURCHILL	STREET ADDRESS, CITY, STATE, ZIP CODE 140 CARRIAGE CLUB DRIVE MOORESVILLE, NC 28117
--	---

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
D932	<p>Continued From page 21</p> <p>#10. This was detrimental to the health, safety and welfare of the residents receiving FSBS checks with glucometers and constitutes a Type B Violation.</p> <hr/> <p>Review of the facility's Plan of Protection dated 1/23/18 revealed: -The facility staff will identify residents who receive fingerstick blood sugar checks with a glucometer. -The glucometers will be examined for any evidence of sharing. -Glucometers that were/are found to be shared were or will be replaced with new glucometers. -The staff are to be in-serviced immediately on the policy and procedures for fingerstick blood sugar testing. -The Health and Wellness Director (HWD) is responsible for assuring compliance and monitoring weekly for accuracy.</p> <p>THE CORRECTION DATE FOR THE TYPE B VIOLATION SHALL NOT EXCEED MARCH 12, 2018.</p>	D932		
D935	<p>G.S. § 131D-4.5B(b) ACH Medication Aides; Training and Competency</p> <p>G.S. § 131D-4.5B (b) Adult Care Home Medication Aides; Training and Competency Evaluation Requirements.</p> <p>(b) Beginning October 1, 2013, an adult care home is prohibited from allowing staff to perform any unsupervised medication aide duties unless that individual has previously worked as a medication aide during the previous 24 months in an adult care home or successfully completed all</p>	D935		

Division of Health Service Regulation

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: HAL049029	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____	(X3) DATE SURVEY COMPLETED R 01/26/2018
--	--	---	---

NAME OF PROVIDER OR SUPPLIER BROOKDALE CHURCHILL	STREET ADDRESS, CITY, STATE, ZIP CODE 140 CARRIAGE CLUB DRIVE MOORESVILLE, NC 28117
--	---

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
D935	<p>Continued From page 22</p> <p>of the following:</p> <p>(1) A five-hour training program developed by the Department that includes training and instruction in all of the following:</p> <ol style="list-style-type: none"> a. The key principles of medication administration. b. The federal Centers for Disease Control and Prevention guidelines on infection control and, if applicable, safe injection practices and procedures for monitoring or testing in which bleeding occurs or the potential for bleeding exists. <p>(2) A clinical skills evaluation consistent with 10A NCAC 13F .0503 and 10A NCAC 13G .0503.</p> <p>(3) Within 60 days from the date of hire, the individual must have completed the following:</p> <ol style="list-style-type: none"> a. An additional 10-hour training program developed by the Department that includes training and instruction in all of the following: <ol style="list-style-type: none"> 1. The key principles of medication administration. 2. The federal Centers of Disease Control and Prevention guidelines on infection control and, if applicable, safe injection practices and procedures for monitoring or testing in which bleeding occurs or the potential for bleeding exists. b. An examination developed and administered by the Division of Health Service Regulation in accordance with subsection (c) of this section. <p>This Rule is not met as evidenced by: Based on interviews and record reviews, the facility failed to assure 1 of 3 medication aides sampled (Staff B) completed the 5, 10 or 15 hour medication training or had verification of previous employment before administering medication to residents.</p>	D935		

Division of Health Service Regulation

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: HAL049029	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____	(X3) DATE SURVEY COMPLETED R 01/26/2018
--	--	---	---

NAME OF PROVIDER OR SUPPLIER BROOKDALE CHURCHILL	STREET ADDRESS, CITY, STATE, ZIP CODE 140 CARRIAGE CLUB DRIVE MOORESVILLE, NC 28117
--	---

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
D935	<p>Continued From page 23</p> <p>The findings are:</p> <p>Review of Staff B's personnel file revealed: -Staff B was hired on 9/4/15 as a Medication Aide (MA). -She had a medication clinical skills validation completed on 09/29/15. -She had passed the medication aide test on 12/19/06. -There was no 5, 10 or 15 hour medication training on file. -There was no documentation of employment verification prior to beginning work as a MA at the facility.</p> <p>Interview on 1/26/18 at 4:20 pm with Staff B revealed: -Staff B had brought paperwork from her previous employer to the facility upon hire. -She thought that verification of her employment was included as part of her hiring paperwork. -She had taken the medication aide test for adult care homes and passed in 2006. -She had worked continuously as a MA since passing her test in 2006. -She did not have 5, 10 or 15 hour training required for medication aides. -She had worked for her previous employer from 2011 until her hire at this facility in 2015. -She planned to contact her previous employer to ask them to send a copy of the employment verification that she had done in 2015.</p> <p>Review of the December 2017 and January 2018 Medication Administration Records revealed Staff B had administered medications to the residents in the facility.</p> <p>Interview with the Health and Wellness Director</p>	D935		

Division of Health Service Regulation

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: HAL049029	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____	(X3) DATE SURVEY COMPLETED R 01/26/2018
--	--	---	---

NAME OF PROVIDER OR SUPPLIER BROOKDALE CHURCHILL	STREET ADDRESS, CITY, STATE, ZIP CODE 140 CARRIAGE CLUB DRIVE MOORESVILLE, NC 28117
--	---

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
D935	<p>Continued From page 24</p> <p>(HWD) on 1/26/18 at 4:30 pm revealed: -She was responsible for ensuring medication aides had all required training. -She was not aware that Staff B did not have employment verification in her employee file. -Staff B had been employed at the facility before the HWD came to the facility. -The Business Office Manager (BOM) would be responsible for keeping references or employment verification for all employees. -She had called Staff B's previous employer to request employment verification but no one was available to help her at this time. -She was going to get verification of employment sent to her on the following business day.</p> <p>Interview with Business Office Manager on 1/26/18 at 4:00 pm revealed: -She could not find any references or employment verification on file for Staff B. -She had contacted the corporate office to see if anything was stored there but had not received anything. -She had called Staff B's previous employer to ask for verification but the appropriate staff at the facility were not available to speak with her.</p> <p>Interview with the Administrator on 1/26/18 at 4:50 pm revealed: -The HWD was responsible for assuring that all medication aides had the required training. -Office staff were attempting to obtain employment verification now. -Staff B would be working as a Resident Assistant until verification was obtained.</p> <p>Review of the employment verification document submitted by the facility revealed: -Staff B had been employed by her previous employer from 2011 to 2015.</p>	D935		

Division of Health Service Regulation

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: HAL049029	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____	(X3) DATE SURVEY COMPLETED R 01/26/2018
--	--	---	--

NAME OF PROVIDER OR SUPPLIER BROOKDALE CHURCHILL	STREET ADDRESS, CITY, STATE, ZIP CODE 140 CARRIAGE CLUB DRIVE MOORESVILLE, NC 28117
--	---

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
D935	Continued From page 25 -Her position was listed as "Associate." -There was no documentation specifying her employment as a medication aide.	D935		