

NC DEPARTMENT OF HEALTH AND HUMAN SERVICES

ROY COOPER • Governor KODY H. KINSLEY • Secretary MARK PAYNE • Director, Division of Health Service Regulation

VIA EMAIL ONLY

August 22, 2023

Elizabeth Runyon Elizabeth.Runyon@unchealth.unc.edu

Exempt from Review	
Record #:	4247
Date of Request:	July 19, 2023
Facility Name:	Caldwell Memorial Hospital
FID #:	933051
Business Name:	Caldwell Memorial Hospital, Inc.
Business #:	328
Project Description:	Renovate and expand the main campus by constructing a new building addition and renovating the main campus hospital building, which includes expanding the
	cardiac catheterization lab suite and replacing the one existing unit of catheterization equipment
County:	Caldwell
County.	Cardwon

Dear Ms. Runyon:

The Healthcare Planning and Certificate of Need Section, Division of Health Service Regulation (Agency), determined that the above referenced proposal is exempt from certificate of need review in accordance with G.S. 131E-184(f) and G.S. 131E-184(g). Therefore, you may proceed to offer, develop or establish the above referenced project without a certificate of need.

It should be noted that this determination is binding only for the facts represented by you. Consequently, if changes are made in the project or in the facts provided in your correspondence referenced above, a new determination as to whether a certificate of need is required would need to be made by the Agency. Changes in a project include but are not limited to: (1) increases in the capital cost; (2) acquisition of medical equipment not included in the original cost estimate; (3) modifications in the design of the project; (4) change in location; and (5) any increase in the number of square feet to be constructed.

If you have any questions concerning this matter, please feel free to contact this office.

Sincerely,

Ena Lightbourne, Project Analyst

Micheala Mitchell

Micheala Mitchell, Chief

cc: Construction Section, DHSR Acute and Home Care Licensure and Certification Section, DHSR

NC DEPARTMENT OF HEALTH AND HUMAN SERVICES • DIVISION OF HEALTH SERVICE REGULATION

HEALTHCARE PLANNING AND CERTIFICATE OF NEED SECTION

LOCATION: 809 Ruggles Drive, Edgerton Building, Raleigh, NC 27603 MAILING ADDRESS: 809 Ruggles Drive, 2704 Mail Service Center, Raleigh, NC 27699-2704 https://info.ncdhhs.gov/dhsr/ • TEL: 919-855-3873



July 19, 2023

VIA ELECTRONIC MAIL

Ms. Micheala Mitchell, Chief Ms. Ena Lightbourne, Project Analyst Healthcare Planning and Certificate of Need Section Division of Health Service Regulation, DHHS 2704 Mail Services Center Raleigh, NC 27699-2704 <u>micheala.mitchell@dhhs.nc.gov</u> ena.lightbourne@dhhs.nc.gov

Re: Caldwell Memorial Hospital's Exemption Notice Regarding Campus Improvements

Dear Ms. Mitchell and Ms. Lightbourne,

Pursuant to N.C. Gen. Stat. § 131E-184(f) and (g), Caldwell Memorial Hospital ("CMH") gives this prior written notice of an exempt project planned for the CMH main campus located at 321 Mulberry Street, SW, Lenoir, NC 28645 ("Main Campus Hospital Building"). This exempt project entails: 1) construction of an 18,200 square foot new building addition that will be connected to the current Main Campus Hospital Building, 2) renovation of 9,463 square feet of the Main Campus Hospital Building, and 3) replacement of an existing cardiac catheterization unit (collectively, the "Exempt Project"). The new building addition will have the same address as CMH.

Renovation and Construction

The Exempt Project includes construction of an 18,200 square foot new building addition that will be connected to the current Main Campus Hospital Building, as well renovation of 9,463 square feet of the Main Campus Hospital Building. The proposed 18,200 square foot, two-story new building addition will include a 7,185 square foot expansion of the existing kitchen and dining area on the first floor. The second floor will house a new 11,015 square foot cardiac catheterization lab suite, which will be re-located from its current location in the existing hospital building. The new, expanded cardiac catheterization lab suite will include the relocation and replacement of one existing unit of CON-approved cardiac catheterization equipment. The proposed 9,463 square foot renovation will occur on the fourth and fifth floors of the existing hospital. The renovation includes improvements and expansion of the existing hospital pharmacy. See Exhibit 1.

Because the Exempt Project involves renovation and construction of physical space, as well as replacement equipment, this project is exempt based on both N.C. Gen. Stat. § 131E-184(f) and (g).

This construction and renovation portions of the Exempt Project fall within the "Main Campus Exemption Provisions" in N.C. Gen. Stat. § 131E-184(g). Main Campus Exemption Provisions provide as follows:

- (g) The Department shall exempt from certificate of need review any capital expenditure that exceeds the four million dollar (\$4,000,000) threshold set forth in G.S. 131E-176(16)b if all of the following conditions are met:
 - (1) The sole purpose of the capital expenditure is to renovate, replace on the same site, or expand the entirety or a portion of an existing health service facility that is located on the main campus.
 - (2) The capital expenditure does not result in (i) a change in bed capacity as defined in G.S. 131E-176(5) or (ii) the addition of a health service facility or any other new institutional health service other than that allowed in G.S. 131E-176(16)b.
 - (3) The licensed health service facility proposing to incur the capital expenditure shall provide prior written notice to the Department, along with supporting documentation to demonstrate that it meets the exemption criteria of this subsection.

For the purposes of the foregoing Main Campus Exemption Provisions in N.C. Gen. Stat. § 131E-184(g), the term "main campus" is defined in N.C. Gen. Stat. § 131E-176(14n) for purposes of N.C. Gen. Stat. § 131E- 184(f) and (g) only as follows:

- a. The site of the main building from which a licensed health service facility provides clinical patient services and exercises financial and administrative control over the entire facility, including the buildings and grounds adjacent to that main building.
- b. Other areas and structures that are not strictly contiguous to the main building but are located within 250 yards of the main building.

In accordance with N.C. Gen. Stat. § 131E-184(g)(1), the sole purpose of the capital expenditure is to renovate, replace on the same site, or expand the existing health services currently offered at CMH. Here, the new clinical services building will be connected to the existing CMH building, as shown in Exhibit 1, which is where CMH provides clinical patient services and exercises financial and administrative control over the entire facility. In addition, all planned renovations included in this project will take place within the existing CMH building.

In accordance with N.C. Gen. Stat. § 131E-184(g)(2), the Exempt Project's capital expenditures will "not result in (i) a change in bed capacity as defined in N.C. Gen. Stat. § 131E-176(5) or (ii) the addition of a health service facility or any other new institutional health service facility other than that allowed in N. C. Gen. Stat. § 131E-176(16)b."

In accordance with N.C. Gen. Stat. § 131E-184(g)(3), this letter serves as prior written notice of the Exempt Project.

Replacement Cardiac Catheterization Equipment

In addition to building renovations described above, the second floor of the building addition will house a new 11,015 square foot cardiac catheterization lab suite, which will be re-located from its current location in the existing hospital building. The new, expanded cardiac catheterization lab suite will include the relocation and replacement of one unit of cardiac catheterization equipment.

The replacement unit of cardiac catheterization equipment portion of the Exempt Project complies with the "Replacement Equipment Provisions" in N.C. Gen. Stat. § 131E-184(f). Replacement Equipment Provisions provide as follows:

- (f) The Department shall exempt from certificate of need review the purchase of any replacement equipment that exceeds the two million dollar (\$2,000,000) threshold set forth in G.S. 131E-176(22a) if all of the following conditions are met:
 - (1) The equipment being replaced is located on the main campus.
 - (2) The Department has previously issued a certificate of need for the equipment being replaced. This subdivision does not apply if a certificate of need was not required at the time the equipment being replaced was initially purchased by the licensed health service facility.
 - (3) The licensed health service facility proposing to purchase the replacement equipment shall provide prior written notice to the Department, along with supporting documentation to demonstrate that it meets the exemption criteria of this subsection.

In accordance with N.C. Gen. Stat. § 131E-184(f)(1), the existing equipment is currently located in the existing hospital building on the main campus. The replacement equipment will be located in new building addition that will be connected to the current Main Campus Hospital Building, still located on the main campus. See Exhibit 1 for a map of the location of the existing and the proposed location for the replacement equipment.

In accordance with N.C. Gen. Stat. § 131E-184(f)(2), the Department has previously issued a Certificate of Need for the equipment being replaced. See Exhibit 2 for the CON issued for Project ID No. E-11446-18.

Conclusion

CMH requests the Agency provide written confirmation that CMH's project as described above is exempt from certificate of need review. Thank you for your review of this notice and please do not hesitate to contact me if you require any additional information.

Sincerely,

Clizabeth Runyon

Elizabeth Frock Runyon Vice President & Senior Counsel System Operations and Regulatory Affairs UNC Health

CALDWELL UNC HEALTH CARE FACILITY MASTER PLAN II

321 MULBERRY ST. SW LENOIR, NORTH CAROLINA

OWNER	

CALDWELL UNC HEALTH CARE 321 MULBERPY STREET, SW LENCIR, NC 28645 1, 228.757,5100 coldwellmemorial con , orial.ora



A		D		FS	FULL SIZE	LDR	LEADER	PVC	POLYVINYL CHLORIDE	TYP	TYPICAL
AFF	ABOVE FINISHED FLOOR	DP D	DAMP PROOFING	FUE	FUTURE	LH	LEFT HAND	PC CONC	PRECAST CONCRETE	U	
AP	ACCESS PANEL	DEMO	DEMOUSH	G		LB	LIBRARY	PRE FAB	PREFABRICATED	UNFIN	UNFINISHED
ACOUS	ACOUSTICAL	DEPT	DEPARTMENT	GALV	GALVANIZED	LT	LIGHT	P1	PRESSURE TREATED	UND	UNLESS NOTED OTHERWISE
ACT	ACOUSTICAL CELING THE	DET.DTL	DETAIL	G	GAS	LW	LIGHT WEGHT	PL	PROPERTY LINE	U	URINAL
AWP	ACOUSTICAL WALL PANEL	DIA	DIAMETER	GA	GAUGE	M		Q		v	
ADJ	ADJACENT	DIM	DIMENSION	GEN	GENERAL	MACH	MACHINE	QTY	QUANTITY	VEN	VENEER
A/C	AR CONDITIONING	DISP	DISPENSER	OC.	GENERAL CONTRACTOR	MH	MAN HOLE	8		VIE	VERIFY IN FIELD
ALT	ALTERNATE	DSP	DISPOSAL	GL	GLASS, GLAZING	MHC	MAN HOLE COVER	RAD	RADIUS	VEST	VESTBULE
ALUM	ALUMINUM	DO	DITTO, REPEAT, SAME	G8	GRAB BAR	MER	MANUFACTURE	RECP	RECEPTACLE	VOL	VOLUME
AB	ANCHOR BOLT	DR	DOOR	GR	GRADE, GRADING	MFRR	MANUFACTURER	RE:	REFER TO	W	
ANOD	ANODZED	DBL	DOUBLE	GSF	GROSS SQUARE FOOT	MAS	MASONRY	REF	REFERENCE	WC	WATER CLOSET
APPROX	APPROXIMATE	DN	DOWN	GYP	GYPSUM	MO	MASONRY OPENING	REFR	REFRIGERATOR	W7	WEIGHT
ARCH	ARCHIECT, ARCHIECTURAL	DS	DOWNSPOUT	GYP 80	GYPSUM BD	MAT	MATERIALS	REINF	REINFORCED(ING)	WWE	WELDED WIRE FABRIC
AD	AREA DRAIN	DT	DRAIN THE	GW8	GYPSUM WALLBOARD	MAX	MAXIMUM	REQID	REQUIRED	WWM.	WELDED WIRE MESH
ACM	ASBESTOS CONTAINING MATERIAL	DWR	DRAWER	н		MECH	MECHANICAL	REV	REVISED	W	WEST
a.	AT	DWG	DRAWING	HDWR	HARDWARE	MET	METAL	RH	RIGHT HAND	WIND	WINDOW
AUTO	AUTOMATIC	DF	DRINKING FOUNTAIN	HDWD	HARDWOOD	MTL	METAL	8	RISER	W/	WITH
в		E		HVAC	HEATING, VENTILATING & AIR	M	METER	RD.	ROOF DRAIN	W/O	WITHOUT
8.9	BEARING PLATE	EA	EACH		CONDITIONING	MEZZ	MEZZANINE	RM.	ROOM	WD	WCOD
BM	BENCH MARK	EF	EACH FACE	HT, HGT	HEGHT	MIN	MINIMUM	RO	ROUGH OPENING	Y	
BITUM	BITUMINOUS	EW	EACH WAY	HEX	HEXAGONAL	MISC	MISCELLANEOUS	5		ΥD	YARD
BLK	BLOCK	£	EAST	HWY	HIGHWAY	NR	MOISTURE RESISTANT	SAN	SANTARY		
BLKG	BLOCKING	BLEC	ELECTRICAL	HM	HOLLOW METAL	MTD	MOUNTED	SCHED	SCHEDULE		
8D	BOARD	BLEV .	ELEVATION	HORZ	HORIZONTAL	N		SEC	SECOND		
BOI	BOTTOM	BL	ELEVATOR	HB	HOSE BIBB	NAT	NATURAL	SECT	SECTION		
BRK	BRICK	EMER	EMERGENCY	HW	HOT WATER	NRC	NOSE REDUCTION COEFFICIENT	SIM	SMLAR		
BLDG	BUILDING	BNCL	ENCLOSURE	HR	HOUR	NOM	NOMINAL	SSM	SOLID SURFACE MATERIAL		
EN	BULLNOSE	ENTR	ENTRANCE			N	NORTH	STC .	SOUND TRANSMISSION		
С		EQ	EQUAL	N	INCH	NC	NOT IN CONTRACT		COEFFICIENT		
CA8	CABNET	EQUIP	EQUIPMENT	NCL	INCLUDING	NTS	NOT TO SCALE	SPEC	SPECIFICATION		
¢1	CAST RON	EST	ESTIMATE[D]	D	INSIDE DIAMETER	NO, #	NUMBER	SQ.	SQUARE		
C8	CATCH BASIN OR CHALK BOARD	EXH51	EXHAUST	INSUL	INSULATION	0		SS	STAINLESS STEEL		
CLG	CELING	EXIST	EXISTING	NĪ	INTERIOR	OC	ON CENTER	\$1D	STANDARD		
CLG HT	CELING HEGHT	D(P	EXPANSION	INTERM	INTERMEDIATE	OPNG	OPENING	STL	STEEL		
CL	CENTER LINE	El	EXPANSION JOINT	NV	INVERT	OD	OUTSIDE DIAMETER	STOR	STORAGE		
CER	CERAMIC	F		1		OH	OVERHEAD	SGET	STRUCTURAL GLAZED FACING TILE		
CIRC	CIRCUMFERENCE	FAB	FABRICATE	JAN	JANIOR	6		ST STL	STRUCTURAL STEEL		
CO	CLEAN OUT	FT	FEET	25	JANFOR SINK	PT	PAINT(ED)	STRUCT	STRUCTURE, STRUCTURAL		
CLR	CLEAR	RG .	FIGURE	TL	JONT	PR	PAR	SUSP	SUSPENDED		
COL	COLUMN	EN	FINISH	K		PTR	PAPER TOWEL RECEPTOR	SAT	SUSPENDED ACOUSTICAL TILE		
CONC	CONCRETE	FF	FINSH FLOOR	KIT	KITCHEN	PKG	PARKING	T			
CMU	CONCRETE MASONRY UNIT	FEC	FIRE EXTINGUISHER CABINET	L		PART BD	PARTICLE BOARD	TEL	TELEPHONE		
CONST	CONSTRUCTION	RH.	RRE HOSE	LBL	LABEL	PART	PARITION	TEMP	TEMPERATURE		
C.IT	CONSTRUCTION JOINT	FL, FLR	FLOOR	LAB	LABORATORY	PVMT	PAVEMENT	THK	THICKNESS		
CONT	CONTINUOUS	FD	FLOOR DRAIN	LAM	LAMINATE[D]	PL	PLATE	TPD	TOILET PAPER DISPENSER		
CONTR	CONTRACTOR	FIG	FOOTING	LAV	LAVATORY	PLBG	PLUMBING	TOS	TOP OF SLAB/STEEL		
CJ	CONTROL JOINT	FND	FOUNDATION	LYR	LAYER	PLYWD	PLYWOOD	TOW	TOP OF WALL		

1

GENERAL G001 CIVIL AS001 AS002 EXISTING SITE PLAN NEW SITE PLAN ARCHI A101 A102 A104 A105 A201 A202 A204 A205 A300

1

FOURTH FLOOR DEMOLITION PLA FIFTH FLOOR DEMO ION PLA SECOND FLOO

Ĥ.

1



FACILITY MASTER PLAN II


Charlotte, NC 282 CPLIeam.com **QCALDWELL**


Project Address 321 MULBERRY ST. SW LENDIR, NORTH CAROLIN

PROJECT ISSUE SCHEDULE

SHEET INFO Issued 07/15/21 Project Status Down ky MC Dowing The COVER

G001







Division of Health Service Regulation

CERTIFICATE OF NEED

for

Project ID #: E-11446-18 FID #: 933051

ISSUED TO: Caldwell Memorial Hospital, Inc.

Pursuant to N.C. Gen. Stat. § 131E-177(6), the North Carolina Department of Health and Human Services hereby authorizes the person or persons named above (the "certificate holder") to develop the certificate of need project described below. The certificate holder shall develop the project in a manner consistent with the representations in the application and with the conditions contained herein and shall make good faith efforts to meet the timetable contained herein, as documented by the periodic progress reports required by 10A NCAC 14C .0209. The certificate holder shall not exceed the maximum capital expenditure amount specified herein during the development of this project, except as provided by N.C. Gen. Stat. § 131E-176(16)e. The certificate holder shall not transfer or assign this certificate to any other person except as provided in N.C. Gen. Stat. § 131E-189(c). This certificate is valid only for the scope, physical location, and person(s) described herein. The Department may withdraw this certificate pursuant to N.C. Gen. Stat. § 131E-189 for any of the reasons provided in that section.

SCOPE: Acquire no more than one unit of shared fixed cardiac catheterization equipment/ Caldwell County

CONDITIONS: See Reverse Side

PHYSICAL LOCATION: Caldwell Memorial Hospital 321 Mulberry Street SW Lenoir, NC 28645

MAXIMUM CAPITAL EXPENDITURE: \$1,620,651

TIMETABLE: See Reverse Side

FIRST PROGRESS REPORT DUE: January 1, 2019

This certificate is effective as of the 22nd day of May, 2018

Martha J. Frisone, Chief

Exhibit 1

CONDITIONS:

- 1. Caldwell Memorial Hospital, Inc. shall materially comply with all representations made in the certificate of need application and any supplemental responses. In the event that representations conflict, Caldwell Memorial Hospital, Inc. shall materially comply with the last made representation.
- 2. Caldwell Memorial Hospital, Inc. shall acquire no more than one unit of shared fixed cardiac catheterization equipment.
- 3. Upon completion of the project, Caldwell Memorial Hospital shall be licensed for no more than one unit of shared fixed cardiac catheterization equipment.
- 4. Caldwell Memorial Hospital, Inc. shall not acquire as part of this project any equipment that is not included in the project's proposed capital expenditures in Section F of the application and that would otherwise require a certificate of need.
- 5. No later than three months after the last day of each of the first three full years of operation following initiation of the services authorized by this certificate of need, Caldwell Memorial Hospital, Inc. shall submit, on the form provided by the Healthcare Planning and Certificate of Need Section, an annual report containing the:
 - a. Payor mix for the services authorized in this certificate of need.
 - b. Utilization of the services authorized in this certificate of need.
 - c. Revenues and operating costs for the services authorized in this certificate of need.
 - d. Average gross revenue per unit of service.
 - e. Average net revenue per unit of service.
 - f. Average operating cost per unit of service.
- 6. Caldwell Memorial Hospital, Inc. shall acknowledge acceptance of and agree to comply with all conditions stated herein to the Agency in writing prior to issuance of the certificate of need.

A letter acknowledging acceptance of and agreeing to comply with all conditions stated in the conditional approval letter was received by the Agency on May 8th, 2018.

TIMETABLE:

1.	Financing Obtained	January 1, 2019
2.	Equipment Ordered	January 1, 2019
3.	Equipment Installed	June 1, 2019
4.	Equipment Operational	June 15, 2019
5.	Services Offered	July 1, 2019
6.	Final Annual Report Due	September 30, 2022

From:	<u>Mitchell, Micheala L</u>
То:	Stancil, Tiffany C
Cc:	Lightbourne, Ena
Subject:	FW: [External] Exemption Notice Regarding Campus Improvements at Caldwell Memorial Hospital
Date:	Wednesday, July 19, 2023 10:46:58 AM
Attachments:	2023.07.19 Caldwell Memorial Hospital Exemption Notice.pdf

Tiffany,

Would you mind logging this exemption request and assigning to Ena?

Thank you,

Micheala Mitchell, JD <u>NC Department of Health and Human Services</u> <u>Division of Health Service Regulation</u> Section Chief, Healthcare Planning and CON Section 809 Ruggles Drive, Edgerton Building 2704 Mail Service Center Raleigh, NC 27699-2704 Office: 919 855 3879 <u>Micheala.Mitchell@dhhs.nc.gov</u>

Don't wait to vaccinate. Find a COVID-19 vaccine location near you at MySpot.nc.gov. Twitter | Facebook | Instagram | YouTube | LinkedIn

Email correspondence to and from this address is subject to the North Carolina Public Records Law and may be disclosed to third parties by an authorized State official. Unauthorized disclosure of juvenile, health, legally priveleged, or otherwise confidential information, including confidential information relating to an ongoing State procurement effort is prohibited by law. If you have received this e-mail in error, please notify the sender immediately and delete all records of this email.

From: McVay, Marjorie < Marjorie.McVay@unchealth.unc.edu>

Sent: Wednesday, July 19, 2023 10:38 AM

To: Lightbourne, Ena <ena.lightbourne@dhhs.nc.gov>; Mitchell, Micheala L

<Micheala.Mitchell@dhhs.nc.gov>

Cc: Runyon, Elizabeth <Elizabeth.Runyon@unchealth.unc.edu>

Subject: [External] Exemption Notice Regarding Campus Improvements at Caldwell Memorial Hospital

CAUTION: External email. Do not click links or open attachments unless verified. Report suspicious emails with the Report Message button located on your Outlook menu bar on the Home tab.

Good morning,

Please see attached Exemption Notice Regarding Campus Improvements at Caldwell Memorial Hospital.

Thank you -Marjorie ----- Confidentiality Notice -----

The information contained in (or attached to) this electronic message may be legally privileged and/or confidential information. If you have received this communication in error, please notify the sender immediately and delete the message.