

ROY COOPER • Governor

KODY H. KINSLEY • Secretary

MARK PAYNE • Director, Division of Health Service Regulation

VIA EMAIL ONLY

October 28, 2024

Melissa Shearer

melissa.shearer@conehealth.com

Exempt from Review – Replacement Equipment

Record #: 4630

Date of Request: October 28, 2024

Facility Name: Alamance Regional Medical Center

FID #: 954565

Business Name: Alamance Regional Medical Center, Inc.

Business #: 49

Project Description: Temporarily replace mobile MRI scanner

County: Alamance

Dear Ms. Shearer:

The Healthcare Planning and Certificate of Need Section, Division of Health Service Regulation (Agency), determined that the above referenced project is exempt from certificate of need review in accordance with G.S. 131E-184(a)(7). Therefore, you may proceed to acquire without a certificate of need the Siemens Avanto mobile MRI scanner, serial #4862, to temporarily replace the existing Siemens Espree mobile MRI scanner, serial #30833. This determination is based on your representations that the existing unit will be sold or otherwise disposed of and will not be used again in the State without first obtaining a certificate of need if one is required.

It should be noted that the Agency's position is based solely on the facts represented by you and that any change in facts as represented would require further consideration by this office and a separate determination. If you have any questions concerning this matter, please feel free to contact this office.

Sincerely, Yolanda W. Jackson

Yolanda W. Jackson Project Analyst

Micheala Mitroell

Micheala Mitchell

Chief

NC DEPARTMENT OF HEALTH AND HUMAN SERVICES • DIVISION OF HEALTH SERVICE REGULATION HEALTHCARE PLANNING AND CERTIFICATE OF NEED SECTION



Strategy and Planning 1200 North Elm Street Greensboro, NC 27401-1020 336.832.7000 www.conehealth.com

October 28,2024

Ms. Micheala Mitchell, Chief
Ms. Gloria Hale, Team Leader
Ms. Yolanda Jackson, Project Analyst
Healthcare Planning and Certificate of Need Section
Division of Health Service Regulation, NC DHHS
2704 Mail Service Center
Raleigh, NC 27699-2704

Re: Exemption Request to temporarily replace the Mobile Magnetic Resonance Imaging (MRI) scanner operated by Alamance Regional Medical Center (License # H0272; FID # 954565; CON # G-7053-04)

Dear Ms. Mitchell, Ms. Hale, and Ms. Jackson:

Pursuant to NCGS § 131E-184 (a)(4) and (7), I am writing to you today to provide prior written notice that Alamance Regional Medical Center intends to temporarily replace its mobile MRI scanner, a Siemens Espree serial number 30833, with a mobile MRI scanner, a Siemens Avanto serial number 4862, provided by Rayus Radiology. The existing ARMC mobile MRI scanner requires time out of service for mechanical improvements and maintenance beginning on October 29, 2024 until approximately December 1, 2024. Upon completion of the temporary use, the mobile MRI owned by Rayus Radiology will be removed and not operated by Cone Health without appropriate certificate of need approvals or exemptions. The proposed project meets the requirements set forth in NCGS § 131E-184 (a)(4) to provide mechanical improvements and (7) to temporarily replace the equipment.

I look forward to receiving confirmation of the CON exemption of this project. Please feel free to reach out to me with any questions you have.

Sincerely,

Melissa K. Shearer Executive Director Strategy and Planning

cc: Chris DeAngelo, Executive Director, Systemwide Imaging Services, Cone Health

From: Mitchell, Micheala L

To: Stancil, Tiffany C

Cc: <u>Hale, Gloria</u>; <u>Jackson, Yolanda W</u>

Subject: FW: [External] Cone Health Exemption Request - Temporary Mobile MRI

Date: Monday, October 28, 2024 11:34:54 AM

Attachments: <u>image001.pnq</u>

Cone Health Exemption Request Temporary Mobile MRI.pdf

Tiffany,

Would you mind logging the attached exemption and assigning to Yolanda?

Micheala Mitchell, JD

NC Department of Health and Human Services

Division of Health Service Regulation

Section Chief, Healthcare Planning and CON Section

809 Ruggles Drive, Edgerton Building

2704 Mail Service Center Raleigh, NC 27699-2704 Office: 919 855 3879

Micheala.Mitchell@dhhs.nc.gov

From: Shearer, Melissa < Melissa. Shearer@conehealth.com>

Sent: Monday, October 28, 2024 11:17 AM

To: Mitchell, Micheala L < Micheala. Mitchell@dhhs.nc.gov>; Hale, Gloria < gloria.hale@dhhs.nc.gov>;

Jackson, Yolanda W <yolanda.jackson@dhhs.nc.gov>

Cc: Allen, Amanda <amanda.allen@conehealth.com>; Kubida, Kristy

<Kristy.Kubida@conehealth.com>

Subject: [External] Cone Health Exemption Request - Temporary Mobile MRI

CAUTION: External email. Do not click links or open attachments unless verified. Report suspicious emails with the Report Message button located on your Outlook menu bar on the Home tab.

This message was sent securely by Cone Health.

Good morning Ms. Mitchell, Ms. Hale, and Ms. Jackson,

Please find attached an Exemption Request letter related to use of a temporary mobile MRI. Please let me know if you have any questions.

Thank you,

Melissa K. Shearer

Cone Health | Strategic Development

Executive Director, Strategy and Planning

Cell: 336.682.9742

Email: Melissa.shearer@conehealth.com

Website: conehealth.com



We promise ... we are right here with you.

Because we exist ... to connect health care and well-being.

So that ... a tradition of health and well-being is woven into the fabric of our communities.

NOTICE: This message may contain confidential information intended only for the recipient. If you have received this communication in error, please notify the sender immediately by replying to the message and deleting it from your computer.

This message was secured by **Zix**[®].

Email correspondence to and from this address is subject to the North Carolina Public Records Law and may be disclosed to third parties by an authorized State official. Unauthorized disclosure of juvenile, health, legally privileged, or otherwise confidential information, including confidential information relating to an ongoing State procurement effort, is prohibited by law. If you have received this email in error, please notify the sender immediately and delete all records of this email.