

JOSH STEIN • Governor

DEVDUTTA SANGVAI • Secretary

MARK PAYNE • Director, Division of Health Service Regulation

#### VIA EMAIL ONLY

July 16, 2025

Heidi Ambrose haambros@sentara.com

**Exempt from Review – Replacement Equipment** 

**Record #:** 4841

Date of Request: July 11, 2025

Facility Name: Sentara Albermarle Medical Center

FID #: 952933

Business Name: Sentara Albemarle Regional Medical Center, LLC

Business #: 54

Project Description: Temporary replacement of fixed MRI scanner

County: Pasquotank

Dear Ms. Ambrose:

The Healthcare Planning and Certificate of Need Section, Division of Health Service Regulation (Agency), determined that the above referenced project is exempt from certificate of need review in accordance with G.S. 131E-184(a)(7). Therefore, you may proceed to temporarily use without a certificate of need the Siemens 1.5T Avanto mobile MRI scanner, serial number 25736, while the Siemens 1.5T fixed MRI scanner, serial number 41645, is being moved to the new Sentara Albermarle Medical Center.

This determination is based on your representations that the existing unit will be sold or otherwise disposed of and will not be used again in the State without first obtaining a certificate of need if one is required.

It should be noted that the Agency's position is based solely on the facts represented by you and that any change in facts as represented would require further consideration by this office and a separate determination. If you have any questions concerning this matter, please feel free to contact this office.

Sincerely,

Gregory F. Yakaboski

Micheala Mitchell

Project Analyst

Micheala Mitchell

Chief

# NC DEPARTMENT OF HEALTH AND HUMAN SERVICES • DIVISION OF HEALTH SERVICE REGULATION HEALTHCARE PLANNING AND CERTIFICATE OF NEED SECTION

cc: Acute and Home Care Licensure and Certification Section, DHSR

From: Yakaboski, Greg
To: Stancil, Tiffany C

Subject: FW: [External] SIAS CON: R-007623-06 - Temporary Use of Mobile MRI Notification

**Date:** Friday, July 11, 2025 11:04:01 AM

Attachments: <u>image001.png</u>

Here it is. Thanks

Sincerely,

## Gregory F. Yakaboski

#### Gregory F. Yakaboski

**Project Analyst** 

Division of Health Service Regulation, Certificate of Need

NC Department of Health and Human Services

Help protect your family and neighbors from COVID-19.

Know the 3 Ws. Wear. Wait. Wash.

#StayStrongNC and get the latest at nc.gov/covid19

Office: 919-855-3873

Greg.Yakaboski@dhhs.nc.gov

809 Ruggles Drive, Edgerton Building

2704 Mail Service Center Raleigh, NC 27699-2704

Twitter | Facebook | YouTube | LinkedIn

From: Mitchell, Micheala L < Micheala. Mitchell@dhhs.nc.gov>

**Sent:** Monday, July 7, 2025 5:13 PM

**To:** Stancil, Tiffany C <Tiffany.Stancil@dhhs.nc.gov> **Cc:** Yakaboski, Greg <greg.yakaboski@dhhs.nc.gov>

Subject: FW: [External] SIAS CON: R-007623-06 - Temporary Use of Mobile MRI Notification

Tiffany would you mind assigning this to Greg?

Thanks,

Micheala

Micheala Mitchell, JD

NC Department of Health and Human Services

**Division of Health Service Regulation** 

Section Chief, Healthcare Planning and CON Section

809 Ruggles Drive, Edgerton Building

2704 Mail Service Center

Raleigh, NC 27699-2704 Office: 919 855 3879

## Micheala.Mitchell@dhhs.nc.gov

From: HEIDI A AMBROSE < HAAMBROS@sentara.com>

**Sent:** Monday, July 7, 2025 5:09 PM

To: Mitchell, Micheala L < Micheala. Mitchell@dhhs.nc.gov >

Cc: SUZANNE ANGE <SXANGE@sentara.com>; BECKY LYDENS <RJLYDENS@sentara.com>; GLEN

NEEDHAM < GXNEEDHA@sentara.com>

Subject: [External] SIAS CON: R-007623-06 - Temporary Use of Mobile MRI Notification

You don't often get email from <a href="mailto:haambros@sentara.com">haambros@sentara.com</a>. Learn why this is important

**CAUTION:** External email. Do not click links or open attachments unless verified. Report suspicious emails with the Report Message button located on your Outlook menu bar on the Home tab.

## To whom it may concern,

Sentara Albemarle Medical Center (SAMC) is writing to inform you of the temporary use of a Mobile MRI unit due to the fixed unit's move. The existing Fixed MRI is being moved to the new SAMC facility which is set to open on August 8<sup>th</sup>, 2025. The move will begin on July 14<sup>th</sup>, 2025 and is expected to take approximately 4 weeks.

To ensure uninterrupted patient care during this period, we are leasing a Mobile MRI from Akumin.

#### SAMC Fixed MRI (Out of Service from 7/14/25-8/8/25):

Model: Siemens 1.5T AeraSerial Number: 41645

• Certificate of Need Project ID: R-007623-06

•

## **Temporary Loaner Unit:**

Model: Siemens 1.5T Avanto

Serial Number: 25736Unit Number: SYM 71

Both scanners offer the same imaging capabilities, ensuring consistent quality of care for our patients.

We will notify you once the new hospital is open and the mobile unit is no longer in use. Please feel free to reach out with any questions. Thank you for your understanding and continued support.

Sincerely,

#### Heidi

#### Heidi Ambrose, MBA, CNMT, PET, R.T.(CT), FACHE

Director, Facilities & Operations Sentara Albemarle Medical Center

Office: 252-384-4421 Mobile: 757-535-5380

Email: haambros@sentara.com

1144 N Road Street, Elizabeth City, NC 27909



\*I do not expect you to respond to my email outside of your working hours and look forward to your response when you are next at work and able to reply.

#### Disclaimer:

This electronic message and its contents and attachments contain information from Sentara Health and is confidential or otherwise protected from disclosure. The information is intended to be for the addressee only.

If you are not the addressee, any disclosure, copy, distribution or use of the contents of this message is prohibited. If you have received this electronic message in error, please notify us immediately and destroy the original message and all copies.

Email correspondence to and from this address is subject to the North Carolina Public Records Law and may be disclosed to third parties by an authorized State official. Unauthorized disclosure of juvenile, health, legally privileged, or otherwise confidential information, including confidential information relating to an ongoing State procurement effort, is prohibited by law. If you have received this email in error, please notify the sender immediately and delete all records of this email.