

POST-CERTIFICATION REVISIT REPORT

PROVIDER / SUPPLIER / CLIA / IDENTIFICATION NUMBER 345235	MULTIPLE CONSTRUCTION A. Building B. Wing	DATE OF REVISIT 6/30/2021
NAME OF FACILITY TWIN LAKES COMMUNITY	STREET ADDRESS, CITY, STATE, ZIP CODE 3801 WADE COBLE DRIVE BURLINGTON, NC 27215	

This report is completed by a qualified State surveyor for the Medicare, Medicaid and/or Clinical Laboratory Improvement Amendments program, to show those deficiencies previously reported on the CMS-2567, Statement of Deficiencies and Plan of Correction, that have been corrected and the date such corrective action was accomplished. Each deficiency should be fully identified using either the regulation or LSC provision number and the identification prefix code previously shown on the CMS-2567 (prefix codes shown to the left of each requirement on the survey report form).

ITEM Y4	DATE Y5	ITEM Y4	DATE Y5	ITEM Y4	DATE Y5
ID Prefix F0687	Correction	ID Prefix	Correction	ID Prefix	Correction
Reg. # 483.25(b)(2)(i)(ii)	Completed	Reg. #	Completed	Reg. #	Completed
LSC	05/10/2021	LSC		LSC	
ID Prefix	Correction	ID Prefix	Correction	ID Prefix	Correction
Reg. #	Completed	Reg. #	Completed	Reg. #	Completed
LSC		LSC		LSC	
ID Prefix	Correction	ID Prefix	Correction	ID Prefix	Correction
Reg. #	Completed	Reg. #	Completed	Reg. #	Completed
LSC		LSC		LSC	
ID Prefix	Correction	ID Prefix	Correction	ID Prefix	Correction
Reg. #	Completed	Reg. #	Completed	Reg. #	Completed
LSC		LSC		LSC	
ID Prefix	Correction	ID Prefix	Correction	ID Prefix	Correction
Reg. #	Completed	Reg. #	Completed	Reg. #	Completed
LSC		LSC		LSC	
REVIEWED BY STATE AGENCY	REVIEWED BY (INITIALS)	DATE	SIGNATURE OF SURVEYOR	DATE	
REVIEWED BY CMS RO	REVIEWED BY (INITIALS)	DATE	TITLE	DATE	
FOLLOWUP TO SURVEY COMPLETED ON 4/15/2021		☐ CHECK FOR ANY UNCORRECTED DEFICIENCIES. WAS A SUMMARY OF UNCORRECTED DEFICIENCIES (CMS-2567) SENT TO THE FACILITY? ☐ YES ☐ NO			