| | | | | | FORM APPROVED |
|---|--|--|---------------------|---|-------------------------------|
| CENTERS FOR MEDICARE & MEDICAID SERVICES OMB NO. 09 | | | | | |
| STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION | | (X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: | | | (X3) DATE SURVEY COMPLETED |
| | | 345380 | B. WING | | C |
| NAME OF PROVIDER OR SUPPLIER | | | | TREET ADDRESS, CITY, STATE, ZIP CODE | 10/01/2021 |
| | | | | 601 PURDUE DRIVE | |
| VILLAGE | GREEN HEALTH AND RI | EHABILITATION | F/ | AYETTEVILLE, NC 28304 | |
| (X4) ID PREFIX TAG | SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION) | | ID PREFIX TAG | PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD CROSS-REFERENCED TO THE APPROPR DEFICIENCY) | BE COMPLETION |
| F 000 | INITIAL COMMENTS | | F 000 | | |
| | | ation survey was conducted h 10/01/2021. Event ID # | | | |
| | The one complaint allegation was not substantiated. | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE TITLE Electronically Signed | | | | | (X6) DATE 10/22/2021 |

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.

PRINTED: 11/02/2021