DEPARTMENT OF HEALTH AND HUMAN SERVICES CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 06/30/2022 FORM APPROVED OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	1	(X2) MULTIPLE CONSTRUCTION A. BUILDING			(X3) DATE SURVEY COMPLETED	
		345238	B. WING			R 06/23/2022		
NAME OF PROVIDER OR SUPPLIER				STREET ADDRESS, CITY, STATE, ZIP	CODE	1 00/2	-0,2022	
WHITE OAK MANOR - CHARLOTTE				4009 CRAIG AVENUE CHARLOTTE, NC 28211				
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)		ID PREFI TAG	X (EACH CORRECTIVE AC CROSS-REFERENCED TO	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETION DATE	
F 000			F	000				
	An onsite revisit was conducted on 6/22/22 and 6/23/22 and the facility is back into compliance effective 5/20/22.							
LABORATORY	 DIRECTOR'S OR PROVIDER/S	SUPPLIER REPRESENTATIVE'S SIGNATUR	<u> </u>	 TITLE			(X6) DATE	

Electronically Signed

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.