## DEPARTMENT OF HEALTH AND HUMAN SERVICES CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 12/30/2022 FORM APPROVED OMB NO. 0938-0391

| STATEMENT OF DEFICIENCIES<br>AND PLAN OF CORRECTION |  | (X1) PROVIDER/SUPPLIER/CLIA<br>IDENTIFICATION NUMBER: | (X2) MULTIPLE CONSTRUCTION A. BUILDING |  | (X3) DATE SURVEY<br>COMPLETED   |               |         |
|---|--|---|--|--|---|---------------|---------|
|   |  | 345137  | B. WING                                |  |   | R             |         |
| NAME OF D   | DOVIDED OD SUDDUED   | 343137  | 5                                      |  | TREET ADDRESS, CITY, STATE, ZIP CODE  | 12/           | 29/2022 |
| NAME OF PROVIDER OR SUPPLIER                        |  |   |  |  | 322 VILLAGE ROAD  |               |         |
| THE LODGE AT ROCKY MOUNT HEALTH AND REHABILITATION  |  |   | ROCKY MOUNT, NC 27804                  |  |   |               |         |
| OUNMARY OTATEMENT OF REFIGIENCIES                   |  |   |  |  |   | 0/5)          |         |
| (X4) ID<br>PREFIX<br>TAG                            | SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION) |   | ID<br>PREFIX<br>TAG                    |  | PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIA DEFICIENCY) | BE COMPLETION |         |
| {F 000}   | INITIAL COMMENTS   |   | {F 000                                 |  |   |               |         |
|   | A paper follow up was conducted on 12/29/22 and the facility is back into compliance effective 11/24/22.               |   |  |  |   |               |         |
|   |  |   |  |  |   |               |         |
|   |  |   |  |  |   |               |         |
|   |  |   |  |  |   |               |         |
|   |  |   |  |  |   |               |         |
|   |  |   |  |  |   |               |         |
|   |  |   |  |  |   |               |         |
|   |  |   |  |  |   |               |         |
|   |  |   |  |  |   |               |         |
|   |  |   |  |  |   |               |         |
|   |  |   |  |  |   |               |         |

**Electronically Signed** 

Any deficiency statement ending with an asterisk (\*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE