| DEPARTMENT OF HEALTH AND HUMAN SERVICES | | | | | FORM APPRO | FORM APPROVED | |
|---|---|---|--|--|-------------------------------|---------------|--|
| CENTERS FOR MEDICARE & MEDICAID SERVICES | | | | | OMB NO. 0938- | 0391 | |
| STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION | | (X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: | (X2) MULTIPLE CONSTRUCTION A. BUILDING | | (X3) DATE SURVEY COMPLETED | | |
| | | 345001 | B. WING | | C 01/02/2025 | 5 | |
| NAME OF PROVIDER OR SUPPLIER | | | | STREET ADDRESS, CITY, STATE, ZIP CODE | • | | |
| HILLCRES | ST CONVALESCENT CEI | NTER | | 1417 W PETTIGREW STREET | | | |
| | | | | DURHAM, NC 27705 | | | |
| (X4) ID PREFIX TAG | SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION) | | ID PREFIX TAG | PROVIDER'S PLAN OF CORI (EACH CORRECTIVE ACTION S CROSS-REFERENCED TO THE A DEFICIENCY) | HOULD BE COMPLE | TION | |
| F 000 | INITIAL COMMENTS A complaint invetigation was conducted on 1/2/25. Event ID#8EPK11. Intatke #NC00225084 was investigated. One (1) of one (1) allegation did not result in a deficiency. | | FO | 00 | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | 2025 | |

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.

PRINTED: 01/28/2025