

Division of Health Service Regulation

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: MHL092-941	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____	(X3) DATE SURVEY COMPLETED R-C 04/20/2018
--	---	---	---

NAME OF PROVIDER OR SUPPLIER ABSOLUTE HOME-WILSHIRE DRIVE	STREET ADDRESS, CITY, STATE, ZIP CODE 1002 WILSHIRE DRIVE CARY, NC 27511
---	--

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
V 000	<p>INITIAL COMMENTS</p> <p>A complaint and follow up survey was completed on April 20, 2018. The complaint was unsubstantiated (intake #NC00135022). A deficiency was cited.</p> <p>This facility is licensed for the following service category: 10A NCAC 27G .5600A Supervised Living for Adults with Mental Illness.</p>	V 000		
V 736	<p>27G .0303(c) Facility and Grounds Maintenance</p> <p>10A NCAC 27G .0303 LOCATION AND EXTERIOR REQUIREMENTS (c) Each facility and its grounds shall be maintained in a safe, clean, attractive and orderly manner and shall be kept free from offensive odor.</p> <p>This Rule is not met as evidenced by: Based on record review and interview the facility failed to ensure the facility and it's grounds were maintained in a safe, clean, attractive and orderly manner. The findings are:</p> <p>Review on 4/19/18 of Division of Health Service Regulation (DHSR) Construction survey dated 4/6/18 revealed: - At the time of the follow up survey it was observed that mold was still present in Bedroom 5</p> <p>Interview on 4/19/18 with DHSR Construction representative revealed: - The mold found in bedroom 5 was sporadically on the wall</p> <p>Interview on 3/1/18 with the Building Owner</p>	V 736		

Division of Health Service Regulation
LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE _____ TITLE _____ (X6) DATE _____

Division of Health Service Regulation

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: MHL092-941	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____	(X3) DATE SURVEY COMPLETED R-C 04/20/2018
--	---	---	---

NAME OF PROVIDER OR SUPPLIER ABSOLUTE HOME-WILSHIRE DRIVE	STREET ADDRESS, CITY, STATE, ZIP CODE 1002 WILSHIRE DRIVE CARY, NC 27511
---	--

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
V 736	<p>Continued From page 1</p> <p>revealed:</p> <ul style="list-style-type: none"> - She was contacted after the last state survey regarding the mold in the home - She purchased mold cleaner and paint to correct the issue - Her maintenance man cleaned the mold however he did not provide any paperwork regarding the work performed <p>Interview on 3/1/18 with the Administrator's Husband revealed:</p> <ul style="list-style-type: none"> - He's responsible for the upkeep of the facility and addressing maintenance concerns - He was informed of the mold throughout the house and informed the building owner - Staff cleaned the areas with Clorox as a method to fix the issue - The building owner would not pay for a professional to treat the areas because the quote from a locate agency was extremely expensive (over \$3,000) - They could only do what the building owner would allow correct the issue <p>[This deficiency constitutes a re-cited deficiency and must be corrected within 30 days.]</p>	V 736		