PRINTED: 05/02/2018 FORM APPROVED OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	` '	(X2) MULTIPLE CONSTRUCTION A. BUILDING		(X3) DATE SURVEY COMPLETED	
		34G354	B. WING _		05/		
NAME OF PROVIDER OR SUPPLIER EMORY ROAD HOME				STREET ADDRESS, CITY, STATE, ZIP CODE 20 EMORY ROAD ASHEVILLE, NC 28806			
(X4) ID PREFIX TAG			X (EACH CORRECTIVE CROSS-REFERENCE	AN OF CORRECTION E ACTION SHOULD B D TO THE APPROPRIA CIENCY)			
E 006	CFR(s): 483.475(a)(1 [(a) Emergency Plan. and maintain an emerthat must be reviewed annually. The plan must be a seen and infacility-based and corresponding assessment, utilizing *[For LTC facilities at on and include a document of the community-based risk all-hazards approach.] *[For ICF/IIDs at §483 and include a document of the community-based risk all-hazards approach.] (2) Include strategies events identified by the risk amanagement of the community-based risk all-hazards approach.] * [For Hospices at §4 strategies for address identified by the risk amanagement of the community-based strategies for address identified by the risk amanagement of the community-based strategies for address identified by the risk amanagement of the community-based strategies for address identified by the risk amanagement of the community-based strategies for address identified by the risk amanagement of the community-based strategies for address identified by the risk amanagement of the community-based strategies for address identified by the risk amanagement of the community-based strategies for address identified by the risk amanagement of the community-based strategies for address identified by the risk amanagement of the community-based strategies for address identified by the risk amanagement of the community-based strategies for address identified by the risk amanagement of the community-based strategies for address identified by the risk amanagement of the community-based strategies for address identified by the risk amanagement of the community-based strategies for address identified by the risk amanagement of the community-based strategies for address identified by the risk amanagement of the community-based strategies for address identified by the risk amanagement of the community-based strategies for address identified by the risk amanagement of the community-based strategies for address identified by the risk amanagement of the community-based strategies for address identified by the risk amanagement of the co	The [facility] must develop regency preparedness plan d, and updated at least ust do the following:] include a documented, munity-based risk an all-hazards approach.* §483.73(a)(1):] (1) Be based umented, facility-based and c assessment, utilizing an including missing residents. 3.475(a)(1):] (1) Be based on ented, facility-based and c assessment, utilizing an including missing clients. 5 for addressing emergency he risk assessment. 18.113(a)(2):] (2) Include sing emergency events assessment, including the onsequences of power ters, and other emergencies nospice's ability to provide not met as evidenced by: ns, interview and recorded to develop specific		777.5		(YE) DATE	

ABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.

(X3) DATE SURVEY COMPLETED	
05/01/2018	
(X5) COMPLETION DATE	

STATEMENT OF DEFICIENCIES (X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTI A. BUILDIN	PLE CONSTRUCTION G	(X3) DATE SURVEY COMPLETED		
		34G354	B. WING _			05/01/2018	
NAME OF PROVIDER OR SUPPLIER EMORY ROAD HOME			•	STREET ADDRESS, CITY, STATE, ZIP CODE 20 EMORY ROAD ASHEVILLE, NC 28806	•		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)			PROVIDER'S PLAN OF COR (EACH CORRECTIVE ACTION S CROSS-REFERENCED TO THE A DEFICIENCY)	N SHOULD BE COMPLETIC E APPROPRIATE DATE		
W 227	meals, engage in less and take his medicate and take his medicate. Review of the record 5/1/18, revealed a Poobjectives for client # thoroughly, dry his had identify coins, wash oparticipate in physical privacy. Continued revealed a Communi 6/1/17 documenting to 1-step verbal direction accompanying visual process verbal inform 6/1/17 Communication documentation stating the use of the visual communication waller.	staff to do his laundry, eat ure activities, take a shower cons among other activities. for client #2, conducted on CP dated 6/28/17 containing 2 to brush his teeth ands, wear his eyeglasses, clothes, use a napkin, I activity and close doors for eview of the 6/28/17 PCP cation Evaluation dated hat client #2 understands and requires such as pictures to help nation. Further review of the process of the such as a picture of the such as pictures to help nation. Further review of the such as pictures to help nation. Further review of the such as pictures to help nation. Further review of the such as pictures to help nation and to put in place during his o indicate preferences, basic	W 2	27			
W 249	revealed no formal of place to address clients as recommended in the Evaluation. However, #2 does have a picture containing pictures the prompting client to deleisure activities and other activities. PROGRAM IMPLEM CFR(s): 483.440(d)(1)	nat staff should utilize when be laundry, eat meals, choose take medications among ENTATION)	W 2	49			

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:		PLE CONSTRUCTION G	' '	(X3) DATE SURVEY COMPLETED	
		34G354	B. WING			05/01/2018	
NAME OF PROVIDER OR SUPPLIER EMORY ROAD HOME				STREET ADDRESS, CITY, STATE, ZIP CODE 20 EMORY ROAD ASHEVILLE, NC 28806	ľ	00/01/2010	
(X4) ID PREFIX TAG			ID PREFIX TAG	PROVIDER'S PLAN OF CORF (EACH CORRECTIVE ACTION S CROSS-REFERENCED TO THE AI DEFICIENCY)	HOULD BE	(X5) COMPLETION DATE	
W 249	each client must rece treatment program co interventions and ser and frequency to sup	eive a continuous active	W 24	19			
	Based on observation interview, the facility interventions were imachievement of goals	failed to assure prescribed uplemented to support the					
	4/30/18-5/1/18 recert client #2 was not wea	ted in the home during the ification survey revealed aring eyeglasses at any time. ther revealed staff did not ent #2 to utilize his					
	5/1/18, revealed a PC contained an ophthal 7/24/17 documenting on that day for client record for client #2 reimplemented on 4/12 wear his eyeglasses period with 90 % indeperiods. This objecti implement client #2's times throughout his	for client #2, conducted on CP dated 6/28/17 which mologic consultation dated eyeglasses were prescribed #2. Continued review of the eyealed a training objective /18 stating client #2 would in the home for a 30 minute eyendence for 2 progress we further stated staff should use of eyeglasses multiple day in the group home.					
		on 5/1/18 with the qualified s professional (QIDP)					

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	1 ` ′	(X2) MULTIPLE CONSTRUCTION A. BUILDING		
		34G354	B. WING _		05/01/2018	
	NAME OF PROVIDER OR SUPPLIER EMORY ROAD HOME			STREET ADDRESS, CITY, STATE, ZIP CODE 20 EMORY ROAD ASHEVILLE, NC 28806	, 000.020.00	
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)		ID PREFIX TAG	PROVIDER'S PLAN OF CORF ((EACH CORRECTIVE ACTION S CROSS-REFERENCED TO THE AF DEFICIENCY)	HOULD BE COMPLET	
W 249		glasses were available in the	W 2	49		
W 252		MENTATION	W 2	52		
	specified in client in	omplishment of the criteria dividual program plan documented in measurable				
	The team failed to e prescribed for 3 of 6 listed on the person	not met as evidenced by: ensure data was taken as skill acquisition objectives centered plan (PCP) for 1 of 5) as evidenced by interviews ls. The findings are:				
	revealed an objective administration of medindependence with the 4/16. Review of the interviews with the corofessional (QIDP) available for review the records, verified revealed a data she	e to complete steps for edication (Tegretol) with 90% the objective implemented objective data, verified by qualified intellectual disabilities, revealed no data was for 9/17. Continued review of by interview with the QIDP, et had not been placed in the sta to be collected for 9/17.				
	revealed an objective for 2 minutes with 98	/23/17 PCP for client #5 e to brush teeth thoroughly 5% independence with the ed 4/17. Review of the				

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	` ′	(X2) MULTIPLE CONSTRUCTION A. BUILDING		(X3) DATE SURVEY COMPLETED	
		34G354	B. WING _			05/	01/2018
NAME OF PROVIDER OR SUPPLIER EMORY ROAD HOME				STREET ADDRESS, CITY, STATE, ZIP CO 20 EMORY ROAD ASHEVILLE, NC 28806	ODE		
(X4) ID PREFIX TAG	(EACH DEFICIENC	ATEMENT OF DEFICIENCIES Y MUST BE PRECEDED BY FULL SC IDENTIFYING INFORMATION)	ID PREFI: TAG	PROVIDER'S PLAN OF (X (EACH CORRECTIVE ACT) CROSS-REFERENCED TO T DEFICIENC	ION SHOULD BE HE APPROPRIA		(X5) COMPLETION DATE
W 252	QIDP, revealed no da for 10/17. Continued verified by interview of data sheet had not be book for data to be continued an objective with 90% accuracy wimplemented 8/17. Reverified by interviews data was available for Continued review of the interview with the QID were not placed in the be collected for 9/17 was taken during 9/17 was taken during 9/17 was taken during 9/17. The individual progral least by the qualified professional and revisibut not limited to situate regressing or losing some objectives listed on the (PCP) for 1 of 3 samprevised when regressing by interview and revisibut not review and revisibut regressions.	d by interviews with the sta was available for review review of the records, with the QIDP, revealed a seen placed in the program oblected for 10/17. as taken in 10/17. 23/17 PCP for client #5 to read basic sight words ith the objective eview of the objective data, with the QIDP, revealed no review for 9/17 or 10/17. The records, verified by DP, revealed data sheets a program book for data to per 10/17. Therefore, no data of or 10/17. Therefore, no data of or 10/17. RING & CHANGE (iii) Implan must be reviewed at mental retardation sed as necessary, including, ations in which the client is kills already gained. Inot met as evidenced by: Insure 3 of 5 skill acquisition are person centered plan	W:				

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	' '	CONSTRUCTION	(X3) DATE SURVEY COMPLETED	
		34G354	B. WING		05/01/2018	
	ROVIDER OR SUPPLIER OAD HOME		2	TREET ADDRESS, CITY, STATE, ZIP CODE 0 EMORY ROAD ASHEVILLE, NC 28806	,	
(X4) ID PREFIX TAG	(EACH DEFICIE	STATEMENT OF DEFICIENCIES NCY MUST BE PRECEDED BY FULL IR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD CROSS-REFERENCED TO THE APPROPE DEFICIENCY)	BE COMPLETION	
W 256	sweeping with 95% objective being implemented at 10/17, 52% in 11/1 68% in 2/18 and 80 14 % after 6 month the objective, verificevealed an objective, verificevealed an objective data revealed an objective, verificevealed an objective data revealed an objective, verificevealed an objective, verificevealed an objective data revealed an objective data functioning at the 6 review of the data revealed an 10/17, no or 12/17. She was	ve to complete process of independence with the olemented 1/5/17. Review of revealed the client was 17% level in 8/17. Further revealed the client to function 1/6 in 10/17, 86% in 11/17, 81% 18, 70% in 2/18 and 78% in 1/19. We will see the objective, verified the equalified intellectual onal (QIDP), revealed no made to address the evel. 1/30/18 PCP for client #4 ve to participate in leisure dependence with the objective 1/5/17. Review of the aled the client was functioning 1/5/17. Further review of the 1/5/17. Further review of the selient to function at 94% in 1/5/18. This is a decline of 1/5 of training. Further review of 1/5 of training.	W 256			

	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION A. BUILDING		1' '	(X3) DATE SURVEY COMPLETED	
	34G354	B. WING _			0:	5/01/2018
NAME OF PROVIDER OR SUPPLIER EMORY ROAD HOME			20 EMOI	RY ROAD		
(EACH DEFICIENC	Y MUST BE PRECEDED BY FULL	ID PREFI TAG	x	(EACH CORRECTIVE ACTION SHOUL	D BE	(X5) COMPLETION DATE
after 6 months of train objective, verified by revealed no revisions the regression of skill	ning. Further review of the interview with the QIDP, had been made to address level.					
CFR(s): 483.470(i)(1) The facility must hold	evacuation drills at least	VV 2	140			
The facility failed to some drills were conducted relative to 3rd shift as	show evidence quarterly fire with each shift of personnel evidenced by interviews					
through 3/18 revealed conducted on 5/2/17 review of the fire drill with staff, revealed no present for review for 12/17 or from 12/17 t facility failed to show	d 3rd shift fire drills were and 12/20/17 only. Further records, verified by interview of fire drill records were 3rd shift from 5/17 through through 3/18. Therefore, the evidence 3rd shift fire drills					
	Continued From page after 6 months of trair objective, verified by revealed no revisions the regression of skill EVACUATION DRILL CFR(s): 483.470(i)(1) The facility must hold quarterly for each shi This STANDARD is rather than the facility failed to show and review of the facility sand review of the facility through 3/18 revealed conducted on 5/2/17 review of the fire drill with staff, revealed no present for review for 12/17 or from 12/17 to facility failed to show were conducted on a	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION) Continued From page 7 after 6 months of training. Further review of the objective, verified by interview with the QIDP, revealed no revisions had been made to address the regression of skill level. EVACUATION DRILLS CFR(s): 483.470(i)(1) The facility must hold evacuation drills at least quarterly for each shift of personnel. This STANDARD is not met as evidenced by: The facility failed to show evidence quarterly fire drills were conducted with each shift of personnel relative to 3rd shift as evidenced by interviews and review of records. The finding is: Review of the facility's fire drill records from 4/17 through 3/18 revealed 3rd shift fire drills were conducted on 5/2/17 and 12/20/17 only. Further review of the fire drill records, verified by interview with staff, revealed no fire drill records were present for review for 3rd shift from 5/17 through 12/17 or from 12/17 through 3/18. Therefore, the facility failed to show evidence 3rd shift fire drills were conducted on a quarterly basis with each	A BUILDIE 34G354 B. WING SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION) Continued From page 7 after 6 months of training. Further review of the objective, verified by interview with the QIDP, revealed no revisions had been made to address the regression of skill level. EVACUATION DRILLS CFR(s): 483.470(i)(1) The facility must hold evacuation drills at least quarterly for each shift of personnel. This STANDARD is not met as evidenced by: The facility failed to show evidence quarterly fire drills were conducted with each shift of personnel relative to 3rd shift as evidenced by interviews and review of records. The finding is: Review of the facility's fire drill records from 4/17 through 3/18 revealed 3rd shift fire drills were conducted on 5/2/17 and 12/20/17 only. Further review of the fire drill records, verified by interview with staff, revealed no fire drill records were present for review for 3rd shift from 5/17 through 12/17 or from 12/17 through 3/18. Therefore, the facility failed to show evidence 3rd shift fire drills were conducted on a quarterly basis with each	ROVIDER OR SUPPLIER OAD HOME SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION) Continued From page 7 after 6 months of training. Further review of the objective, verified by interview with the QIDP, revealed no revisions had been made to address the regression of skill level. EVACUATION DRILLS CFR(s): 483.470(i)(1) The facility must hold evacuation drills at least quarterly for each shift of personnel. This STANDARD is not met as evidenced by: The facility failed to show evidence quarterly fire drills were conducted with each shift of personnel relative to 3rd shift as evidenced by interviews and review of records. The finding is: Review of the facility's fire drill records from 4/17 through 3/18 revealed 3rd shift fire drills were conducted on 5/2/17 and 12/20/17 only. Further review of the fire drill records, verified by interview with staff, revealed no fire drill records were present for review for 3rd shift from 5/17 through 12/17 or from 12/17 through 3/18. Therefore, the facility failed to show evidence 3rd shift fire drills were conducted on a quarterly basis with each	ROVIDER OR SUPPLIER OAD HOME SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION) Continued From page 7 after 6 months of training. Further review of the objective, verified by interview with the QIDP, revealed no revisions had been made to address the regression of skill level. EVACUATION DRILLS CFR(s): 483.470(i)(1) The facility failed to show evidence quarterly fire drills were conducted with each shift of personnel relative to 3rd shift fire drills were conducted on 5/2/17 and 12/20/17 only. Further review with staff, revealed no fire drill records, verified by interview with staff, revealed no fire drill records, verified by interview with staff, revealed no fire drill records were present for review for 3rd shift from 5/17 through 12/17 or from 12/17 through 3/18. Therefore, the facility failed to show evidence and part of the fire drills were conducted on a quarterly basis with each	ROVIDER OR SUPPLIER OAD HOME SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION) Continued From page 7 after 6 months of training. Further review of the objective, verified by interview with the QIDP, revealed no revisions had been made to address the regression of skill level. EYACUATION DRILLS CFR(s): 483.470(i)(1) The facility must hold evacuation drills at least quarterly for each shift of personnel relative to 3rd shift as evidenced by interviews and review of records. The finding is: Review of the facility's fire drill records from 4/17 through 3/18 revealed 3rd shift fire drills were conducted on 5/2/17 and 12/20/17 only. Further review of the fire drill records, verified by interview with staff, revealed no fire drill records were present for review for 3rd shift fire drills were conducted on 5/2/17 and 12/20/17 only. Further review of the fire drill records, verified by interview with staff, revealed no fire drill records were present for review for 3rd shift fire drills were conducted on a quarterly basis with each