Division of Health Service Regulation

| NAME OF PROVIDER OR SUPPLIER  STREET ADDRESS, CITY, STATE, ZIP CODE  335 WEST CONNECTICUT AVENUE  SOUTHERN PINES, NC 28387   (X4) ID PREFIX TAG (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)  V 000 INITIAL COMMENTS  An annual survey was completed on September 5, 2018. No deficiencies were cited.  This facility is licensed for the following service category: 10A NCAC 27G. 5600C Supervised Living for Adults with Developmental Disabilities.  | STATEMENT OF DEFICIENCIES<br>AND PLAN OF CORRECTION |   | (X1) PROVIDER/SUPPLIER/CLIA<br>IDENTIFICATION NUMBER:   | (X2) MULTIPLE CONSTRUCTION  A. BUILDING: |  | (X3) DATE<br>COM | (X3) DATE SURVEY<br>COMPLETED |  |
|--|---|---|---|--|--|------------------|-------------------------------|--|
| CONNECTICUT AVENUE  335 WEST CONNECTICUT AVENUE SOUTHERN PINES, NC 28387  (X4) ID PREFIX TAG  (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)  V 000  INITIAL COMMENTS  An annual survey was completed on September 5, 2018. No deficiencies were cited. This facility is licensed for the following service category: 10A NCAC 27G. 5600C Supervised  The south of th | MHL063-096  |   | B. WING   |  | 09/  | 09/05/2018       |                               |  |
| PREFIX TAG  (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)  V 000  INITIAL COMMENTS  An annual survey was completed on September 5, 2018. No deficiencies were cited.  This facility is licensed for the following service category: 10A NCAC 27G. 5600C Supervised  (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)  V 000  (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)   | CONNECTICUT AVENUE 335 WEST CONNECTICUT AVENUE      |   |   |  |  |                  |                               |  |
| An annual survey was completed on September 5, 2018. No deficiencies were cited.  This facility is licensed for the following service category: 10A NCAC 27G. 5600C Supervised   | PREFIX  | (EACH DEFICIENCY  | MUST BE PRECEDED BY FULL  | PREFIX                                   | (EACH CORRECTIVE ACTION<br>CROSS-REFERENCED TO THE | I SHOULD BE      | COMPLETE                      |  |
|  | V 0000  | An annual survey w<br>5, 2018. No deficie<br>This facility is licens<br>category: 10A NCA | vas completed on September encies were cited. sed for the following service C 27G. 5600C Supervised | V 000                                    |  |                  |                               |  |

Division of Health Service Regulation
LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE (X6) DATE