

Division of Health Service Regulation

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: MHL076-001	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____	(X3) DATE SURVEY COMPLETED R 04/24/2019
--	---	---	---

NAME OF PROVIDER OR SUPPLIER ALPHA HOUSE	STREET ADDRESS, CITY, STATE, ZIP CODE 373 HILL STREET ASHEBORO, NC 27203
--	--

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
V 000	<p>INITIAL COMMENTS</p> <p>An annual and follow-up survey was completed on April 24, 2019. A deficiency was cited.</p> <p>This facility is licensed for the following service category: 10A NCAC 27G. 5600E Supervised Living for Adults with Substance Abuse.</p>	V 000		
V 736	<p>27G .0303(c) Facility and Grounds Maintenance</p> <p>10A NCAC 27G .0303 LOCATION AND EXTERIOR REQUIREMENTS (c) Each facility and its grounds shall be maintained in a safe, clean, attractive and orderly manner and shall be kept free from offensive odor.</p> <p>This Rule is not met as evidenced by: Based on observation and interview, the facility failed to ensure facility grounds were maintained in a clean, safe and attractive manner. The findings are:</p> <p>Observation on 4/24/19 at 12:30 p.m. revealed: -There were numerous dark stains on the carpet throughout the facility. -There were numerous wrinkles on the carpet throughout the facility.</p> <p>Observation on 4/24/19 of the Living area at 12:34 p.m. revealed: -Furniture's upholstery was peeing off.</p> <p>Observation on 4/24/19 of the upstairs bathroom at 12:40 p.m. revealed: -Several black spot stains about an inch wide on the shower's ceiling</p>	V 736		

Division of Health Service Regulation LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE	TITLE	(X6) DATE
--	-------	-----------

Division of Health Service Regulation

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: MHL076-001	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____	(X3) DATE SURVEY COMPLETED R 04/24/2019
--	---	---	--

NAME OF PROVIDER OR SUPPLIER ALPHA HOUSE	STREET ADDRESS, CITY, STATE, ZIP CODE 373 HILL STREET ASHEBORO, NC 27203
--	--

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
V 736	<p>Continued From page 1</p> <p>Observation on 4/24/19 of the upstairs' bedroom to the left at 12:42 p.m. revealed: -One of the walls had paint peeled off.</p> <p>Interview on 4/24/19 with the Administrator revealed: -She was aware of the stains on the carpet; had them professionally cleaned, but stains returned. Due to monetary constraints, she has not been able to resolve issue. -She had received an estimate to have carpets replaced with flooring and was over \$20,000. -A cork board used to be located in the upstairs bedroom which was taken down and created and the paint to be peeled off. -She would have her maintenance person paint over the peeled area in the upstairs' bedroom and clean spots from shower's ceiling. -She acknowledged that the facility grounds were not maintained in a clean, safe and attractive manner.</p>	V 736		