

Division of Health Service Regulation

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:  <b>MHL054-095</b>	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____  B. WING _____	(X3) DATE SURVEY COMPLETED  <b>04/18/2022</b>
--	---	---	---

NAME OF PROVIDER OR SUPPLIER  <b>HARDEE ROAD GROUP HOME</b>	STREET ADDRESS, CITY, STATE, ZIP CODE <b>1612 HARDEE ROAD KINSTON, NC 28501</b>
---	--

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
V 000	<p><b>INITIAL COMMENTS</b></p> <p>An annual and complaint survey was completed on April 18, 2022. A deficiency was cited.</p> <p>This facility is licensed for the following service category: 10A NCAC 27G .5600C, Supervised Living for Adults with Developmental Disabilities.</p>	V 000		
V 108	<p><b>27G .0202 (F-I) Personnel Requirements</b></p> <p><b>10A NCAC 27G .0202 PERSONNEL REQUIREMENTS</b></p> <p>(f) Continuing education shall be documented.</p> <p>(g) Employee training programs shall be provided and, at a minimum, shall consist of the following:</p> <p>(1) general organizational orientation;</p> <p>(2) training on client rights and confidentiality as delineated in 10A NCAC 27C, 27D, 27E, 27F and 10A NCAC 26B;</p> <p>(3) training to meet the mh/dd/sa needs of the client as specified in the treatment/habilitation plan; and</p> <p>(4) training in infectious diseases and bloodborne pathogens.</p> <p>(h) Except as permitted under 10a NCAC 27G .5602(b) of this Subchapter, at least one staff member shall be available in the facility at all times when a client is present. That staff member shall be trained in basic first aid including seizure management, currently trained to provide cardiopulmonary resuscitation and trained in the Heimlich maneuver or other first aid techniques such as those provided by Red Cross, the American Heart Association or their equivalence for relieving airway obstruction.</p> <p>(i) The governing body shall develop and implement policies and procedures for identifying, reporting, investigating and controlling infectious and communicable diseases of personnel and</p>	V 108		

Division of Health Service Regulation  
LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE \_\_\_\_\_ TITLE \_\_\_\_\_ (X6) DATE \_\_\_\_\_

Division of Health Service Regulation

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:  <b>MHL054-095</b>	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____  B. WING _____		(X3) DATE SURVEY COMPLETED  <b>04/18/2022</b>
NAME OF PROVIDER OR SUPPLIER  <b>HARDEE ROAD GROUP HOME</b>		STREET ADDRESS, CITY, STATE, ZIP CODE <b>1612 HARDEE ROAD KINSTON, NC 28501</b>		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
V 108	<p>Continued From page 1</p> <p>clients.</p> <p>This Rule is not met as evidenced by: Based on record review and interviews, the facility failed to ensure staff were currently trained in Cardiopulmonary Resuscitation (CPR) and First Aid affecting 1 of 4 audited staff (House Manager (HM)). The findings are:</p> <p>Review on 4/18/22 of the HM's personnel record revealed: - Date of hire: 4/28/00. - CPR and First Aid training expired effective 2/26/22.</p> <p>Interview on 4/14/22 and 4/18/22 the HM stated: - She had worked at the facility for over 20 years. - She filled in shifts as needed. - She would have her name added to the next available CPR and First Aid training course being offered for facility employees. - She didn ' t realize that she was out of compliance with CPR and First Aid requirements.</p>	V 108		