

DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 09/22/2025
FORM APPROVED
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 34G271	(X2) MULTIPLE CONSTRUCTION A. BUILDING _____ B. WING _____		(X3) DATE SURVEY COMPLETED R 09/22/2025
NAME OF PROVIDER OR SUPPLIER VOCA-ROLLINS GROUP HOME			STREET ADDRESS, CITY, STATE, ZIP CODE 297 BOB ROLLINS ROAD FOREST CITY, NC 28043		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETION DATE
W 000	INITIAL COMMENTS A revisit was conducted on 9/22/25 for all previous deficiencies cited on 7/16/25. The facility was unable to provide full documentation to support the Plan of Correction. Deficiencies were recited and the facility remains out of compliance.	W 000			
{W 369}	DRUG ADMINISTRATION CFR(s): 483.460(k)(2) The system for drug administration must assure that all drugs, including those that are self-administered, are administered without error. This STANDARD is not met as evidenced by: Based on observations, record reviews and interviews, the facility failed to assure all drugs were administered without error for 2 of 3 audited clients (#3 and #4) observed during medication administration. The findings are: A. The facility failed to administer medications to client #3 without error. For example: Observations in the home on 7/16/25 at 7:00 AM revealed client #3 to enter the medication administration room and the client to sanitize his hands. Continued observations revealed that the staff administered Retaine MGD EMU 0.5-0.5% 2 drops into each of the client's eyes. Further observations revealed the client to use his oral rinse and take medications whole with a cup of water. Review of records for client #3 on 7/16/25 revealed physician's orders (PO) dated 7/3/25. Review of the PO's revealed medications prescribed at 7:00 AM to be Clonidine tab 0.1MG, Lorazepam tab 2MG, Chlorhexidine Gluc-0.12% solution, and Retain MGD EMU 0.5-0.5% instill 1	{W 369}			

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.

DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 09/22/2025
FORM APPROVED
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 34G271	(X2) MULTIPLE CONSTRUCTION A. BUILDING _____ B. WING _____		(X3) DATE SURVEY COMPLETED R 09/22/2025
NAME OF PROVIDER OR SUPPLIER VOCA-ROLLINS GROUP HOME			STREET ADDRESS, CITY, STATE, ZIP CODE 297 BOB ROLLINS ROAD FOREST CITY, NC 28043		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE	
{W 369}	Continued From page 1 drop both eyes twice daily. Interview with the facility nurse on 7/16/25 confirmed that client #3's physician's orders to be current. Continued interview with the nurse confirmed that the staff should have administered the client #3's eye drops as prescribed. B. The facility failed to administer medications to client #4 without error. For example: Observations in the home on 7/16/25 at 7:36 AM revealed staff to enter medication room with client #4. Continued observations revealed the staff to obtain the medication bin, educate medications to include side effects, and scan medications. Further observations revealed staff punched all medications into a medicine cup and the client took all medications whole with water. Subsequent observations revealed the staff poured 60 ML of MiraLAX into a measuring cup and mixed it in water. The client consumed the MiraLAX mixed in water. Review of records for client #4 revealed POs dated 6/25/25. Review of the PO's revealed medications prescribed at 7:00 AM to be Acetaminophen tab 325MG, Docusate SOD CAP 1000, Vitamin D3 1,000 IU, Losartan POT tab100MG, Risperidone 1 MG tab, Tetrabenazine tab 12.5 MG, Vilazodone Tab 40 MG, MiraLAX mix 17 GM (one capful) in 8 ounces of liquid and drink by mouth once daily. The staff administered Clonidine tab 0.1MG which is ordered at bedtime. Amlodipine tab 5MG and Vitamin B-12 500 CG tabs were not available to administer to the client during medication administration. Interview with the facility nurse on 7/16/25	{W 369}			

DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 09/22/2025
FORM APPROVED
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 34G271	(X2) MULTIPLE CONSTRUCTION A. BUILDING _____ B. WING _____		(X3) DATE SURVEY COMPLETED R 09/22/2025
NAME OF PROVIDER OR SUPPLIER VOCA-ROLLINS GROUP HOME			STREET ADDRESS, CITY, STATE, ZIP CODE 297 BOB ROLLINS ROAD FOREST CITY, NC 28043		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETION DATE
{W 369}	Continued From page 2 confirmed that client #4's PO's to be current. Continued interview with the nurse revealed that the MiraLAX dosage that was administered to client #4 exceeded the amount of MiraLAX prescribed to the client. Further interview with the nurse revealed that she did not know where the facility stood with medication orders; however, medications should be administered as prescribed.	{W 369}			
{W 436}	SPACE AND EQUIPMENT CFR(s): 483.470(g)(2) The facility must furnish, maintain in good repair, and teach clients to use and to make informed choices about the use of dentures, eyeglasses, hearing and other communications aids, braces, and other devices identified by the interdisciplinary team as needed by the client. This STANDARD is not met as evidenced by: Based on observations, record review and interview, the facility failed to ensure that prescribed adaptive equipment was maintained for 1 of 3 audited clients (#4) relative to prescribed eyeglasses. The finding is: Observation in the group home during recertification survey 7/15-16/25 revealed client #4 to participate in playing an UNO card game, dinner mealtime, breakfast mealtime, and medication administration. Continued observations revealed client #4 to not wear prescribed eyeglasses throughout the survey. Further observations revealed that staff did not at	{W 436}			

DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 09/22/2025
FORM APPROVED
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 34G271	(X2) MULTIPLE CONSTRUCTION A. BUILDING _____ B. WING _____		(X3) DATE SURVEY COMPLETED R 09/22/2025
NAME OF PROVIDER OR SUPPLIER VOCA-ROLLINS GROUP HOME			STREET ADDRESS, CITY, STATE, ZIP CODE 297 BOB ROLLINS ROAD FOREST CITY, NC 28043		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETION DATE
{W 436}	Continued From page 3 any time provide the client with his prescribed eyeglasses. Review of records for client #4 on 7/16/25 revealed an individual support plan (ISP) dated 12/18/24. Continued review of ISP revealed an eye exam completed on 6/2/25 with a new prescription for eyeglasses. Interview with the facility nurse on 7/16/25 confirmed that the client is prescribed eyeglasses. Continued interview with the facility nurse confirmed that the client had an eye exam completed on 6/2/25 and should have prescribed eyeglasses. During the follow-up survey completed on 9/22/25, the facility was unable to provide evidence of their plan of correction. The deficiency remains out of compliance.	{W 436}			
{W 448}	EVACUATION DRILLS CFR(s): 483.470(i)(2)(iv) The facility must investigate all problems with evacuation drills, including accidents. This STANDARD is not met as evidenced by: Based on record review and interview, the facility failed to investigate all problems with evacuation drills specific to the timeliness of the evacuation. The finding is: Review of the facility fire drill reports on 7/15/25 revealed three fire drills reports which exceeded three minutes evacuation time (12/6/24 - 13 minutes; 5/5/25 - 29 minutes; 6/4/25 - 7.45 minutes). Continued review revealed the three fire drill reports to be missing an explanation for the evacuation time.	{W 448}			

DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 09/22/2025
FORM APPROVED
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 34G271	(X2) MULTIPLE CONSTRUCTION A. BUILDING _____ B. WING _____		(X3) DATE SURVEY COMPLETED R 09/22/2025
NAME OF PROVIDER OR SUPPLIER VOCA-ROLLINS GROUP HOME			STREET ADDRESS, CITY, STATE, ZIP CODE 297 BOB ROLLINS ROAD FOREST CITY, NC 28043		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE	
{W 448}	Continued From page 4 Interview with the Area Manager on 7/15/25 verified the expectation for the fire drill evacuation time is three minutes. Continued interview with the Area Manager confirmed the facility is responsible for reviewing all fire drills to ensure timeliness of evacuations and developing a plan to address any difficulties with fire drills. During the follow-up survey completed on 9/22/25, the facility was unable to provide evidence of their plan of correction. The deficiency remains out of compliance.	{W 448}			