

Division of Health Service Regulation

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:  <b>MHL0601482</b>	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____  B. WING _____	(X3) DATE SURVEY COMPLETED  <b>03/10/2026</b>
--	---	---	---

NAME OF PROVIDER OR SUPPLIER  <b>CHRIST CHURCH COTTAGE THOMPSON CHIL</b>	STREET ADDRESS, CITY, STATE, ZIP CODE <b>6722 ST PETERS LANE MATTHEWS, NC 28105</b>
--	--

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
V 000	<p><b>INITIAL COMMENTS</b></p> <p>An annual and complaint survey was completed on March 10, 2026. The complaints were unsubstantiated (Intakes #NC00236017, #NC00236067, and #NC00236242). Deficiencies were cited.</p> <p>This facility is licensed for the following service category: 10A NCAC 27G .1800 Intensive Residential Treatment for Children and Adolescents.</p> <p>This facility is licensed for 9 and has a current census of 5. The survey sample consisted of audits of 2 current clients and 1 former client.</p>	V 000		
V 114	<p><b>27G .0207 Emergency Plans and Supplies</b></p> <p>10A NCAC 27G .0207 EMERGENCY PLANS AND SUPPLIES</p> <p>(a) Each facility shall develop a written fire plan and a disaster plan and shall make a copy of these plans available to the county emergency services agencies upon request. The plans shall include evacuation procedures and routes.</p> <p>(b) The plans shall be made available to all staff and evacuation procedures and routes shall be posted in the facility.</p> <p>(c) Fire and disaster drills in a 24-hour facility shall be held at least quarterly and shall be repeated for each shift. Drills shall be conducted under conditions that simulate the facility's response to fire emergencies.</p> <p>(d) Each facility shall have a first aid kit accessible for use.</p> <p>This Rule is not met as evidenced by:</p>	V 114		

Division of Health Service Regulation  
LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE \_\_\_\_\_ TITLE \_\_\_\_\_ (X6) DATE \_\_\_\_\_

Division of Health Service Regulation

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:  <b>MHL0601482</b>	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____  B. WING _____	(X3) DATE SURVEY COMPLETED  <b>03/10/2026</b>
--	---	---	---

NAME OF PROVIDER OR SUPPLIER  <b>CHRIST CHURCH COTTAGE THOMPSON CHIL</b>	STREET ADDRESS, CITY, STATE, ZIP CODE <b>6722 ST PETERS LANE MATTHEWS, NC 28105</b>
--	--

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
V 114	<p>Continued From page 1</p> <p>Based on record reviews and interviews, the facility failed to ensure fire and disaster drills were conducted quarterly and repeated on each shift. The findings are:</p> <p>Review on 02/19/2026 of the facility's fire and disaster drills log from 01/01/2025 - 12/31/2025 revealed:</p> <ul style="list-style-type: none"> <li>-There were no second shift (7 pm-7 am) fire or disaster drills for the second quarter from 04/01/2025-06/30/2025.</li> <li>-The second shift (7 pm-7 am) fire and disaster drills for the fourth quarter from 10/01/2025-12/31/2025 was conducted at the exact time and date; 11/26/2026 at 6:38 am.</li> </ul> <p>Interview on 02/25/2026 with Client #2 revealed:</p> <ul style="list-style-type: none"> <li>-He participated in fire and disaster drills at the facility.</li> </ul> <p>Interview on 02/26/2026 with Client #3 revealed:</p> <ul style="list-style-type: none"> <li>-He participated in fire and disaster drills at the facility.</li> <li>-He did not know how often fire and disaster drills were conducted.</li> </ul> <p>Interview on 02/25/2026 with Staff #1 revealed:</p> <ul style="list-style-type: none"> <li>-The facility completes fire and disaster drills monthly.</li> </ul> <p>Interview on 02/25/2026 with Staff #2 revealed:</p> <ul style="list-style-type: none"> <li>-The facility completed fire and disaster drills on first shift.</li> <li>-He did not know how often fire and disaster drills were conducted.</li> </ul> <p>Interview on 02/26/2026 with the Program Supervisor/Qualified Professional revealed:</p> <ul style="list-style-type: none"> <li>-"Maintenance is responsible for ensuring (fire and disaster) drills are run."</li> </ul>	V 114		

Division of Health Service Regulation

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:  <b>MHL0601482</b>	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____  B. WING _____	(X3) DATE SURVEY COMPLETED  <b>03/10/2026</b>
--	---	---	---

NAME OF PROVIDER OR SUPPLIER  <b>CHRIST CHURCH COTTAGE THOMPSON CHIL</b>	STREET ADDRESS, CITY, STATE, ZIP CODE <b>6722 ST PETERS LANE MATTHEWS, NC 28105</b>
--	--

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
V 114	<p>Continued From page 2</p> <p>-"I don't know exactly how often (fire or disaster drills are conducted) but I know they are pretty frequent."</p> <p>Interviews on 02/19/2026 and 03/10/2026 with the Quality Improvement Specialist revealed: -First shift was 7 am-7 pm and second shift was 7 pm -7 am. -The Chief Facilities Director was responsible for the fire and disaster drill schedule.</p> <p>Interview on 03/10/2026 with the Chief Facilities Director revealed: -"We fully understand the rule, but due to unusual circumstances we had to alter the schedule (and not run fire and disaster drills for the second quarter)." -"We usually do them (fire and disaster drills) back-to-back." -The fire and disaster drill conducted at the exact time and date was an error.</p>	V 114		
V 367	<p>27G .0604 Incident Reporting Requirements</p> <p>10A NCAC 27G .0604 INCIDENT REPORTING REQUIREMENTS FOR CATEGORY A AND B PROVIDERS (a) Category A and B providers shall report all level II incidents, except deaths, that occur during the provision of billable services or while the consumer is on the providers premises or level III incidents and level II deaths involving the clients to whom the provider rendered any service within 90 days prior to the incident to the LME responsible for the catchment area where services are provided within 72 hours of becoming aware of the incident. The report shall be submitted on a form provided by the Secretary. The report may be submitted via mail,</p>	V 367		

Division of Health Service Regulation

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:  <b>MHL0601482</b>	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____  B. WING _____	(X3) DATE SURVEY COMPLETED  <b>03/10/2026</b>
--	---	---	---

NAME OF PROVIDER OR SUPPLIER  <b>CHRIST CHURCH COTTAGE THOMPSON CHIL</b>	STREET ADDRESS, CITY, STATE, ZIP CODE <b>6722 ST PETERS LANE MATTHEWS, NC 28105</b>
--	--

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
V 367	<p>Continued From page 3</p> <p>in person, facsimile or encrypted electronic means. The report shall include the following information:</p> <p>(1) reporting provider contact and identification information;</p> <p>(2) client identification information;</p> <p>(3) type of incident;</p> <p>(4) description of incident;</p> <p>(5) status of the effort to determine the cause of the incident; and</p> <p>(6) other individuals or authorities notified or responding.</p> <p>(b) Category A and B providers shall explain any missing or incomplete information. The provider shall submit an updated report to all required report recipients by the end of the next business day whenever:</p> <p>(1) the provider has reason to believe that information provided in the report may be erroneous, misleading or otherwise unreliable; or</p> <p>(2) the provider obtains information required on the incident form that was previously unavailable.</p> <p>(c) Category A and B providers shall submit, upon request by the LME, other information obtained regarding the incident, including:</p> <p>(1) hospital records including confidential information;</p> <p>(2) reports by other authorities; and</p> <p>(3) the provider's response to the incident.</p> <p>(d) Category A and B providers shall send a copy of all level III incident reports to the Division of Mental Health, Developmental Disabilities and Substance Abuse Services within 72 hours of becoming aware of the incident. Category A providers shall send a copy of all level III incidents involving a client death to the Division of Health Service Regulation within 72 hours of becoming aware of the incident. In cases of</p>	V 367		

Division of Health Service Regulation

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:  <b>MHL0601482</b>	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____  B. WING _____	(X3) DATE SURVEY COMPLETED  <b>03/10/2026</b>
--	---	---	---

NAME OF PROVIDER OR SUPPLIER  <b>CHRIST CHURCH COTTAGE THOMPSON CHIL</b>	STREET ADDRESS, CITY, STATE, ZIP CODE <b>6722 ST PETERS LANE MATTHEWS, NC 28105</b>
--	--

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
V 367	<p>Continued From page 4</p> <p>client death within seven days of use of seclusion or restraint, the provider shall report the death immediately, as required by 10A NCAC 26C .0300 and 10A NCAC 27E .0104(e)(18). (e) Category A and B providers shall send a report quarterly to the LME responsible for the catchment area where services are provided. The report shall be submitted on a form provided by the Secretary via electronic means and shall include summary information as follows: (1) medication errors that do not meet the definition of a level II or level III incident; (2) restrictive interventions that do not meet the definition of a level II or level III incident; (3) searches of a client or his living area; (4) seizures of client property or property in the possession of a client; (5) the total number of level II and level III incidents that occurred; and (6) a statement indicating that there have been no reportable incidents whenever no incidents have occurred during the quarter that meet any of the criteria as set forth in Paragraphs (a) and (d) of this Rule and Subparagraphs (1) through (4) of this Paragraph.</p> <p>This Rule is not met as evidenced by: Based on record reviews and interviews, the facility failed to file a required incident report within 72 hours and failed to submit to the Local Management Entity (LME)/Managed Care Organization (MCO) upon requests other information regarding the incident. The findings</p>	V 367		

Division of Health Service Regulation

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:  <b>MHL0601482</b>	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____  B. WING _____	(X3) DATE SURVEY COMPLETED  <b>03/10/2026</b>
--	---	---	---

NAME OF PROVIDER OR SUPPLIER  <b>CHRIST CHURCH COTTAGE THOMPSON CHIL</b>	STREET ADDRESS, CITY, STATE, ZIP CODE <b>6722 ST PETERS LANE MATTHEWS, NC 28105</b>
--	--

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
V 367	<p>Continued From page 5</p> <p>are:</p> <p>Review on 02/20/2026 of the facility's incident reports from 11/01/2025 - 02/10/2026 revealed: -01/12/26; FC #4's concussion incident. -01/27/26; Client #2's allegation of abuse incident. -02/10/26; FC #6's aggressive and destructive behavior incident. -02/10/26; Client #2's behavior outburst and Urgent Care visit incident.</p> <p>Review on 02/20/2026 of the Incident Response Improvement System (IRIS) from 11/01/2025 - 02/10/2026 revealed: -01/12/26; FC #4's concussion incident. -01/27/26; Client #2's allegation of abuse incident. -02/10/26; FC #6's aggressive and destructive behavior incident. -02/10/26; Client #2's behavior outburst and Urgent Care visit incident.</p> <p>Review on 02/20/2026 an IRIS Report dated 01/12/2026 for FC #4 revealed: -The incident occurred on 01/12/2026. -The provider learned of the incident on 01/12/2026. -The report was submitted 01/13/2026. -LME/MCO Comments dated 01/13/2026: " Incident reviewed. Please add Medicaid ID number." -There was no response to the LME/MCO request.</p> <p>Review on 02/20/2026 an IRIS Report dated 01/27/2026 for Client #2 revealed: -The incident occurred on 01/27/2026. -The provider learned of the incident on 01/28/2026. -The report was submitted 01/28/2026. -LME/MCO Comments dated 02/10/2026: "This is</p>	V 367		

Division of Health Service Regulation

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:  <b>MHL0601482</b>	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____  B. WING _____	(X3) DATE SURVEY COMPLETED  <b>03/10/2026</b>
--	---	---	---

NAME OF PROVIDER OR SUPPLIER  <b>CHRIST CHURCH COTTAGE THOMPSON CHIL</b>	STREET ADDRESS, CITY, STATE, ZIP CODE <b>6722 ST PETERS LANE MATTHEWS, NC 28105</b>
--	--

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
V 367	<p>Continued From page 6</p> <p>an allegation of abuse and needs to be escalated to a level 3. Consumer Treatment, Consumer Services, and Abuse tabs must be completed. HCPR (Health Care Personnel Registry) tab has checked CPS (Child and Protective Services) contacted. Please update Authorities Contacted to reflect that."</p> <p>-There was no response to the LME/MCO request.</p> <p>Review on 02/20/2026 an IRIS Report dated 02/07/2026 for Client #2 revealed: -The incident occurred on 02/07/2026. -The provider learned of the incident on 02/07/2026. -The report was submitted 02/10/2026. -LME/MCO Comments dated 02/11/2026: " Incident reviewed. What was the diagnosis from UC?."</p> <p>-There was no response to the LME/MCO request.</p> <p>Review on 02/20/2026 an IRIS Report dated 02/10/2026 for FC #6 revealed: -The incident occurred on 02/10/2026. -The provider learned of the incident on 02/10/2026. -The report was submitted on 02/16/2026; three days after the required time frame.</p> <p>Interview on 03/10/2026 with the Nurse Supervisor revealed: -The facility is not always notified via email when an updated to the IRIS report is required.</p> <p>Interview on 03/10/2026 with the Quality Improvement Specialist revealed: -"Whoever submitted the IRIS (was responsible for completing the updates at the request of LME/MCO)."</p>	V 367		

Division of Health Service Regulation

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:  <b>MHL0601482</b>	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____  B. WING _____	(X3) DATE SURVEY COMPLETED  <b>03/10/2026</b>
--	---	---	---

NAME OF PROVIDER OR SUPPLIER  <b>CHRIST CHURCH COTTAGE THOMPSON CHIL</b>	STREET ADDRESS, CITY, STATE, ZIP CODE <b>6722 ST PETERS LANE MATTHEWS, NC 28105</b>
--	--

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
V 367	Continued From page 7  -Would ensure that facility staff check IRIS to see if updates are required within two days after inital submission.	V 367		