

Division of Health Service Regulation

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:  <b>MHL074-255</b>	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____  B. WING _____	(X3) DATE SURVEY COMPLETED  <b>R</b> <b>03/26/2026</b>
--	---	---	---

NAME OF PROVIDER OR SUPPLIER  <b>PARADIGM 4 KIDS</b>	STREET ADDRESS, CITY, STATE, ZIP CODE <b>4075 PITT STREET</b> <b>AYDEN, NC 28513</b>
--	--

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
V 000	<p><b>INITIAL COMMENTS</b></p> <p>An annual and follow up survey was completed on March 26, 2026. Deficiencies were cited.</p> <p>This facility is licensed for the following service category: 27G .5600B Supervised Living for Minors with Developmental Disability.</p> <p>This facility is licensed for 3 and has a current census of 3. The survey sample consisted of audits of 3 current clients.</p>	V 000		
V 111	<p><b>27G .0205 (A-B) Assessment/Treatment/Habilitation Plan</b></p> <p><b>10A NCAC 27G .0205 ASSESSMENT AND TREATMENT/HABILITATION OR SERVICE PLAN</b></p> <p>(a) An assessment shall be completed for a client, according to governing body policy, prior to the delivery of services, and shall include, but not be limited to:</p> <ol style="list-style-type: none"> <li>(1) the client's presenting problem;</li> <li>(2) the client's needs and strengths;</li> <li>(3) a provisional or admitting diagnosis with an established diagnosis determined within 30 days of admission, except that a client admitted to a detoxification or other 24-hour medical program shall have an established diagnosis upon admission;</li> <li>(4) a pertinent social, family, and medical history; and</li> <li>(5) evaluations or assessments, such as psychiatric, substance abuse, medical, and vocational, as appropriate to the client's needs.</li> </ol> <p>(b) When services are provided prior to the establishment and implementation of the treatment/habilitation or service plan, hereafter referred to as the "plan," strategies to address the client's presenting problem shall be documented.</p>	V 111		

Division of Health Service Regulation  
LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE \_\_\_\_\_ TITLE \_\_\_\_\_ (X6) DATE \_\_\_\_\_

Division of Health Service Regulation

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:  <b>MHL074-255</b>	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____  B. WING _____	(X3) DATE SURVEY COMPLETED  <b>R</b> <b>03/26/2026</b>
--	---	---	---

NAME OF PROVIDER OR SUPPLIER  <b>PARADIGM 4 KIDS</b>	STREET ADDRESS, CITY, STATE, ZIP CODE <b>4075 PITT STREET</b> <b>AYDEN, NC 28513</b>
--	--

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
V 111	<p>Continued From page 1</p> <p>This Rule is not met as evidenced by: Based on record review and interview the facility failed to provide documentation that an admission assessment was completed prior to the delivery of services for 1 of 3 clients (#2). The findings are:</p> <p>Review on 03/25/26 client #2's record revealed: -Date of Admission: 03/17/25 -Diagnoses: Oppositional Defiant Disorder, Attention Deficit Hyperactivity Disorder, Intellectual Developmental Disabilities, Post Traumatic Stress Disorder. -No evidence that an admission assessment or screening was completed prior to the delivery of service to include presenting problems, needs, strengths, or pertinent social family and medical history.</p> <p>Interview on 03/25/26 the Qualified Professional stated: -That client #3 had an admission assessment. "She just could not put her hands on it right now." -She would send the admission assessment electronically by 12:00pm on 03/27/26. The document was not received.</p>	V 111		

Division of Health Service Regulation

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:  <b>MHL074-255</b>	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____  B. WING _____	(X3) DATE SURVEY COMPLETED  <b>R</b> <b>03/26/2026</b>
--	---	---	---

NAME OF PROVIDER OR SUPPLIER  <b>PARADIGM 4 KIDS</b>	STREET ADDRESS, CITY, STATE, ZIP CODE <b>4075 PITT STREET</b> <b>AYDEN, NC 28513</b>
--	--

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
V 736 V 736	Continued From page 2 27G .0303(c) Facility and Grounds Maintenance  10A NCAC 27G .0303 LOCATION AND EXTERIOR REQUIREMENTS (c) Each facility and its grounds shall be maintained in a safe, clean, attractive and orderly manner and shall be kept free from offensive odor.  This Rule is not met as evidenced by: Based on observation and interview the facility was not maintained in a safe, clean, attractive and orderly manner and kept free from offensive odor. The findings are:  Observation on 03/25/26 at approximately between 12:41pm and 2:41pm and on 03/25/26 at approximately 1:15pm and 1:31pm photographs of the facility revealed:  -There were only two dining room chairs for the dining room table in the entire facility. -The hallway door had approximately a 12 inch piece of wood was missing from the bottom right corner of the door. -There was a thick gray substance on the windowsill in the kitchen. -The bottom of the refrigerator had a sticky, red, unknown substance. -Approximately 12 inches of the bottom refrigerator was loose. -The ice maker tray was covered with an orange unknown substance. -The curtain rod in the living room had approximately a 15 inch bend on the right side. -There was approximately a 24 inch repaired area on far light wall near the loveseat. -The bottom of the sofa second chair was off track and loose about 3 inches -The bottom of the sofa third chair was loose	V 736 V 736		

Division of Health Service Regulation

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:  <b>MHL074-255</b>	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____  B. WING _____	(X3) DATE SURVEY COMPLETED  <b>R</b> <b>03/26/2026</b>
--	---	---	---

NAME OF PROVIDER OR SUPPLIER  <b>PARADIGM 4 KIDS</b>	STREET ADDRESS, CITY, STATE, ZIP CODE <b>4075 PITT STREET</b> <b>AYDEN, NC 28513</b>
--	--

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
V 736	<p>Continued From page 3</p> <p>about 1 inch on the left side.</p> <ul style="list-style-type: none"> <li>-There was a water spot approximately 24 inches over the entertainment right side of window in the living room.</li> <li>-Client #3's room had a strong musty smell.</li> <li>-Client #3 had unknown debris on his floor, empty snack wrappings and a water bottle on his dresser, an empty pizza box on the side of his bed and a fast food bag and cup under his bed.</li> <li>-Client #3 had clothing strewn on floor throughout his entire room.</li> <li>-Client #1 had closet doors torn off.</li> <li>-There were large unknown stains on the inside wall of client #1 closet.</li> <li>-There was a large bag of concrete under the slate of client #1's bed.</li> <li>-There was dark brown dried substance approximately the size of a quarter near the on the wall near right side of the window in client #1 bedroom.</li> <li>-The light blue wall was discolored with white paint approximately 40 inches and the bathroom mirror was missing.</li> <li>-Client #2's bathroom wall was missing a mirror and the light blue wall was discolored with white paint and had approximately 40 inches of plaster missing in various areas.</li> <li>-The air vent in the hallway bathroom was rusted.</li> <li>-Client #2's bedroom the linoleum floor peeled in two areas from the closet to the wall to the other side approximately 3 feet and approximately 1 foot pulled away from wall and away from the floor.</li> <li>-Client #2's bedroom had a twin size mattress pushed against the wall.</li> <li>-The air vent in the hallway had a large dent approximately 30 inches.</li> </ul> <p>Observation on 03/25/26 at approximately between 03:45pm-4:15pm revealed:</p>	V 736		

Division of Health Service Regulation

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:  <b>MHL074-255</b>	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____  B. WING _____	(X3) DATE SURVEY COMPLETED  <b>R</b> <b>03/26/2026</b>
--	---	---	---

NAME OF PROVIDER OR SUPPLIER  <b>PARADIGM 4 KIDS</b>	STREET ADDRESS, CITY, STATE, ZIP CODE <b>4075 PITT STREET AYDEN, NC 28513</b>
--	--

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
V 736	<p>Continued From page 4</p> <p>-The Home Manager attempted to prompt and encourage client #3 to clean his room.</p> <p>Interview on 03/25/26 the Assistant Home Manager stated: -Client #1 became upset and kicked and damaged the vent in the hallway, damaged the mirrors in the hallway and client #2's bathroom, tore the shutter off the window. -Client #3 also kicked the hole in the wall in the Living Room. -She stated about the dried brown stain."He smears feces, he probably did that when he took a shower. But that looks like feces."</p> <p>Interview on 03/26/26 Staff #1 stated: -He did not know why there was a bag of concrete under client #1's bed. -"Some people see it and some people act like they don't. I treat them like I want to be treated. If it see, I clean it up."</p> <p>Interview on 03/26/26 the Qualified Professional stated: -She had no knowledge of the facility tour. -She was notified of the concerns that were identified.</p> <p>This deficiency constitutes a re-cited deficiency and must be corrected within 30 days.</p>	V 736		
V 738	<p>27G .0303(d) Pest Control</p> <p>10A NCAC 27G .0303 LOCATION AND EXTERIOR REQUIREMENTS (d) Buildings shall be kept free from insects and rodents.</p>	V 738		

Division of Health Service Regulation

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:  <b>MHL074-255</b>	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____  B. WING _____	(X3) DATE SURVEY COMPLETED  <b>R</b> <b>03/26/2026</b>
--	---	---	---

NAME OF PROVIDER OR SUPPLIER  <b>PARADIGM 4 KIDS</b>	STREET ADDRESS, CITY, STATE, ZIP CODE <b>4075 PITT STREET AYDEN, NC 28513</b>
--	--

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
V 738	<p>Continued From page 5</p> <p>This Rule is not met as evidenced by: Based on observation and interview, the facility failed to ensure buildings were kept free from insects and rodents. The findings are:</p> <p>Observation on 03/25/26 at approximately 12:41pm: -There was a large amount of rodent droppings above the stove in the cabinet beside a 12 count box of noodles.</p> <p>Interview on 03/26/26 Staff #1 stated: -There was an issue with mice at one point. -"Got reported. Exterminator came, Sometime last year. October of last year."</p> <p>Interview on 03/26/26 the Home Manager stated: -"Been a while, they called in some specialists that took care of the problem." -He was surprised to see the droppings. -The pest people would come back out to spray and put down traps.</p> <p>Interview on 03/26/26 with the Qualified Professional stated: -She did not see the droppings in the cabinet over the stove. -The mice could have come from the construction in this area.</p> <p>This deficiency constitutes a re-cited deficiency and must be corrected within 30 days.</p>	V 738		