1 10A NCAC 15 .0805 is amended with changes without notice pursuant to G.S. 150B-21.5(a)(5) as follows:

2

10A NCAC 15.0805 OPERATING REQUIREMENTS

- 4 (a) RGDs shall be operated by individuals that have completed the training requirements of Rule .0806 of this Section.
- 5 (b) Normal operating procedures shall be written and available to all RGD operators and support staff.
- 6 (c) No individual shall be permitted to operate RGDs in any manner other than that specified in the operating
- 7 procedures unless the person has obtained written approval of the individual responsible for radiation safety, safety or
- 8 <u>the Radiation Safety Officer (RSO)</u> as defined in Rule .0104 of this Chapter.
- 9 (d) No individual shall bypass a safety device unless the person has obtained the approval of the person responsible
- for radiation safety or the RSO. This process shall be incorporated into the radiation protection program by the RSO,
- as set forth in Rule .1613(a), .1603(a), and the operating procedures as set forth in Rule .0603(a)(1)(B). The written
- approval, as granted by the RSO, shall include an expiration date. When a safety device has been bypassed, a legible
- 13 sign bearing the words "SAFETY DEVICE NOT WORKING," WORKING" or words having a similar meaning shall
- be placed on the radiation source housing and the control panel during the bypassing period.
- 15 (e) Prior to an individual modifying the:
 - (1) x-ray tube system, resulting in the removal of tube housings, covers, or shielding materials;
- 17 (2) shutters;
- 18 (3) collimators; or
- 19 (4) beam stops; stops
- the individual shall determine the tube is off and will remain off until safe conditions have been restored.
- 21 (f) Safety devices including interlocks, shutters, and warning lights shall be tested <u>once annually</u> for proper operation
- on all RGDs in operation once annually. operation. Records of the testing shall be retained by the registrant for three
- 23 years
- 24 (g) Individuals No individual shall not hold a sample or object while it is being irradiated.

25

16

- 26 *History Note: Authority G.S. 104E-7; 104E-12;*
- 27 *Eff. February 1, 1980;*
- 28 Transferred and Recodified from 15A NCAC 11 .0805 Eff. February 1, 2015;
- 29 Amended Eff. <u>January 1, 2016</u>; October 1, 2015.