1 10A NCAC 13E .0302 is adopted with changes as published in 31:06 NCR, pp. 462-474, as follows:

2

10A NCAC 13E .0302 CAPACITY

- 4 (a) Pursuant to G.S. 131D-6.1(c)(8), the Division of Health Service Regulation shall not approve a capacity of greater
- 5 than six participants for an overnight respite services program of greater than six participants. program. For the
- 6 purposes of this Rule, "capacity" means the maximum number of participants that the overnight respite services
- 7 program is licensed to maintain house at any given time.
- 8 (b) An overnight respite services program shall not exceed the capacity shown on its license.
- 9 (c) Prior to an increase in capacity by adding rooms, altering rooms, or changing use of space, the overnight respite
- services program shall submit a request for capacity increase and two building plans of each floor to the Construction
- 11 Section. One plan shall indicate the current use of rooms in the existing building. The other plan shall indicate the
- 12 proposed use of rooms in the existing building and its addition, alteration, or change in use of space. For an addition
- to an existing building, the building plans shall also indicate how the addition will be tied into the existing building
- and any proposed changes to the building structure.
- 15 (d) When the overnight respite services program increases its capacity by the addition to or alteration of an existing
- building, the entire overnight respite services program shall comply with the North Carolina Fire Prevention Code,
- which is incorporated herein by reference, reference including all subsequent amendments and editions. Copies of this
- 18 code may be purchased from the International Code Council online at http://www.iccsafe.org/Store/Pages/default.aspx
- 19 at a cost of eighty-five dollars (\$85.00) or accessed electronically free of charge at
- 20 http://codes.iccsafe.org/app/book/toc/2012/North Carolina/Fire/index.html.

21

- 22 History Note: Authority G.S. 131D-6.1;
- 23 Eff. April 1, 2017.