

1 10A NCAC 14J .1225 is readopted with changes as published in 32:14 NCR 1371-1387 as follows:

2

3 **10A NCAC 14J .1225 STANDARDS FOR DAYROOMS**

4 Each dayroom shall have:

5 (1) a ~~separate and complete~~ security vestibule at its entrance;

6 (2) a ~~minimum~~ floor space of not less than 105 square feet or 35 square feet per inmate, whichever is
7 greater;

8 (3) ~~sufficient~~ seating for the capacity of the ~~unit cellblock~~;

9 (4) ~~sufficient~~ table space for the capacity of the ~~unit cellblock~~, unless each inmate has unrestricted
10 access to their cell with a table and chair, in which case the dayroom shall have ~~sufficient~~ table space
11 for 70 percent of the capacity of the ~~unit cellblock~~;

12 (5) a telephone jack or ~~other telephone arrangement~~ access to a telephone provided within the dayroom;

13 (6) a way for officers to observe the entire area; ~~and~~

14 (7) one ~~toilet~~ toilet, sink, and security mirror per eight ~~inmates~~ inmates, unless the inmates have
15 unrestricted access to ~~a~~ their cell with a toilet, sink, ~~drinking fountain~~ and security ~~mirror~~. mirror;
16 and

17 (8) one drinking fountain, unless the inmates have unrestricted access to their cell with a drinking
18 fountain.

19

20 *History Note: Authority G.S. 153A-221;*

21 *Eff. June 1, 1990;*

22 *Amended Eff. June 1, 1993; December 1, ~~1991~~, 1991;*

23 *Readopted Eff. July 1, 2019.*